

F. References

- Aihara., M. and H. Okamura, 1985: A numerical simulation of the finite-amplitude mountain waves using a meso-scale nonhydrostatic compressible model. *Pap. Met. Geophys.*, **36**, 119–135 (published by the Meteorological Research Institute attached to Japan Meteorological Agency; hereafter JMA).
- Aihara., M. and M. Hirasawa, 1988a: On severe downslope wind due to the mountain wave-induced critical level. *Pap. Met. Geophys.*, **39**, 59–77.
- Akiyama, To., 1956; On the occurrence of the local severe wind “Yamaji”. Part 1. *J. Meteor. Res.*, **8**, 627–641 (in Japanese).
- Asselin, R. A., 1972: Frequency filter for time integration. *Mon. Wea. Rev.*, **100**, 487–490.
- Bacmeister, J. T. and R. T. Pierrehumbert, 1988: On high-drag states of nonlinear stratified flow over an obstacle. *J. Atmos. Sci.*, **45**, 63–80.
- Berry, E., 1967: Cloud droplet growth by collection. *J. Atmos. Sci.*, **92**, 93–104.
- Berry, E. and R. L. Reinhart, 1974: An analysis of cloud drop growth by collection: Part 1 and 2. *J. Atmos. Sci.*, **31**, 1814–1824, 1825–1831.
- Bigg, E. K., 1953: The supercooling of water. *Proc. Phys. Soc. London*, **B66**, 688–694.
- Carpenter, K. M., 1979: An experimental forecast using a non-hydrostatic mesoscale model. *Quart. J. Roy. Met. Soc.*, **105**, 629–655.
- Clark, T., 1977: A small-scale dynamic model using terrain following coordinate transformation. *J. Comp. Phys.*, **24**, 186–215.
- Clark, T. and W. R. Peltier, 1984: Critical level reflection and the resonant growth of nonlinear mountain waves. *J. Atmos. Sci.*, **41**, 3122–3134.
- Clark, T. L. and W. D. Hall, 1988: Multi-domain simulations of the time dependent Navier Stokes equations: error analysis of nesting procedures (manuscript).
- Cotton, W. R., G. J. Tripoli, R. M. Rauber and E. A. Mulvihill 1986: Numerical simulation of the effects of varying ice crystal nucleation rates and aggregation processes on orographic snowfall. *J. Climate Applied Meteor.*, **25**, 1658–1680.
- Cotton, W. R. and R. A. Anthes, 1989: Cloud and storm dynamics (Chapter 4: parameterization or modelling of microphysical processes in clouds). Academic Press, 880pp.
- Cullen, M. J. P., 1990: A test of a semi-implicit integration technique for a fully compressible non-hydrostatic model. *Quart. J. Roy. Met. Soc.*, **116**, 1253–1258.
- Deardorff, J. W., 1980: Stratocumulus-capped mixed layers derived from a three-dimensional model. *Boundary-Layer Met.*, **18**, 495–527.
- Dröegemeier, K. K. and R. B. Wilhelmson, 1985: Three-dimensional numerical modelling of convection produced by interacting thunderstorm outflows. Parts 1 and 2. *J. Atmos. Sci.*, **42**, 2381–2414.
- Durran, D. and J. Klemp, 1983: A compressible model for the simulation of moist mountain waves. *Mon. Wea. Rev.*, **111**, 2341–2361.
- Durran, D. R., 1986: Another look at downslope windstorms. Part 1. *J. Atmos. Sci.*, **43**, 2527–2543.

- Durrán, D. R. and J. B. Klemp, 1987: Another look at downslope windstorms. Part 2. *J. Atmos. Sci.*, **44**, 3402–3412.
- Fletcher, N. H., 1962: Physics of rain clouds. Cambridge University Press, 179pp.
- Furukawa, T., 1966; On the “Yamaji Wind”. *Tenki*, **13**, 261–268 (in Japanese).
- Gal-Chen, T. and R. C. J. Somerville, 1975: On the use of a coordinate transform for the solution of the Navier-Stokes equation. *J. Comp. Phys.*, **17**, 209–228.
- Gouda, H. and K. Kurihara, 1991: Development of a nonhydrostatic model. *Technical Report of Numerical Prediction Division, J. M. A.*, Separate Volume 37, 67–82 (in Japanese).
- Griggs, D. J. and T. W. Choullarton, 1986: A laboratory study of secondary ice particle production by the fragmentation of rime and vapour grown ice crystals. *Quart. J. Roy. Met. Soc.*, **112**, 149–163.
- Gunn, K. L. S. and J. S. Marshall, 1958: The distribution with size of aggregate snowflakes. *J. Meteor.*, **15**, 452–461.
- Hallet, J. and S. C. Mossop, 1974: Production of secondary ice particles during the riming process. *Nature*, **249**, 26–28.
- Harimaya, T. and M. Sato, 1989: Measurement of the riming amount on snowflakes. *J. Fac. Sci., Hokkaido Univ.*, Ser. VII (Geophysics), Vol. 8, 355–366.
- Harimaya, T., 1976: The embryo and formation of graupel. *J. Met. Soc. Japan*, **54**, 42–51.
- Harimaya, T., 1978: Observation of size distribution of graupel and snow flake. *J. Fac. Sci., Hokkaido Univ.*, Ser. VII (geophysics), Vol. 5, 67–77.
- Horibata, Y., 1986: On the stability of the finite difference scheme employed in a rainstorm simulation. *J. Japan Society of Simulation Technology*, **5**, 97–101 (in Japanese).
- Horibata, Y., 1987: Study of a finite difference scheme employed in a rainstorm simulation. Its stability and conservative property. *J. Japan Society of Simulation Technology*, **6**, 90–100 (in Japanese).
- Huffman, P. J. and G. Vali, 1973: The effect of vapor depletion on ice nucleus measurements with membrane filters. *J. Appl. Meteor.*, **12**, 1018–1024.
- Ikawa, M., 1981: The energy conserving scheme of invariant form for the shallow convection. *Pap. Met. Geophys.*, **32**, 65–78.
- Ikawa, M., 1985: Development of convective cloud model, Part 2: Inclusion of orography and 2-dimensional simulation of convective orographic rainfall. Technical Report submitted to the annual meeting of JMA for improvement of forecasting technique, MRI, Forecast Research Department, 16–47 (in Japanese).
- Ikawa, M., H. Sakakibara, M. Ishihara and Z. Yanagisawa, 1987: 2-dimensional simulation of the convective snow band observed over the Japan Sea. —the structure and time evolution of the organized multicellular convection—. *J. Met. Soc. Japan*, **64**, 605–633.
- Ikawa, M., 1988: 2-dimensional simulation of the convective snow band observed over the Japan Sea. Part 2. —Precipitation mechanism of the convective snow band and the effect of the different

- parameterizations of the cloud microphysics on the convective snow band—. *Pap. Met. Geophys.*, **39**, 13–43.
- Ikawa, M., 1988: Comparison of some schemes for nonhydrostatic models with orography. *J. Met. Soc. Japan*, **66**, 753–776.
- Ikawa, M. and Y. Nagasawa, 1989: A numerical study of a dynamically induced foehn observed in the Abashiri-Ohmu area. *J. Met. Soc. Japan*, **67**, 429–458.
- Ikawa, M., 1990a: High-drag states and foehns of a 2-layered stratified fluid past a 2-dimensional mountain. *J. Met. Soc. Japan*, **68**, 163–182.
- Ikawa, M., 1990b: Weakly non-linear aspects of steady hydrostatic mountain waves in a 2-layered stratified fluid of infinite depth over a 2-dimensional mountain. *J. Met. Soc. Japan*, **68**, 357–369.
- Ikawa, M., H. Mizuno, T. Matsuo, M. Murakami, Y. Yamada and K. Saito, 1991: Numerical modeling of the convective snow cloud over the Sea of Japan. —precipitation mechanism and sensitivity to ice nucleation rates—. *J. Met. Soc. Japan*, **69**, 641–667.
- Isono, K., M. Komabayashi, T. Takahashi and T. Tanaka, 1966: A physical study of solid precipitation from convective clouds over the sea: Part 2. *J. Met. Soc. Japan*, **44**, 218–226.
- Kajikawa, M., 1975: Measurement of falling velocity of individual graupel particles. *J. Met. Soc. Japan*, **53**, 476–480.
- Kajikawa, M. and K. Kiba, 1978: Observation of the size distribution of graupel. *Tenki*, **25**, 390–398 (in Japanese).
- Kawamura, T., 1977: The climate of the land-sea breeze. *Investigation report of the atmospheric environment in South Kanto district*, **1**, 46–52 (in Japanese).
- Klemp, J. B. and D. R. Durran, 1983: An upper boundary condition permitting internal gravity wave radiation in numerical mesoscale models. *Mon. Wea. Rev.*, **111**, 430–444.
- Klemp, J. B. and R. B. Wilhelmson, 1978: The simulation of three-dimensional convective storm dynamics. *J. Atmos. Sci.*, **35**, 1070–1096.
- Köenig, L. R., 1971: Numerical modeling of ice deposition. *J. Atmos. Sci.*, **28**, 226–237.
- Kondo, J., 1975: Air-sea bulk transfer coefficients in diabatic conditions. *Boundary-Layer Met.*, **9**, 91–112.
- Konishi, K., T. Endoh and G. Wakahama, 1989: Vertical structure in convective clouds producing graupel and snowflake aggregates. *Proceedings of the NIPR (National Institute of Polar Research) Symposium on Polar Meteorology and Glaciology*, No. 2, 41–47.
- Kurihara, Y., 1965: On the use of implicit and iterative methods for the time integration of the wave equation. *Mon. Wea. Rev.*, **93**, 33–46.
- Lew, J. K., D. C. Montague and H. R. Pruppacher, 1986: A wind tunnel investigation on the riming of snowflakes. Part 1: porous disks and large stellars. *J. Atmos. Sci.*, **43**, 2392–2409.
- Lilly, D. K. and J. B. Klemp, 1979: The effects of terrain shape on non-linear hydrostatic mountain waves. *J. Fluid Mech.*, **95**, 241–261.
- Lin, Y. H., R. D. Farley and H. D. Orville 1983: Bulk parameterization of the snow field in a cloud

- model. *J. Climate and Appl. Meteor.*, 1065–1092.
- Locatteli, J. B. and P. V. Hobbs, 1974: Fall speeds and masses of solid precipitation particles. *J. Geophys. Res.*, **79**, 1914–1932.
- Long, R. R., 1953: Some aspects of the flow of stratified fluids: I. A theoretical investigation. *Tellus*, **5**, 42–58.
- Long, R. R., 1953: Some aspects of the flow of stratified fluids: II. Experiments with a two fluid system. *Tellus*, **6**, 97–115.
- Magono, C. and C. W. Lee, 1973: The vertical structure of snow clouds, as revealed by “Snow Crystal Sondes”, Part 2. *J. Met. Soc. Japan*, **51**, 176–190.
- Matsumoto, S., K. Ninomiya and T. Akiyama, 1967: Cumulus activities in relation to the mesoscale convergence field. *J. Met. Soc. Japan*, **45**, 292–305.
- Matsuo, T., 1986: personal communication.
- Matsuo, T. and H. Mizuno, 1990: personal communication.
- Mizuno, H., 1989: Statistical study on the precipitation characteristics of graupel particles utilizing daily surface observed data at meteorological stations. *Proc. of the spring meeting of Japan Met. Soc.*, **55**, C118 (in Japanese).
- Mizuno, H., 1990a: Parameterization of the accretion process between different precipitation elements. *J. Met. Soc. Japan*, **68**, 395–398.
- Mizuno, H., 1990b: personal communication.
- Mizuno, H. and T. Matsuo, 1990: personal communication.
- Mizuno, H., T. Matsuo, M. Murakami and Y. Yamada, 1990: Characteristics of precipitating particles in the coastal region facing the Sea of Japan when the north–west cold monsoon winds prevails. *Proc. of the spring meeting of Japan Met. Soc.*, **57**, B118 (in Japanese).
- Murakami, M. and T. Matsuo, 1990: Development of the hydrometeor video sonde (HYVIS). *J. Atmos. Ocean Tech.*, **7**, 613–620.
- Murakami, M., H. Mizuno, T. Matsuo and Y. Yamada, 1990: Cloud microphysical structure of convective snow clouds, Part 2: vertical distribution of water content and number concentration of hydrometeors. *Proc. of the spring meeting of Japan Met. Soc.*, **57**, B364 (in Japanese).
- Murakami, M., 1990: Numerical modeling of dynamical and microphysical evolution of an isolated convective cloud—the 19 July 1981 CCOPE cloud—. *J. Met. Soc. Japan*, **68**, 107–128.
- Nakamura, H., 1978: Dynamical effects of mountains on the general circulation of the atmosphere: 1. Development of finite-difference schemes suitable for incorporating mountains. *J. Met. Soc. Japan*, **56**, 317–339.
- Nickerson, E. C., E. Richard, R. Rosset and D. R. Smith, 1986: The numerical simulation of clouds, rain and airflow over the Vosges and Black Forest Mountains: A meso- β model with parameterized microphysics. *Mon. Wea. Rev.*, **114**, 398–414.
- Ninomiya, K., 1968: Heat and water budget over the Japan Sea and the Japan Islands in winter season. *J. Met. Soc. Japan*, **46**, 343–372.

- Ogura, M., 1969: A direct method of solving Poisson equation by Dimension Reduction Method. *J. Met. Soc. Japan*, **47**, 319–323.
- Ogura, Y. and N. A. Phillips, 1962: Scale analysis of deep and shallow water convection in the atmosphere. *J. Atmos. Sci.*, **19**, 173–179.
- Orlanski, I., 1976: A simple boundary condition for unbounded hyperbolic flows. *J. Comp. Physics*, **21**, 251–269.
- Passarelli, R. E., 1978: An approximate analytical model of the vapor deposition and aggregation growth of snowflakes. *J. Atmos. Sci.*, **35**, 118–124.
- Peltier, W. R. and T. L. Clark, 1979: The evolution and stability of finite-amplitude mountain waves. Part 2: Surface wave drag and severe downslope windstorms. *J. Atmos. Sci.*, **36**, 1498–1529.
- Pielke, R. A. and C. L. Martin, 1981: The derivation of a terrain-following coordinate system for use in a hydrostatic model. *J. Atmos. Sci.*, **38**, 1707–1713.
- Pielke, R. A., 1984: "Mesoscale meteorological modelling". Academic Press, 612pp.
- Pierrehumbert, R. T. and B. Wyman, 1985: Upstream effects of mesoscale mountains. *J. Atmos. Sci.*, **42**, 997–1003.
- Pruppacher, H. R. and J. D. Klett, 1978: Microphysics of cloud and precipitation. D. Reidel, 714pp.
- Rutledge, S. A. and P. V. Hobbs, 1984: The mesoscale and microscale structure and organization of clouds and precipitation in midlatitude cyclones. XII: A diagnostic modeling study of precipitation development in narrow cold-frontal rainbands. *J. Atmos. Sci.*, **41**, 2949–2972.
- Saito, K. and M. Ikawa, 1991: A numerical study of the local downslope wind "Yamaji-kaze" in Japan. *J. Met. Soc. Japan*, **69**, 31–56.
- Sakakibara, H., M. Ishihara and Z. Yanagisawa, 1988: Squall line like convective snowbands over the Sea of Japan. *J. Met. Soc. Japan*, **66**, 937–953.
- Simmons, A. J., B. J. Hoskins and D. M. Burridge, 1978: Stability of the semi-implicit method of time integration. *Mon. Wea. Rev.*, **106**, 405–412.
- Smith, R. B., 1980: Linear theory of stratified hydrostatic flow past an isolated mountain. *Tellus*, **32**, 348–364.
- Sommeria, G., 1976: Three-dimensional simulation of turbulent processes in an undisturbed trade wind boundary layer. *J. Atmos. Sci.*, **33**, 216–241.
- Takahashi, T., 1983: A numerical simulation of winter cumulus electrification. Part 1: shallow cloud. *J. Atmos. Sci.*, **40**, 1257–1280.
- Tanguay, M., A. Robert and R. Laprise, 1990: A semi-implicit semi-Lagrangian fully compressible regional forecast model. *Mon. Wea. Rev.*, **118**, 1970–1980.
- Tapp, M. C. and P. W. White, 1976: A non-hydrostatic mesoscale model. *Quart. J. Roy. Met. Soc.*, **102**, 277–296.
- Tatsumi, Y., 1986: A spectral limited area model with time dependent lateral boundary condition and its application to a multilevel primitive equation model. *J. Met. Soc. Japan*, **64**, 637–664.
- Vardiman, L., 1978: The generation of secondary ice particles in clouds by crystal-crystal collision.

J. Atmos. Sci., **35**, 2168-2180.

Yagi, T., H. Uyeda and H. Seino, 1979: Size distribution of snowflakes and graupel particles observed in Nagaoka, Niigata prefecture. *J. Fac. Sci.*, Hokkaido Univ., Ser. VII (geophysics), Vol.6, No.1, 79-92.

Yamada, Y., H. Sakakibara, K. Akaeda, M. Ishihara, Y. Fujiyoshi, K. Tsuboki and S. Sato, 1990: Three-dimensional structure of snow clouds. *Proc. of the spring meeting of Japan Met. Soc.*, **57**, P109 (in Japanese).

Yoshizaki, M., 1988: An explanatory description of the convective cloud model for the simulation of orographic rainfall. (Technical Report, published by Ocean Research Institute, Tokyo University; in Japanese).

Wong, R. K. W. and K. D. Hage, 1983: Comments on terrain-following coordinates and the hydrostatic approximation. *J. Atmos. Sci.*, **40**, 2875-2880.

気象研究所技術報告一覧表

- 第 1 号 バックグラウンド大気汚染の測定法の開発 (地球規模大気汚染特別研究班, 1978)
Development of Monitoring Techniques for Global Background Air Pollution (MRI Special Research Group on Global Atmospheric Pollution, 1978)
- 第 2 号 主要活火山の地殻変動並びに地熱状態の調査研究 (地震火山研究部, 1979)
Investigation of Ground Movement and Geothermal State of Main Active Volcanoes in Japan (Seismology and Volcanology Research Division, 1979)
- 第 3 号 筑波研究学園都市に新設された気象観測用鉄塔施設 (花房龍男・藤谷徳之助・伴野登・魚津 博, 1979)
On the Meteorological Tower and Its Observational System at Tsukuba Science City (T. Hanafusa, T. Fujitani, N. Banno and H. Uozu, 1979)
- 第 4 号 海底地震常時観測システムの開発 (地震火山研究部, 1980)
Permanent Ocean-Bottom Seismograph Observation System (Seismology and Volcanology Research Division, 1980)
- 第 5 号 本州南方海域水温図——400m (又は 500m) 深と 1000m 深—— (1934-1943 年及び 1954-1980 年) (海洋研究部, 1981)
Horizontal Distribution of Temperature in 400m (or 500m) and 1000m Depth in Sea South of Honshu, Japan and Western-North Pacific Ocean from 1934 to 1943 and from 1954 to 1980 (Oceanographical Research Division, 1981)
- 第 6 号 成層圏オゾンの破壊につながる大気成分および紫外日射の観測 (高層物理研究部, 1982)
Observations of the Atmospheric Constituents Related to the Stratospheric Ozone Depletion and the Ultraviolet Radiation (Upper Atmosphere Physics Research Division, 1982)
- 第 7 号 83 型強震形の開発 (地震火山研究部, 1983)
Strong-Motion Seismograph Model 83 for the Japan Meteorological Agency Network (Seismology and Volcanology Research Division, 1983)
- 第 8 号 大気中における雪片の融解現象に関する研究 (物理気象研究部, 1984)
The Study of Melting of Snowflakes in the Atmosphere (Physical Meteorology Research Division, 1984)
- 第 9 号 御前崎南方沖における海底水圧観測 (地震火山研究部・海洋研究部, 1984)

- Bottom Pressure Observation South off Omaezaki, Central Honshu (Seismology and Volcanology Research Division and Oceanographical Research Division, 1984)
- 第 10 号 日本付近の低気圧の統計 (予報研究部, 1984)
Statistics on Cyclones around Japan (Forecast Research Division, 1984)
- 第 11 号 局地風と大気汚染物質の輸送に関する研究 (応用気象研究部, 1984)
Observations and Numerical Experiments on Local Circulation and Medium-Range Transport of Air Pollutions (Applied Meteorology Research Division, 1984)
- 第 12 号 火山活動監視法に関する研究 (地震火山研究部, 1984)
Investigation on the Techniques for Volcanic Activity Surveillance (Seismology and Volcanology Research Division, 1984)
- 第 13 号 気象研究所大気大循環モデル-I (MRI・GCM-I) (予報研究部, 1984)
A Description of the MRI Atmospheric General Circulation Model (The MRI・GCM-I) (Forecast Research Division, 1984)
- 第 14 号 台風の構造の変化と移動に関する研究——台風 7916 の一生—— (台風研究部, 1985)
A Study on the Changes of the Three-Dimensional Structure and the Movement Speed of the Typhoon through Its Life Time (Typhoon Research Division, 1985)
- 第 15 号 波浪推算モデル MRI と MRI-II の相互比較研究——計算結果図集—— (海洋研究部, 1985)
An Intercomparison Study between the Wave Models MRI and MRI-II——A Compilation of Results——(Oceanographical Research Division, 1985)
- 第 16 号 地震予知に関する実験的及び理論的研究 (地震火山研究部, 1985)
Study on Earthquake Prediction by Geophysical Method (Seismology and Volcanology Research Division, 1985)
- 第 17 号 北半球地上月平均気温偏差図 (予報研究部, 1986)
Maps of Monthly Mean Surface Temperature Anomalies over the Northern Hemisphere for 1891-1981 (Forecast Research Division, 1986)
- 第 18 号 中層大気の研究 (高層物理研究部・気象衛星研究部・予報研究部・地磁気観測所, 1986)
Studies of the Middle Atmosphere (Upper Atmosphere Physics Research Division, Meteorological Satellite Research Division, Forecast Research Division, MRI and the Magnetic Observatory, 1986)
- 第 19 号 ドップラーレーダによる気象・海象の研究 (気象衛星研究部・台風研究部・予報研究部・応用気象研究部・海洋研究部, 1986)
Studies on Meteorological and Sea Surface Phenomena by Doppler Radar (Mete-

orological Satellite Research Division, Typhoon Research Division, Forecast Research Division, Applied Meteorology Research Division and Oceanographical Research Division, 1986)

第20号 気象研究所対流圏大気大循環モデル (MRI・GCM-I) による12年間の積分 (予報研究部, 1986)

Mean Statistics of the Tropospheric MRI・GCM-I based on 12-year Integration (Forecast Research Division, 1986)

第21号 宇宙線中間子強度1983-1986 (高層物理研究部, 1987)

Multi-Directional Cosmic Ray Meson Intensity 1983-1986 (Upper Atmosphere Physics Research Division, 1987)

第22号 静止気象衛星「ひまわり」画像の噴火噴煙データにもとづく噴火活動の解析に関する研究 (地震火山研究部, 1987)

Study on Analyses of Volcanic Eruptions based on Eruption Cloud Image Data obtained by the Geostationary Meteorological Satellite (GMS) (Seismology and Volcanology Research Division, 1987)

第23号 オホーツク海海洋気候図 (篠原吉雄・四竈信伸, 1988)

Marine Climatological Atlas of the Sea of Okhotsk (Y. Shinohara and N. Shikama, 1988)

第24号 海洋大循環モデルを用いた風の応力異常に対する太平洋の応答実験 (海洋研究部, 1989)

Response Experiment of Pacific Ocean to Anomalous Wind Stress with Ocean General Circulation Model (Oceanographical Research Division, 1989)

第25号 太平洋における海洋諸要素の季節平均分布 (海洋研究部, 1989)

Seasonal Mean Distribution of Sea Properties in the Pacific (Oceanographical Research Division, 1989)

第26号 地震前兆現象のデータベース (地震火山研究部, 1990)

Database of Earthquake Precursors (Seismology and Volcanology Research Division, 1990)

第27号 沖縄地方における梅雨期の降水システムの特徴 (台風研究部, 1991)

Characteristics of Precipitation Systems during the Baiu Season in the Okinawa Area (Typhoon Research Division, 1991)

気 象 研 究 所

1946 (昭和21) 年 設立

所 長 : 多 田 利 義

予 報 研 究 部	部 長 :	長谷川 隆 司
気 候 研 究 部	部 長 :	古 賀 晴 成
台 風 研 究 部	部 長 :	大 塚 伸
物 理 気 象 研 究 部	部 長 :	能 美 武 功
応 用 気 象 研 究 部	部 長 :	理 博 重 原 好 次
気象衛星・観測		
システム観測部	部 長 :	田 中 豊 顯
地 震 火 山 研 究 部	部 長 :	理 博 清 野 政 明
海 洋 研 究 部	部 長 :	菊 地 正 武
地 球 化 学 研 究 部	部 長 :	多 田 利 義

気 象 研 究 所 技 術 報 告

編集委員長：菊 地 正 武

編 集 委 員 :	三 角 幸 夫	谷 貝 勇	原 昌 弘
	忠 鉢 繁	小 林 隆 久	葦 沢 浩
	伊 藤 秀 美	石 崎 廣	鈴 木 款
事 務 局 :	永 沢 義 嗣	中 島 幸 久	

気象研究所技術報告は、1978(昭和53)年の初刊以来、気象研究所が必要の都度発行する刊行物であり、気象学、海洋学、地震学その他関連の地球科学の分野において気象研究所職員が得た研究成果に関し、技術報告、資料報告および総合報告を掲載する。

気象研究所技術報告の編集は、編集委員会が行う。編集委員会は原稿の掲載の可否を判定する。

本誌に掲載された論文の著作権は気象研究所に帰属する。本誌に掲載された論文を引用する場合は、出所を明示すれば気象研究所の許諾を必要としない。本誌に掲載された論文の全部又は一部を複製、転載、翻訳、あるいはその他に利用する場合は、個人が研究、学習、教育に使用する場合を除き、気象研究所の許諾を得なければならない。

気象研究所技術報告 ISSN 0386-4049

第28号

平成3年12月25日 発行

編 集 兼
発 行 者

気 象 研 究 所

〒305 茨城県つくば市長峰1-1

TEL. (0298)51-7111

印 刷 所

谷 田 部 印 刷 株 式 会 社

〒305 茨城県つくば市大字谷田部1979-1