


6. ドップラーソーダと鉄塔




6. ドップラーソーダと鉄塔

図は左から風速，風向，風速の偏差，風向の偏差となっている。ソーダ（SODAR）の風向，風速の算出時間は10分間の平均である。鉄塔（TOWER）は第1期観測（1988年11月）では10分間毎の瞬時値であり，2期から4期までは1分間毎の瞬時値の10分間平均である。6時間毎のデータを載せた。偏差は鉄塔からソーダを引いたものである。


— TOWER 881114 900 — SODAR






881114 859




— TOWER 881114 1500 — SODAR






881114 1459




— TOWER 881114 2100 — SODAR






881114 2059




— TOWER 881115 300 — SODAR




881115 259









— TOWER 881115 2100 — SODAR






881115 2058




— TOWER 881116 300 — SODAR






881116 258



— TOWER 881116 900 — SODAR




881116 858






氣象研究所技術報告 第33号 1994


— TOWER 881116 1500 — SODAR






881116 1458




— TOWER 881116 2100 — SODAR






881116 2058





— TOWER 881117 300 — SODAR





881117 258
















— TOWER 890314 1500 — SODAR






890314 1456




— TOWER 890314 2100 — SODAR






890314 2056




— TOWER 890315 300 — SODAR






890315 256




— TOWER 890315 900 — SODAR






890315 856




— TOWER 890315 1500 — SODAR






890315 1456




— TOWER 890315 2100 — SODAR






890315 2056




— TOWER 890316 300 — SODAR






890316 256





— TOWER 890316 900 — SODAR





890316 856
















— TOWER 890620 300 — SODAR






890620 304




— TOWER 890620 900 — SODAR






890620 904




— TOWER 890620 1500 — SODAR






890620 1504




— TOWER 890620 2100 — SODAR




890620 2104









— TOWER 890621 2100 — SODAR






890621 2103




— TOWER 890622 300 — SODAR




890622 303









— TOWER 890622 2100 — SODAR






890622 2103





— TOWER 890623 300 — SODAR




890623 303














— TOWER 890926 900 — SODAR






890926 902





— TOWER 890926 1500 — SODAR




890926 1502













— TOWER 890928 900 — SODAR




890928 901



氣象研究所技術報告 第33号 1994

— TOWER 890928 1500 — SODAR



890928 1501

