

References

- 相川百合, 2008: メソ版移流拡散モデルの概要. *数値予報課報告・別冊*, **54**, 気象庁予報部, 223–228.
- Aranami, K. and M. Sakamoto, 2019: Atmospheric transport and dispersion model: Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency. JMA, Tokyo, pp. 118–121.
- Aster, R. C., B. Borchers and C. H. Thurber, 2013: Parameter Estimation and Inverse Problems, 2nd ed. Academic Press, Boston, 376 p.
- Bagheri, G. and C. Bonadonna, 2016: Aerodynamics of volcanic particles: Characterization of size, shape, and settling velocity: Volcanic Ash: Hazard Observation, S. Mackie *et al.*, editors, Elsevier, Amsterdam, pp. 39–52.
- Baumann, R. and H. Schlager, 2012: Lagrangian modeling of transport and dispersion of air constituents: Atmospheric Physics: Background-Methods-Trends, U. Schumann, editor, Springer, Heidelberg, pp. 381–399.
- Blackadar, A. K., 1962: The vertical distribution of wind and turbulent exchange in a neutral atmosphere. *J. Geophys. Res.*, **67**, 3095–3102.
- Bonasia, R., L. Capra, A. Costa, G. Macedonio and R. Saucedo, 2011: Tephra fallout hazard assessment for a Plinian eruption scenario at Volcán de Colima (Mexico). *J. Volcanol. Geotherm. Res.*, **203**, 12–22.
- Bonasia, R., A. Costa, A. Folch, G. Macedonio and L. Capra, 2012: Numerical simulation of tephra transport and deposition of the 1982 El Chichón eruption and implications for hazard assessment. *J. Volcanol. Geotherm. Res.*, **231–232**, 39–49.
- Bonasia, R., G. Macedonio, A. Costa, D. Mele and R. Sulpizio, 2010: Numerical inversion and analysis of tephra fallout deposits from the 472 AD sub-Plinian eruption at Vesuvius (Italy) through a new best-fit procedure. *J. Volcanol. Geotherm. Res.*, **189**, 238–246.
- Box, G. E. P. and M. E. Muller, 1958: A Note on the generation of random normal deviates. *Ann. Math. Stat.*, **29**, 610–611.
- Brown, R. J., C. Bonadonna and A. J. Durant, 2012: A review of volcanic ash aggregation. *Phys. Chem. Earth*, **45–46**, 65–78.
- Bursik, M., 2001: Effect of wind on the rise height of volcanic plumes. *Geophys. Res. Lett.*, **28**, 3621–3624.
- Costa, A., F. Dell’Erba, M. A. Di Vito, R. Isaia, G. Macedonio, G. Orsi and T. Pfeiffer, 2009: Tephra fallout hazard assessment at the Campi Flegrei caldera (Italy). *Bull. Volcanol.*, **71**, 259–273.
- Deardorff, J. W., 1980: Stratocumulus-capped mixed layers derived from a three-dimensional model. *Bound.-Layer Meteor.*, **18**, 495–527.
- Degruyter, W. and C. Bonadonna, 2012: Improving on mass flow rate estimates of volcanic eruptions. *Geophys. Res. Lett.*, **39**, L16308.
- Folch, A., 2012: A review of tephra transport and dispersal models: Evolution, current status, and future perspectives. *J. Volcanol. Geotherm. Res.*, **235–236**, 96–115.
- Folch, A., L. Mingari, M. S. Osorio and E. Collini, 2014: Modeling volcanic ash resuspension—Application to the 14–18 October 2011 outbreak episode in central Patagonia, Argentina. *Nat. Hazards Earth Syst. Sci.*, **14**, 119–133.

- 富士山火山防災協議会, 2004: 富士山ハザードマップ検討委員会報告書. 240 p.
- 藤田 司, 2003: コーディングの規則とモジュール化. *数値予報課報告・別冊*, **49**, 気象庁予報部, 112–113.
- 雁津克彦, 2017a: 数値予報モデル開発管理情報共有装置（開発管理サーバ）. *数値予報課報告・別冊*, **63**, 気象庁予報部, 24–28.
- 雁津克彦, 2017b: 現在の NAPEX の設計思想と実装. *数値予報課報告・別冊*, **63**, 気象庁予報部, 64–68.
- Gifford, F. A., 1982: Horizontal diffusion in the atmosphere: A Lagrangian-dynamical theory. *Atmos. Environ.*, **16**, 505–512.
- Gifford, F. A., 1984: The random force theory: Application to meso- and large-scale atmospheric diffusion. *Bound.-Layer Meteor.*, **30**, 159–175.
- Girault, F., G. Carazzo, S. Tait, F. Ferrucci and É. Kaminski, 2014: The effect of total grain-size distribution on the dynamics of turbulent volcanic plumes. *Earth Planet. Sci. Lett.*, **394**, 124–134.
- 原 旅人, 2008: 鉛直層の配置. *数値予報課報告・別冊*, **54**, 気象庁予報部, 25–26.
- 原 旅人, 2012: 数値予報モデルにおける物理過程の役割. *数値予報課報告・別冊*, **58**, 気象庁予報部, 2–7.
- 原 旅人, 2017a: 格子点値データフォーマット. *数値予報課報告・別冊*, **63**, 気象庁予報部, 82–86.
- 原 旅人, 2017b: 数値予報課で利用されているその他の可視化ツール. *数値予報課報告・別冊*, **63**, 気象庁予報部, 101–106.
- 原 旅人・永戸久喜, 2008: 乱流過程. *数値予報課報告・別冊*, **54**, 気象庁予報部, 117–148.
- Hasegawa, Y., A. Sugai, Yo. Hayashi, Yu. Hayashi, S. Saito and T. Shimbori, 2015: Improvements of volcanic ash fall forecasts issued by the Japan Meteorological Agency. *J. Appl. Volcanol.*, **4**: 2.
- Hasegawa, Y. and Y. Hayashi, 2019a: Global atmospheric transport model for volcanic ash: Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency. JMA, Tokyo, pp. 132–135.
- Hasegawa, Y. and Y. Hayashi, 2019b: Regional atmospheric transport model for volcanic ash: Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency. JMA, Tokyo, pp 135–138.
- Hashimoto, A., T. Shimbori and K. Fukui, 2012: Tephra fall simulation for the eruptions at Mt. Shinmoe-dake during 26–27 January 2011 with JMANHM. *SOLA*, **8**, 37–40.
- 林 洋介・土山博昭・新堀敏基, 2018a: 火山灰移流拡散モデルの予測結果を用いた擬似衛星画像作成の試み. *日本火山学会講演予稿集*, P059.
- 林 勇太・石元裕史・稲澤智之, 2018b: 火山灰. *気象研究ノート*, **238**, 99–113.
- Hertel, O., J. Christensen, E. H. Runge, W. A. H. Asman, R. Berkowicz, M. F. Hovmand and Ø. Hov, 1995: Development and testing of a new variable scale air pollution model—ACDEP. *Atmos. Environ.*, **29**, 1267–1290.
- 平岡正勝・田中幹也, 1994: 移動現象論, 新版. 朝倉書店, pp. 74–75.
- Holtstag, A. A. M. and B. A. Boville, 1993: Local versus nonlocal boundary-layer diffusion in a global climate model. *J. Climate*, **6**, 1825–2842.
- Ima-izumi, T., 2019: Verification Indices: Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency. JMA, Tokyo, pp. 205–213.
- 石田純一, 2008: 気象庁非静力学モデルの支配方程式系と地形に沿う鉛直ハイブリッド座標の導入. *数値予報課報告・別冊*, **54**, 気象庁予報部, 27–43.
- 石田純一・河野耕平・荒波恒平, 2014: システムデザイン. *数値予報課報告・別冊*, **60**, 気象庁予報部, 141–149.
- 石井憲介・新堀敏基・佐藤英一・林 勇太・徳本哲男・福井敬一・橋本明弘, 2017: 火山灰拡散予測のための火山灰データ同化システムの開発. *Abstract, JpGU-AGU Joint Meeting*, MIS02–P02.
- Ishii, K., 2018: Estimation of emission mass from an eruption plume for the Aso volcano eruption, on October 8, 2016, using a four-dimensional variational method. *Earth Planets Space*, **70**: 202.
- Ishii, K., Y. Hayashi and T. Shimbori, 2018: Using Himawari-8, estimation of SO₂ cloud altitude at Aso volcano

- eruption, on October 8, 2016. *Earth Planets Space*, **70**: 19.
- Iwasaki, T., T. Maki and K. Katayama, 1998: Tracer transport model at Japan Meteorological Agency and its application to the ETEX data. *Atmos. Environ.*, **32**, 4285–4295.
- JMA, 2019: Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency: Appendix to WMO Technical Progress Report on the GDPFS and NWP Research. JMA, Tokyo, 229 p.
- Kaminski, E. and C. Jaupart, 1998: The size distribution of pyroclasts and the fragmentation sequence in explosive volcanic eruptions. *J. Geophys. Res.*, **103**, 29 759–29 779.
- 勝井義雄・村瀬 勉, 1960: 支笏火山の活動にかんする 2・3 の考察. *地質学雑誌*, **66**, 631–638.
- Kawai, H., 2002: Forecast of sulfur dioxide flow from Miyake volcano with a high resolution regional transport model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **32**, 0524–0525.
- 河瀬和重, 2011: Gauss–Krüger 投影における経緯度座標及び平面直角座標相互間の座標換算についてのより簡明な計算方法. *国土地理院時報*, **121**, 109–124.
- 河瀬和重, 2019: 球面三角法の簡潔かつ体系的な理解への試み. *国土地理院時報*, **132**, 115–118.
- 木田秀次, 1983: 高層の大気—運動と組成の立体構造をみる—. 東京堂出版, 211 p.
- 気象庁, 2006: 平成 12 年 (2000 年) 三宅島噴火及び新島・神津島近海の地震活動調査報告. *気象庁技術報告*, **128**, 295 p.
- 気象庁, 2014: 火山噴火予知連絡会火山活動評価検討会報告書—噴火現象の即時的な把握手法について—. 気象庁, p. 37.
- 気象庁予報部, 2003: 気象庁非静力学モデル. *数値予報課報告・別冊*, **49**, 194 p.
- 気象庁予報部, 2008: 気象庁非静力学モデル II—現業利用の開始とその後の発展—. *数値予報課報告・別冊*, **54**, 265 p.
- 気象庁予報部, 2014: 次世代非静力学モデル asuca. *数値予報課報告・別冊*, **60**, 151 p.
- 気象庁予報部, 2017: 数値予報モデル開発のための基盤整備および開発管理. *数値予報課報告・別冊*, **63**, 108 p.
- 北田敏廣, 1994: 酸性降水の輸送・反応・沈着モデル. *気象研究ノート*, **182**, 95–117.
- Kitada, T., G. R. Carmichael and L. K. Peters, 1986: Effects of dry deposition on the concentration-distributions of atmospheric pollutants within land- and sea-breeze circulations. *Atmos. Environ.*, **20**, 1999–2010.
- Klawonn, M., L. N. Frazer, C. J. Wolfe, B. F. Houghton and M. D. Rosenberg, 2014: Constraining particle size-dependent plume sedimentation from the 17 June 1996 eruption of Ruapehu Volcano, New Zealand, using geophysical inversions. *J. Geophys. Res. Solid Earth*, **119**, 1749–1763.
- 小屋口剛博, 2008: 火山現象のモデリング. 東京大学出版会, 637 p.
- Leadbetter, S. J., M. C. Hort, S. von Löwis, K. Weber and C. S. Witham, 2012: Modeling the resuspension of ash deposited during the eruption of Eyjafjallajökull in spring 2010. *J. Geophys. Res.*, **117**, D00U10.
- Lin, J. C., 2012: Lagrangian modeling of the atmosphere: An introduction. *Geophys. Monograph*, **200**, 1–11.
- Louis, J.-F., 1979: A parametric model of vertical eddy fluxes in the atmosphere. *Bound.-Layer Meteor.*, **17**, 187–202.
- Louis, J.-F., M. Tiedtke and J.-F. Geleyn, 1982: A short history of the operational PBL-parameterization at ECMWF. Workshop on planetary boundary layer parameterization. ECMWF, pp. 59–79.
- Macedonio, G., M. T. Pareschi and R. Santacroce, 1988: A numerical simulation of the Plinian fall phase of 79 A.D. eruption of Vesuvius. *J. Geophys. Res.*, **93**, 14 817–14 827.
- 萬納寺信崇, 1994: 鉛直座標系. *数値予報課報告・別冊*, **41**, 気象庁予報部, 62–64.
- Marsaglia, G., 2003: Xorshift RNGs. *J. Stat. Softw.*, **8**: 14.
- Mastin, L. G., 2007: A user-friendly one-dimensional model for wet volcanic plumes. *Geochem. Geophys. Geosyst.*, **8**, Q03 014.
- Mastin, L. G., 2014: Testing the accuracy of a 1-D volcanic plume model in estimating mass eruption rate. *J.*

- Geophys. Res. Atmos.*, **119**, 2474–2495.
- Mastin, L. G., M. Guffanti, R. Servranckx, P. Webley, S. Barsotti, K. Dean, A. Durant, J. W. Ewert, A. Neri, W. I. Rose, D. Schneider, L. Siebert, B. Stunder, G. Swanson, A. Tupper, A. Volentik and C. F. Waythomas, 2009: A multidisciplinary effort to assign realistic source parameters to models of volcanic ash-cloud transport and dispersion during eruptions. *J. Volcanol. Geotherm. Res.*, **186**, 10–21.
- Mellor, G. L. and T. Yamada, 1974: A hierarchy of turbulence closure models for planetary boundary layers. *J. Atmos. Sci.*, **31**, 1791–1806.
- Mellor, G. L. and T. Yamada, 1982: Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys. Space Phys.*, **20**, 851–875.
- Miwa, T., M. Nagai and R. Kawaguchi, 2018: Resuspension of ash after the 2014 phreatic eruption at Ontake volcano, Japan. *J. Volcanol. Geotherm. Res.*, **351**, 105–114.
- 宮縁育夫・前野 深・中田節也・長井雅史・飯塚義之・星住英夫・田中明子・伊藤順一・川辺禎久・大石雅之・横尾亮彦・大倉敬宏, 2017: 阿蘇火山中岳における 2016 年 10 月 7 日～8 日噴火とその噴出物. *Abstract, JpGU-AGU Joint Meeting*, SVC47–11.
- 宮下精二, 2002: 数値計算. 朝倉書店, pp. 80-81.
- 水野 量, 2000: 雲と雨の気象学. 朝倉書店, pp. 60-61.
- 森口繁一・宇田川銚久・一松 信, 1957: 岩波 数学公式 II. 岩波書店, pp. 200-202.
- 室井ちあし・豊田英司・吉村裕正・保坂征宏・杉 正人, 2002: 標準コーディングルール. *天気*, **49**, 91–95.
- 永田 雅, 1994: 数値予報モデルでの予測可能性を決める要素. *数値予報課報告・別冊*, **41**, 気象庁予報部, 130–134.
- NOAA, NASA and US Air Force, 1976: U.S. Standard Atmosphere, 1976. U.S. Government Printing Office, Washington, D.C., 227 p.
- 大喜多敏一, 1987: 湿性沈着：雲物理過程と降水への物質の取り込み機構. *気象研究ノート*, **158**, 107–118.
- 大喜多敏一・北田敏廣, 1987: 乾性沈着. *気象研究ノート*, **158**, 119–138.
- 鬼澤真也・新堀敏基・福井敬一・安藤 忍・弘瀬冬樹・木村一洋・吉田康宏・岩切一宏・吉田知央・山本哲也・吉川澄夫, 2013: 2011 年霧島山新燃岳噴火における降灰観測と予測. *験震時報*, **77**, 215–222.
- Pfeiffer, T., A. Costa and G. Macedonio, 2005: A model for the numerical simulation of tephra fall deposits. *J. Volcanol. Geotherm. Res.*, **140**, 273–294.
- Press, W. H., S. A. Teukolsky, W. T. Vetterling and B. P. Flannery, 1996: Numerical Recipes in Fortran 90: The Art of *Parallel* Scientific Computing, 2nd ed. Cambridge Univ. Press, Cambridge, pp. 1141-1166, 1361-1363.
- Roebber, P. J., 2009: Visualizing multiple measures of forecast quality. *Wea. Forecasting*, **24**, 601–608.
- 齊藤和雄, 2003a: 支配方程式. *数値予報課報告・別冊*, **49**, 気象庁予報部, 16–25.
- 齊藤和雄, 2003b: 乱流過程と拡散過程. *数値予報課報告・別冊*, **49**, 気象庁予報部, 90–92.
- Saito, K., T. Fujita, Y. Yamada, J. Ishida, Y. Kumagai, K. Aranami, S. Ohmori, R. Nagasawa, S. Kumagai, C. Muroi, T. Kato, H. Eito and Y. Yamazaki, 2006: The operational JMA nonhydrostatic mesoscale model. *Mon. Wea. Rev.*, **134**, 1266–1298.
- Saito, K., J. Ishida, K. Aranami, T. Hara, T. Segawa, M. Narita and Y. Honda, 2007: Nonhydrostatic atmospheric models and operational development at JMA. *J. Meteor. Soc. Japan*, **85B**, 271–304.
- Saito, K., T. Shimbori and R. Draxler, 2015a: JMA’s regional atmospheric transport model calculations for the WMO technical task team on meteorological analyses for Fukushima Daiichi Nuclear Power Plant accident. *J. Environ. Radioact.*, **139**, 185–199.
- Saito, K., T. Shimbori, R. Draxler, T. Hara, E. Toyoda, Y. Honda, K. Nagata, T. Fujita, M. Sakamoto, T. Kato, M. Kajino, T. T. Sekiyama, T. Y. Tanaka, T. Maki, H. Terada, M. Chino, T. Iwasaki, M. C. Hort, S. J. Leadbetter, G. Wotawa, D. Arnold, C. Maurer, A. Malo, R. Servranckx and P. Chen, 2015b: Contribution of JMA to the WMO Technical Task Team on meteorological analyses for Fukushima Daiichi Nuclear Power

- Plant accident and relevant atmospheric transport modeling at MRI. *Tech. Rep. MRI*, **76**, 225 p.
- 齊藤和雄・新堀敏基・原 旅人・豊田英司・加藤輝之・藤田 司・永田和彦・本田有機, 2014: WMO「福島第一原発事故に関する気象解析についての技術タスクチーム」活動. *測候時報*, **81**, 1-30.
- 坂本 圭・辻野博之・中野英之・浦川昇吾・山中吾郎, 2018: Git と Redmine を用いた気象研究所共用海洋モデル「MRI.COM」の開発管理. *海の研究*, **27**, 175-188.
- Sato, E., K. Fukui and T. Shimbori, 2018: Aso volcano eruption on October 8, 2016, observed by weather radars. *Earth Planets Space*, **70**: 105.
- 佐藤純次・里村雄彦・佐々木秀孝・村治能孝, 1995: 硫黄酸化物の長距離輸送モデルと東アジア地域への適用. *気象研究所技術報告*, **34**, 106 p.
- Sato, N., P. J. Sellers, D. A. Randall, E. K. Schneider, J. Shukla, J. L. Kinter III, Y-T. Hou and E. Albertazzi, 1989: Effects of implementing the simple biosphere model in a general circulation model. *J. Atmos. Sci.*, **46**, 2757-2782.
- Seinfeld, J. H. and S. N. Pandis, 2016: *Atmospheric Chemistry and Physics: From Air Pollution to Climate Change*, 3rd ed. Wiley, New Jersey, 1120 p.
- Seino, N., H. Sasaki, J. Sato and M. Chiba, 2004: High-resolution simulation of volcanic sulfur dioxide dispersion over the Miyake Island. *Atmos. Environ.*, **38**, 7073-7081.
- Shao, Y., 2000: *Physics and Modelling of Wind Erosion*, 1st ed. Kluwer Academic Pub., Dordrecht, pp. 268-270.
- 新堀敏基, 2016: 火山灰輸送: モデルと予測. *火山*, **61**, 399-427.
- 新堀敏基・相川百合・福井敬一・橋本明弘・清野直子・山里 平, 2010: 火山灰移流拡散モデルによる量的降灰予測—2009年浅間山噴火の事例—. *気象研究所研究報告*, **61**, 13-29.
- Shimbori, T., Y. Aikawa and N. Seino, 2009: Operational implementation of the tephra fall forecast with the JMA mesoscale tracer transport model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **39**, 0529-0530.
- 新堀敏基・甲斐玲子・林 洋介・林 勇太・菅井 明・長谷川嘉彦・橋本明弘・高木朗充・山本哲也・福井敬一, 2014: 領域移流拡散モデルによる降下火砕物予測—2011年霧島山(新燃岳)噴火の事例—. *気象研究所研究報告*, **65**, 75-107.
- Sparks, R. S. J., M. I. Bursik, S. N. Carey, J. S. Gilbert, L. S. Glaze, H. Sigurdsson and A. W. Woods, 1997: *Volcanic Plumes*. Wiley, Chichester, 574 p.
- Sportisse, B., 2007: A review of parameterizations for modelling dry deposition and scavenging of radionuclides. *Atmos. Environ.*, **41**, 2683-2698.
- Stohl, A., 1998: Computation, accuracy and applications of trajectories—A review and bibliography. *Atmos. Environ.*, **32**, 947-966.
- 鈴木建夫, 1985: 有珠山 1977 年降下火砕堆積物の渦動拡散モデルによる解析. *火山*, **30**, 231-251.
- 鈴木建夫・新井田清信・西田泰典・大島弘光・室伏 誠, 2008: 火山岩塊の運動再考(3)—放出火山岩塊に対する風の効果と岩塊の初速度についてのモデル計算—. *北海道大学地球物理学研究報告*, **71**, 1-18.
- Suzuki, T., 1983: A theoretical model for dispersion of tephra: *Arc Volcanism: Physics and Tectonics*, D. Shimozuru and I. Yokoyama, editors, TERRAPUB, Tokyo, pp. 95-113.
- 多田英夫, 1997: 大気客観解析. *数値予報課報告・別冊*, **43**, 気象庁予報部, 62-86.
- 高木朗充・長岡 優・福井敬一・安藤 忍・木村一洋・土山博昭, 2017: 2013-2015 年西之島噴火のモニタリングに関する研究. *気象研究所技術報告*, **78**, 72 p.
- 高橋幹二, 2003: エアロゾル学の基礎(日本エアロゾル学会編). 森北出版, p. 117.
- Takasugi, T. and H. Nakamura, 1988: A tracer diffusion model coupled with the JMA global spectral model. *JMA/NPD Tech. Rep.*, **24**, 48 p.
- 豊田英司・原 旅人・横井信太郎・田浦俊太郎・長谷川昌樹・雁津克彦, 2019: NuSDaS(数値予報標準データセットシステム). バージョン 1.4-1, 221 p.

- Turcotte, D. L., 1986: Fractals and Fragmentation. *J. Geophys. Res.*, **91**, 1921–1926.
- Turner, J. S., 1962: The ‘starting plume’ in neutral surroundings. *J. Fluid Mech.*, **13**, 356–368.
- Uliasz, M., 1990: Development of the mesoscale dispersion modeling system using personal computers. Part I: Models and computer implementation. *Z. Meteorol.*, **40**, 110–120.
- 梅津浩典・室井ちあし・原 旅人, 2013: 検証指標. 数値予報課報告・別冊, **59**, 気象庁予報部, 6–15.
- Wilson, L. and T. C. Huang, 1979: The influence of shape on the atmospheric settling velocity of volcanic ash particles. *Earth Planet. Sci. Lett.*, **44**, 311–324.
- Woods, A. W., 1988: The fluid dynamics and thermodynamics of eruption columns. *Bull. Volcanol.*, **50**, 169–193.
- Woods, A. W., 1993: Moist convection and the injection of volcanic ash into the atmosphere. *J. Geophys. Res.*, **98**, 17 627–17 636.
- 山本 哲・佐々木秀孝・清野直子・千葉 長, 2003: 1977 年有珠山噴火および 1707 年富士山噴火の降下火砕物の数値シミュレーション. 地球惑星科学関連学会合同大会予稿集, V055–020.