

6. 成果発表

気象研究所の職員が平成16年度に発表した論文、口頭発表の一覧を個人別に50音順で掲載している。

論文等には、原著論文のほか、報告書、著書、翻訳、解説などの著作物について、単独・共著の区別なく掲載した。但し、口頭発表に伴う著作物（Proceedingなど）については、口頭発表と重複するため除いている。

口頭発表には、学会や会議で行った発表・講演のうち、気象研究所職員が筆頭者となっているものを一覧として掲載した。また、筆頭者以外の発表・講演については、関連した発表・講演として集計した数を掲載している。

6.1. 論文等

各著作物の情報は、本書における整理番号、著者、刊行年、論文タイトル、掲載誌、掲載巻・頁の順に掲載している。

また、「*」を付した著作物は、査読付き論文であることを示している。

- | | |
|------|---|
| 青木重樹 | 1. 青木重樹, 西政樹, 中村浩二, 橋本徹夫, 伊藤秀美, 2005: 日本地震学会ニュースレター表紙 (平成16年 (2004年) 新潟県中越地震とその余震の震源分布図等) . 日本地震学会ニュースレター, 16, 1-2. |
| 青木輝夫 | 2. *Aoki, Te., M. Mikami, A. Yamazaki, S. Yabuki, Y. Yamada, M. Ishizuka, F. Zeng, W. Gao, J. Sun, L. Liu, and M. Zhou, 2005: Spectral albedo of desert surfaces measured in western and central China, <i>J. Met. Soc. Japan</i> , 83A , 279-290. |
| | 3. *Aoki, Te., T. Y. Tanaka, A. Uchiyama, M. Chiba, and M. Mikami, S. Yabuki and J. R. Key, 2005: Sensitivity experiments of direct radiative forcing caused by mineral dust simulated with a chemical transport model. <i>J. Met. Soc. Japan</i> , 83A , 315-331. |
| | 4. *Nieke, J., Te. Aoki, T. Tanikawa, H. Motoyoshi, and M. Hori, 2004: A satellite cross-calibration experiment. <i>IEEE Geoscience and Remote Sensing Letters</i> , 1 , 215-219. |
| | 5. *Wang, H., G. Shi, Te. Aoki, B. Wang, and T. Zhao, 2004: The radiative forcing due to dust aerosol over east Asia and north Pacific region in 2001 spring. <i>Chinese Science Bulletin</i> , 49 , 2212-2219. |
| | 6. *Mikami, M., Te. Aoki, M. Ishizuka, S. Yabuki, Y. Yamada, W. D. Gao, and F. J. Zeng, 2005: Observation of number size distribution of desert aerosols in the south of the Taklimakan Desert, China. <i>J. Met. Soc. Japan</i> , 83A , 31-43. |
| | 7. *Motoyoshi, H., Te. Aoki, M. Hori, O. Abe, and S. Mochizuki, 2005: Possible effect of anthropogenic aerosols on snow albedo reduction in Shinjyo, Japan. <i>J. Met. Soc. Japan</i> , 83A , 137-148. |
| | 8. *Shi, G., H. Wang, B. Wang, W. Li, S. Gong, T. Zhao, and Te. Aoki, 2005: Sensitivity experiments on the effects of optical properties of dust aerosols on their radiative forcing under clear condition. <i>J. Met. Soc. Japan</i> , 83A , 333-346. |
| | 9. *Kuji, M., N. Yamada, S. Hayashida, M. Yasui, A. Uchiyama, A. Yamazaki, and Te. Aoki, 2005: Retrieval of Asian dust amount over land using ADEOS-II/GLI near UV data, <i>SOLA</i> , 1 , 33-36. |
| 青梨和正 | 10. *Aonashi, K., T. Iwabuchi, Y. Shoji, R. Ohtani, and R. Ichikawa, 2004: Statistical Study on Precipitable Water Content Variations Observed with Ground-Based |

- Microwave Radiometers. *J. Met. Soc. Japan*, **82**, 269-275.
11. *Aonashi, K., N. Yamazaki, H. Kamahori, K. Takahashi, F. Liu, and K. Yoshida, 2004: Variational Assimilation of TMI Rain Type and Precipitation Retrievals into Global Numerical Weather Prediction. *J. Met. Soc. Japan*, **82**, 671-693.
12. *Shoji, Y., H. Nakamura, T. Iwabuchi, K. Aonashi, H. Seko, K. Mishima, A. Itagaki, R. Ichikawa, and R. Ohtani, 2004: Tsukuba GPS Dense Net Campaign Observation: Improvement of GPS Analysis of Slant Path Delay by Stacking Oneway Post fit Phase Residuals. *J. Met. Soc. Japan*, **82**, 301-314.
- 青山道夫
13. *Aoyama, M., and K. Hirose, 2004: Artificial Radionuclides database in the Pacific Ocean:Ham database. *The Scientific World JOURNAL*, **4**, 200-215.
14. *Hirota, M., K. Nemoto, A. Wada, Y. Igarashi, M. Aoyama, H. Matsueda, K. Hirose, H. Sartorius, C. Schlosser, S. Schmid, W. Weiss, and K. Fujii, 2004: Spatial and temporal variations of atmospheric ⁸⁵Kr observed during 1995-2001 in Japan: estimation of atmospheric ⁸⁵Kr inventory in the Northern Hemisphere. *J. Radiation Res.*, **45**, 405-413.
15. *Hirose, K., T. Honda, S. Yagishita, Y. Igarashi, and M. Aoyama, 2004: Deposition behaviors of ²¹⁰Pb, ⁷Be and thorium isotopes observed in Tsukuba and Nagasaki, Japan. *Atm. Environ.*, **38**, 6601-6608.
16. *Hirose, K., C.K. Kim, B.W. Chang, Y. Igarashi, and M. Aoyama, 2004: Wet and dry depositions of plutonium in Daejeon, Korea. *The Science of the Total Environment*, **332**, 243-252.
17. *Igarashi, Y., M. Aoyama, K. Hirose, T. Miyao, K. Nemoto, and T. Fujikawa, 2004: Resuspension: Decadal monitoring time series of the anthropogenic radioactivity deposition in Japan. *J. Radiation Res.*, **44**, 319-328.
- 足立アホロ
18. *Adachi, A., T. Kobayashi, and T. Kato, 2004: Dual wind profiler observations of a line-shaped convective system in southern Kyushu, Japan. *J. Met. Soc. Japan*, **82**, 725-743.
19. *Adachi, A., W. L. Clark, L. M. Hartten, K. S. Gage, and T. Kobayashi, 2004: An observational study of a shallow gravity current triggered by katabatic flow. *Ann. Geophysicae*, **22**, 3937-3950.
20. *Adachi, A., T. Kobayashi, K. S. Gage, D. A. Carter, L. M. Hartten, W. L. Clark, and M. Fukuda, 2005: Evaluation of three-beam and four-beam profiler wind measurement techniques using a five-beam wind profiler and collocated meteorological tower. *J. Atmos. Oceanic Technol.*, **22**, 1167-1180.
21. *Kobayashi, T. and A. Adachi, 2005: Retrieval of arbitrarily shaped raindrop size distributions from wind profiler measurements. *J. Atmos. Oceanic Technol.*, **22**, 433-442.
22. *Kobayashi, T. and A. Adachi, 2005: A combined method of the TRMM precipitation radar and visible and infrared scanner for retrieval of cloud and precipitation interaction, IRS 2004: *Current Problems in Atmospheric Radiation*, H. Fischer and B. J. Sohn (Eds), A. Deepak Publishing, (in press).
23. *Eito, H., T. Kato, M. Yoshizaki, and A. Adachi, 2005: Numerical simulation of the quasi-stationary snowband observed over the southern coastal area of the Sea of Japan on 16 January 2001, *J. Met. Soc. Japan*, **83**, 551-576.

- 五十嵐康人 24. *Igarashi, Y., Y. Sawa, K. Yoshioka, H. Matsueda, K. Fujii, and Y. Dokiya, 2004: Monitoring of the SO₂ concentration at the summit of Mt. Fuji and a comparison with other trace gases during winter. *J. Geophys. Res.*, **109** (D17304), doi : 10.1029/2003JD004428.
25. *Igarashi, Y., M. Aoyama, K. Hirose, T. Miyao, K. Nemoto, and T. Fujikawa, 2004: Resuspension: Decadal monitoring time series of the anthropogenic radioactivity deposition in Japan. *J. Radiation Res.*, **44**, 319-328.
26. *Hirose, K., T. Honda, S. Yagishita, Y. Igarashi, and M. Aoyama, 2004: Deposition behaviors of ²¹⁰Pb, ⁷Be and thorium isotopes observed in Tsukuba and Nagasaki, Japan. *Atm. Environ.*, **38**, 6601-6608.
27. *Hirose, K., C.K. Kim, B.W. Chang, Y. Igarashi, and M. Aoyama, 2004: Wet and dry depositions of plutonium in Daejeon, Korea. *The Science of the Total Environment*, **332**, 243-252.
28. *Hirota, M., K. Nemoto, A. Wada, Y. Igarashi, M. Aoyama, H. Matsueda, K. Hirose, H. Sartorius, C. Schlosser, S. Schmid, W. Weiss, and K. Fujii, 2004: Spatial and temporal variations of atmospheric ⁸⁵Kr observed during 1995-2001 in Japan: estimation of atmospheric ⁸⁵Kr inventory in the Northern Hemisphere. *J. Radiation Res.*, **45**, 405-413.
- 石井雅男 29. *Midorikawa, T., K. Nemoto, H. Kamiya, M. Ishii, and H. Y. Inoue, 2005: Persistently strong oceanic CO₂ sink in the western subtropical North Pacific. *Geophys. Res. Lett.*, **32**, L05612, doi : 10.1029/2004GL021952
30. *Inoue, H. Y. and M. Ishii, 2004: Variations and trends of CO₂ in the surface seawater in the Southern Ocean south of Australia between 1969 and 2002. *Tellus*, **58B**, 58-69.
31. *Tokieda, T., M. Ishii, T. Yasuda, and K. Enyo, 2004: Chlorofluorocarbons (CFCs) in the North Pacific Central Mode Water: Possibility of under-saturation of CFCs in the wintertime mixed layer. *Geochem. J.*, **38**, 643-650.
32. *Tokieda, T., K. Enyo, H. Matsueda, M. Ishii, M. Hirota, and T. Midorikawa, 2005: A comparison of dissolved chlorofluorocarbons in seawater measured by MRI and JMA CFCs systems. *Papers in Meteorology and Geophysics*, **55**, 1-12.
33. *井上(吉川)久幸, 石井雅男, 河野健, 村田昌彦, 2004: 赤道太平洋における炭酸系の分布と変動—大気・海洋のCO₂フラックス—. *地球環境*, **9**, 2.
- 石川一郎 34. 石川一郎, 辻野博之, 平原幹俊, 中野英之, 安田珠幾, 石崎 廣, 2005: 気象研究所共用海洋モデル (MRI. COM) 解説. *気象研究所技術報告*, **47**.
35. 石崎 廣, 石川一郎, 2005: 歴史的な風応力を用いた高解像度モデル実験結果から見た日本周辺海面高度の変動. *測候時報*, **72**, S91-S100.
- 石崎士郎 36. *Fujii, Y., S. Ishizaki, and M. Kamachi, 2005: Application of nonlinear constraints in a three-dimensional variational ocean analysis. *J. Oceanog.*, (accepted).
- 石崎 廣 37. 石川一郎, 辻野博之, 平原幹俊, 中野英之, 安田珠幾, 石崎 廣, 2005: 気象研究所共用海洋モデル (MRI. COM) 解説. *気象研究所技術報告*, **47**.
38. 石崎 廣, 石川一郎, 2005: 歴史的な風応力を用いた高解像度モデル実験結果から見た日本周辺海面高度の変動. *測候時報*, **72**, S91-S100.
39. 佐藤康雄, 行本誠史, 辻野博之, 石崎廣, 野田彰, 2004: 地球温暖化による北半球

大気大循環と北太平洋海洋循環の変化. 月刊海洋, 号外**38**, 225-229.

- 石元裕史 40. *Mano, Y. and H. Ishimoto, 2004: Fast radiative-transfer model based on the correlated k-distribution method for a high-resolution satellite sounder. *Appl. Optics*, **43**, 6304-6312.
41. *K. Masuda, Y. Mano, H. Ishimoto, N. Okawara, and Y. Yoshizaki, 2005: Aerosol optical thickness over the oceans derived from GMS-5 during spring 2002 and 2003. *J. Met. Soc. Japan*, **83A**, 173-186.
- 上野 充 42. Ueno, M., 2004: Application of steering weight concept to Typhoon Saomai (2000). *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4.33 - 4.34.
- 碓氷典久 43. *Kamachi, M., T. Kuragano, S. Sugimoto, K. Yoshita, T. Sakurai, T. Nakano, N. Usui, and F. Uboldi, 2004: Short-range prediction experiments with operational data assimilation system for the Kuroshio south of Japan. *J. Oceanog.*, **60**, 269-282.
- 内山明博 44. *Uchiyama, A., A. Yamazaki, H. Togawa, and J. Asano, 2005, Characteristics of Aeolian dust observed by sky-radiometer in the ADEC Intensive Observation Period 1 (IOP1) *J. Met. Soc. Japan*, **83A**, 291-305.
45. *Aoki, Te., T. Y. Tanaka, A. Uchiyama, M. Chiba, M. Mikami, S. Yabuki, and J. R. Key, 2005: Sensitivity experiments of direct radiative forcing caused by mineral dust simulated with a chemical transport model. *J. Met. Soc. Japan*, **83A**, 315-331.
46. *Asano S., A. Uchiyama, A. Yamazaki, K. Kikuchi, 2004: Solar Radiation Budget from the MRI Radiometers for clear and cloudy air-columns with ARESE II. *J. Atm. Sci.*, **61**, 3082-3096.
47. *Kuji, M., N. Yamada, S. Hayashida, M. Yasui, A. Uchiyama, A. Yamazaki, and Te. Aoki, 2005: Retrieval of Asian dust amount over land using ADEOS-II/GLI near UV data. *SOLA*, **1**, 33-36.
48. *Nishizawa T., S. Asano, A. Uchiyama, and A. Yamazaki, 2004: Seasonal variation of aerosol direct radiative forcing estimated from ground-based solar radiation measurements. *J. Atm. Sci.*, **61**, 57-72.
49. *Taichu Y. Tanaka, Yasunori Kurosaki, Masaru Chiba, Takatsugu Matsumura, Tomohiro Nagai, Akihiro Yamazaki, Akihiro Uchiyama, Nobumitsu Tsunematsu, and Kenji Kai, 2005: Trans-continental dust transport from North Africa and the Middle East to East Asia. *Atm. Environ.*, (accepted).
- 内山貴雄 50. Uchiyama, T., A. Noda, S. Yukimoto, and M. Chiba, 2004: Study of the Estimate of New Climate Change Scenarios Based on New Emission Scenarios – IPCC AR4 Experiments –, *CGER'S Supercomputer Activity Report*, **13**.
- 永戸久喜 51. *Yoshizaki, M., T. Kato, H. Eito, S. Hayashi, and W. -K. Tao, 2004: An overview of the field experiment Winter Mesoscale Convective System (MCSs) over the Japan Sea in 2001, and comparisons of the cold-air outbreak case (14 January) between analysis and a non-hydrostatic cloud-resolving model. *J. Met. Soc. Japan*, **82**, 1365-1387.
52. Eito, H., C. Muroi, S. Hayashi, T. Kato, and M. Yoshizaki, 2004: A high-resolution wide-range numerical simulation of cloud bands associated with the Japan Sea Polar-

- air mass Convergence Zone in winter using a NON-HYDROSTATIC MODEL on the Earth Simulator. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5-7 - 5-8.
53. Kato, T., K. Yasunaga, C. Muroi, M. Yoshizaki, S. Kanada, A. Hashimoto, Y. Wakazuki, H. Eito, S. Hayashi, and H. Sasaki, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 1: Outline/purpose of a high-resolution long-term prediction. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-19 - 7-20.
54. 藤吉康志, 竹見哲也, 那須野智江, 久芳奈遠美, 山田広幸, 勝俣昌己, 上田博, 坪木和久, 高橋千陽, 大東忠保, 出世ゆかり, 野村光春, 清水慎吾, 茂木耕作, 三隅良平, 中井専人, 石坂雅昭, 岩本勉之, 和田誠, 村上正隆, 折笠成宏, 楠研一, 永戸久喜, 橋本明弘, 金田幸恵, 渡邊明, 2005: 第14回雲・降水国際会議参加報告, *天気*, **52**, 41-44.
55. * Eito, H., T. Kato, M. Yoshizaki, and A. Adachi, 2005: Numerical simulation of the quasi-stationary snowband observed over the southern coastal area of the Sea of Japan on 16 January 2001. *J. Met. Soc. Japan*, (in press).
- 大関 誠 56. 大関 誠, 2005: スペクトルモデル入門, 気象研究ノート, (印刷中).
- 岡田菊夫 57. *Okada, K. and K. Kai, 2004: Atmospheric mineral particles collected at Qira in the Taklamakan Desert, China. *Atm. Environ.*, **38**, 6927-6935.
58. *Okada, K., Y. Qin, and K. Kai, 2005: Elemental composition and mixing properties of atmospheric mineral particles collected in Hohhot, China. *Atm. Res.*, **73**, 45-67.
59. *Heintzenberg, J., K. Okada, T. Trautmann, and P. Hoffmann, 2004: Modeling of the signals of an optical particle counter for real nonspherical particles. *Appl. Optics*, **43**, 5893-5900.
60. *Ikegami, M., K. Okada, Y. Zaizen, Y. Tsutsumi, Y. Makino, J. B. Jensen, and J. L. Gras, 2004: The composition of aerosol particles in the middle troposphere over the western Pacific Ocean: Aircraft observations from Australia to Japan, January 1994. *Atm. Environ.*, **38**, 5945-5956.
61. *Sawa, Y., H. Matsueda, Y. Makino, H.Y. Inoue, S. Murayama, M. Hirota, Y. Tsutsumi, Y. Zaizen, M. Ikegami, and K. Okada, 2004: Aircraft observation of CO₂, CO, O₃ and H₂ over the North Pacific during the PACE-7 campaign. *Tellus*, **56B**, 2-20.
62. *Zaizen, Y., K. Okada, M. Ikegami, Y. Sawa, and Y. Makino, 2004: Number-size distributions of aerosol particles in the free troposphere over the northwestern Pacific Ocean - Influence of Asian outflow, and tropical air transport. *J. Met. Soc. Japan*, **82**, 1147-1160.
63. 岡田菊夫, 2004: 粉体と環境. 最新粉体物性図説 (第三版), **125-135**, エヌジーテイ.
64. 岡田菊夫, 2004: 個々のエアロゾル粒子の分析法. エアロゾル用語集, **90-91**, 京都大学学術出版会.
- 折笠成宏 65. *Orikasa, N., M. Murakami, M. Hoshimoto, and Y. Yamada, 2005: Re-evaluation of the collection efficiency of the hydrometeor videosonde for dry snow particles. *J. Met. Soc. Japan*, (in press).
66. *Yoshida, Y., S. Asano, A. Yamamoto, N. Orikasa, and A. Yamazaki, 2004: Radiative properties of mid-latitude frontal ice-clouds observed by the shortwave and

- longwave radiometer-sondes. *J. Met. Soc. Japan*, **82**, 639-656.
67. *Kusunoki, K., M. Murakami, N. Orikasa, M. Hoshimoto, Y. Tanaka, Y. Yamada, H. Mizuno, K. Hamazu, and H. Watanabe, 2005: Observations of quasi-stationary and shallow orographic snow clouds: Spatial distributions of supercool liquid water and snow particles. *Mon. Wea. Rev.*, (in press).
- 加藤輝之 68. *Kato, T. and K. Aranami, 2005: Formation factors of 2004 Niigata-Fukushima and Fukui heavy rainfalls and problems in the predictions using a cloud-resolving model. *SOLA*, **1**, 1-4.
69. *Adachi, A., T. Kobayashi, and T. Kato, 2004: Dual wind profiler observations of a line-shaped convective system in southern Kyushu, Japan. *J. Met. Soc. Japan*, **82**, 725-743.
70. *Fu, G., H. Niino, R. Kimura, and T. Kato, 2004: A polar low over the Japan Sea on 21 January 1997. Part I: Observational analysis, *Mon. Wea. Rev.*, **132**, 1537-1551.
71. *Yanase, W., G. Fu, H. Niino and T. Kato, 2004: A polar low over the Japan Sea on 21 January 1997. Part II: Observational analysis. *Mon. Wea. Rev.*, **132**, 1552-1574.
72. *Yoshizaki, M., T. Kato, H. Eito, S. Hayashi and W. -K. Tao, 2004: An overview of the field experiment, Winter Mesoscale Convective System (MCSs) over the Japan Sea in 2001, and comparisons of the cold-air outbreak case (14 January) between analysis and a non-hydrostatic cloud-resolving model. *J. Met. Soc. Japan*, **82**, 1365-1387.
73. *Yoshizaki, M., C. Muroi, S. Kanada, Y. Wakazuki, K. Yasunaga, A. Hashimoto, T. Kato, K. Kurihara, A. Noda, and S. Kusunoki, 2004: Changes of Baiu (Meiyu) frontal activity in the global warming, simulated by a cloud-resolving non-hydrostatic regional climate model. *SOLA*, **1**, 25-28.
74. Kato, T., K. Yasunaga, C. Muroi, M. Yoshizaki, S. Kanada, A. Hashimoto, Y. Wakazuki, H. Eito, S. Hayashi, and H. Sasaki, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 1: Outline/purpose of a high-resolution long-term prediction. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-19 - 7-20.
75. Hashimoto, A., M. Murakami, T. Kato, C. Muroi, M. Yoshizaki, and S. Hayashi, 2004: Improvement of microphysical parameterization in a Japan Meteorological Agency nonhydrostatic model with a high resolution and its effect on simulation result. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4-11 - 4-12.
76. Eito, H., C. Muroi, S. Hayashi, T. Kato, and M. Yoshizaki, 2004: A high-resolution wide-range numerical simulation of cloud bands associated with the Japan Sea Polar-air mass Convergence Zone in winter using a NON-HYDROSTATIC MODEL on the Earth Simulator. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5-7 - 5-8.
77. Yasunaga, K., T. Kato, Y. Wakazuki, H. Sasaki, C. Muroi, K. Kurihara, Y. Sato, M. Yoshizaki, S. Kanada, and A. Hashimoto, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 2: Performances of the model with the spectral boundary coupling method. *CAS/JSC WGNE Research Activities in Atmospheric and*

- Oceanic Modelling/WMO*, **34**, 7-43 - 7-44.
78. 加藤輝之, 金井秀元, 松本積, 坪木和久, 瀬古弘, 2005:第24回「メソ気象研究会」の報告—集中豪雨のメカニズム・予想可能性に迫る—. 天気, **52**, 203-207.
79. 金井秀元, 新野 宏, 藤部文昭, 加藤輝之, 田中恵信, 2004: 集中豪雨をもたらす低気圧とそのメソスケール構造. 月刊海洋, 号外**38**, 206-210
80. 斉藤和雄, 藤田司, 中村一, 岩崎俊樹, 加藤輝之, 佐藤正樹, 小泉耕, 2004: アジア太平洋地域を中心とした豪雨予報モデルの高度化に関する専門家会議報告. 天気, **51**, 453-460.
- 蒲地政文
81. *Kamachi, M., T. Kuragano, S. Sugimoto, K. Yoshita, T. Sakurai, T. Nakano, N. Usui, and F. Uboldi, 2004: Short-range prediction experiments with operational data assimilation system for the Kuroshio south of Japan. *J. Oceanog.*, **60**, 269-282.
82. *Kamachi, M., T. Kuragano, H. Ichikawa, H. Nakamura, A. Nishina, A. Isobe, D. Ambe, M. Arai, N. Gohda, S. Sugimoto, K. Yoshita, T. Sakurai, and F. Uboldi, 2004: Operational data assimilation system for the Kuroshio south of Japan: Reanalysis and validation. *J. Oceanog.*, **60**, 303-312.
83. *Fujii, Y., S. Ishizaki, M. Kamachi, 2005: Application of nonlinear constraints in a three-dimensional variational ocean analysis. *J. Oceanog.*, (accepted).
84. *Isobe, A., M. Kamachi, N. Masumoto, H. Uchida, and T. Kuragano, 2004: Seasonality of the Kuroshio transport revealed in a Kuroshio assimilation system. *J. Oceanog.*, **60**, 321-328.
85. *Kuragano, T. and M. Kamachi, 2004: Balance of volume transports between horizontal circulation and meridional overturn in the North Pacific subarctic region. *J. Oceanog.*, **60**, 439-451.
86. *Nakano, T., I. Kaneko, M. Endoh, and M. Kamachi, 2005: Interannual and Decadal Variabilities of the NPIW Salinity Minimum Core Observed along JMA's Hydrographic Repeat Sections. *J. Oceanog.*, (in press).
- 釜堀弘隆
87. *Aonashi, K., N. Yamazaki, H. Kamahori, K. Takahashi, F. Liu, and K. Yoshida, 2004: Variational Assimilation of TMI Rain Type and Precipitation Retrievals into Global Numerical Weather Prediction. *J. Met. Soc. Japan*, **82**, 671-693.
- 川畑拓矢
88. *Seko, H., T. Kawabata, T. Tsuyuki, H. Nakamura, and K. Koizumi, 2004: Impacts of GPS-derived Water Vapor and Radial Wind Measured by Doppler Radar on Numerical Prediction of Precipitation. *J. Met. Soc. Japan*, **82**, 473-489.
89. T. Kawabata, H. Seko, T. Kuroda, Y. Wakatsuki, Y. Honda, K. Tamiya, K. Aonashi, Y. Shoji, K. Saito, T. Tsuyuki, 2005: A Cloud Resolving 4DVAR Data Assimilation System Based on the JMA Non-Hydrostatic Model. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **S1**. 19-20.
- 鬼頭昭雄
90. *Abe, M., T. Yasunari, and A. Kitoh, 2004: Effects of large-scale orography on the coupled atmosphere-ocean system in the tropical Indian and Pacific oceans in boreal summer. *J. Met. Soc. Japan*, **82**, 745-759.
91. *Braconnot, P., S.P. Harrison, S. Joussaume, C.D. Hewitt, A. Kitoh, J.E. Kutzbach, Z. Liu, B. Otto-Bliesner, J. Syktus, and S.L. Weber, 2004: Evaluation of PMIP coupled ocean-atmosphere simulations of the Mid-Holocene. *In: Past Climate Variability through Europe and Africa*, R.W. Battarbee et al. (eds), Springer, Dordrecht, The

- Netherlands, 515-533.
92. *Tanaka, H.L., N. Ishizaki, and A. Kitoh, 2004: Trend and interannual variability of Walker, monsoon and Hadley circulations defined by velocity potential in the upper troposphere, *Tellus*, **56A**, 250-269.
93. *Arakawa, O. and A. Kitoh, 2004: Comparison of local precipitation-SST relationship between the observation and a reanalysis dataset. *Geophys. Res. Lett.*, **31**, L12206, doi:10.1029/2004GL020283.
94. *Ashrit, R., A. Kitoh, and S. Yukimoto, 2005: Transient response of ENSO-monsoon teleconnection in MRI-CGCM2.2 climate change simulations. *J. Met. Soc. Japan*, **83**, 273-291.
- 木下宣幸 95. *Kinoshita, N., 2006: Effect of a boundary layer leak slot on improving the test section flow quality in an open return meteorological wind tunnel, *Pap. Met. Geophys.*, **56**, 1-8.
- 楠 研一 96. *Kusunoki, K., M. Murakami, N. Orikasa, M. Hoshimoto, Y. Tanaka, Y. Yamada, H. Mizuno, K. Hamazu, and H. Watanabe, 2005: Observations of quasi-stationary and shallow orographic snow clouds: Spatial distributions of supercool liquid water and snow particles. *Mon. Wea. Rev.*, **133**, 743-751.
97. 藤吉 康志, 竹見 哲也, 那須野 智江, 久芳 奈遠美, 山田 広幸, 勝俣 昌己, 上田 博, 坪木 和久, 高橋 千陽, 大東 忠保, 出世 ゆかり, 野村 光春, 清水 慎吾, 茂木 耕作, 三隅 良平, 中井 專人, 石坂 雅昭, 岩本 勉之, 和田 誠, 村上 正隆, 折笠 成宏, 楠 研一, 永戸 久喜, 橋本 明弘, 金田 幸恵, 渡邊 明, 2005: 第14回雲・降水国際会議参加報告, *天気*, **52**, 41-44.
- 楠 昌司 98. 楠 昌司, 松丸 圭一, 仲江川 敏之, 谷貝 勇, 荒川 理, 2004: グロースベッター, 第**42**巻, 38-56.
- 栗原和夫 99. *Yoshizaki, M., C. Muroi, S. Kanada, Y. Wakazuki, K. Yasunaga, A. Hashimoto, T. Kato, K. Kurihara, A. Noda, and S. Kusunoki, 2004: Changes of Baiu (Meiyu) frontal activity in the global warming, simulated by a cloud-resolving non-hydrostatic regional climate model. *SOLA*, **1**, 25-28.
- 黒木英州 100. *Kuroki, H., H. Ito, H. Takayama, and A. Yoshida, 2004: 3-D simulation of the occurrence of slow slip events in the Tokai region with a rate- and state-dependent friction law. *Bulletin of the Seismological Society of America*, **94**, 2037-2050.
- 黒田友二 101. *Kuroda, Y. and K. Kodera, 2004: Role of the Polar-night Jet Oscillation on the formation of the Arctic Oscillation in the northern hemisphere winter. *J. Geophys. Res.*, **109**, D11112, doi: 10.1029/2003JD004123.
102. *Kodera, K. and Y. Kuroda, 2004: Two teleconnection patterns involved in the north Atlantic/Arctic oscillation. *Geophys. Res. Lett.*, **31**, L20201, doi:10.1029/2004JD020933.
103. *Kodera, K. and Y. Kuroda, 2005: A possible mechanism of solar modulation of the spatial structure of the North Atlantic Oscillation. *J. Geophys. Res.*, **110**, D02111, doi:10.1029/2004JD005258.

- 小寺邦彦 104. *Kuroda, Y. and K. Kodera, 2004: Role of the Polar-night Jet Oscillation on the formation of the Arctic Oscillation in the Northern Hemisphere winter. *J. Geophys. Res.*, **109**, D11112, doi : 10.1029/2003JD00412.
105. *Kodera, K. and Y. Kuroda, 2004: Two teleconnection patterns involved in the North Atlantic/ Arctic Oscillation. *Geophys. Res. Lett.*, **31**, L20201, doi:10.1029/2004GL020933.
106. *Kodera, K. and Y. Kuroda, 2005: A possible mechanism of solar modulation of the spatial structure of the North Atlantic Oscillation. *J. Geophys. Res.*, **110**, D02111, doi:10.1029/2004JD005258.
107. *Kodera, K., 2004: Solar influence on the Indian Ocean Monsoon through dynamical processes. *Geophys. Res. Lett.*, **31**, L24209, doi:10.1029/2004GL020928.
108. *Kodera, K., 2005: Possible solar modulation of the ENSO cycle. *Papers in Meteorology and Geophysics*, **55**, 21-32.
109. *Shibata, K. and K. Kodera, 2005: Simulation of radiative and dynamical responses of the middle atmosphere to the 11-year solar cycle. *J. Atmospheric and Solar-Terrestrial Physics*, **67**, 125-143.
110. *Yukimoto, S. and K. Kodera, 2005: Interdecadal Arctic Oscillation in twentieth-century climate simulations viewed as internal variability and response to external forcing. *Geophys. Res. Lett.*, **32**, L03707, doi:10.1029/2004GL021870.
- 小林昭夫 111. *Kobayashi, A., A. Yoshida, T. Yamamoto, and H. Takayama, 2005: Slow slip in the focal region of the anticipated Tokai earthquake following the 2000 seismo-volcanic event in the northern Izu Islands. *Earth, Planets and Space*, **57**, 507-513.
112. *小林昭夫, 吉田明夫, 2004: 舞阪の潮位変化から推定される東海スロースリップの繰り返し発生. *測地学会誌*, **50**, 209-212.
113. *小林昭夫, 2005: GPS東海地域3時間解析値の面的監視. *験震時報*, **68**, 99-104.
- 小林隆久 114. *Kobayashi, T. and A. Adachi, 2005: Retrieval of Arbitrarily Shaped Raindrop Size Distributions from Wind Profiler Measurements. *J. Atm. Oceanic Technol.*, (in press).
115. *Kobayashi, T. and A. Adachi, 2005: A combined method of the TRMM precipitation radar and visible and infrared scanner for retrieval of cloud and precipitation interaction, IRS 2004: Current Problems in Atmospheric Radiation, H. Fischer and B. J. Sohn (Eds), A. Deepak Publishing, (in press).
116. *Adachi, A., T. Kobayashi, and T. Kato, 2004: Dual wind profiler observations of a line-shaped convective system in southern Kyushu, Japan. *J. Met. Soc. Japan*, **82**, 725-743.
117. *Adachi, A., W. L. Clark, L. M. Hartten, K. S. Gage, and T. Kobayashi, 2004: An observational study of a shallow gravity current triggered by katabatic flow. *Ann. Geophysicae*, **22**, 3937-3950.
118. * Adachi, A., T. Kobayashi, K. S. Gage, D. A. Carter, L. M. Hartten, W. L. Clark, and M. Fukuda, 2005: Evaluation of three-beam and four-beam profiler wind measurement techniques using a five-beam wind profiler and collocated meteorological tower. *J. Atm. Oceanic Technol.*, (in press).
- 財前祐二 119. *Zaizen Y., K. Okada, M. Ikegami, Y. Sawa, and Y. Makino, 2004: Numerical-size

- distribution of aerosol particles in the free troposphere over the northwestern Pacific Ocean-Influence of Asian outflow and tropical air transport. *J. Met. Soc. Japan*, **82**, 1147-1160.
120. *Ikegami, M., K. Okada, Y. Zaizen, Y. Tsutsumi, Y. Makino, J. B. Jensen, and J. L. Gras, 2004: The composition of aerosol particles in the middle troposphere over the western Pacific Ocean: Aircraft observations from Australia to Japan, January 1994. *Atm. Environ.*, **38**, 5945-5956.
121. *Sawa, Y., H. Matsueda, Y. Makino, H.Y. Inoue, S. Murayama, M. Hirota, Y. Tsutsumi, Y. Zaizen, M. Ikegami, and K. Okada, 2004: Aircraft observation of CO₂, CO, O₃ and H₂ over the North Pacific during the PACE-7 campaign. *Tellus*, **56B**, 2-20.
- 齋藤篤思 122. 齋藤篤思, 2004: 紫外域日射観測装置の入射角特性に関する観測値への補正の試み, 高層気象台彙報, **64**, 55-61.
123. Tsutsumi, Y., H. Morishita, M. Yoshida, K. Odashima, A. Saito, K. Suzuki, and O. Ijima, 2004: Analyses of Aerosol Events Observed at a Four Sun Photometer Sites in Japan during March-April 2002. *J. Met. Soc. Japan*, **82**, 1164-1172.
124. 気象庁観測部環境気象課ほか, 2004: エーロゾル観測・監視システムによるエーロゾルの観測, 測候時報, **71**, 147-164.
- 齋藤和雄 125. Saito, K., 2004: Direct evaluation of the buoyancy and consideration of moisture diffusion in the continuity equation in the JMA Nonhydrostatic Model. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5.26-5.27.
126. Yamazaki, Y. and K. Saito, 2004: Implementation of the Cylindrical Equidistant Projection for the Non-Hydrostatic Model of the Japan Meteorological Agency. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 3.27-3.28.
127. Nitta, T. and K. Saito, 2004: Early history of the operational numerical weather prediction in Japan. *NWP Legacy and Future*, University of Maryland, 7pp.
128. 齋藤和雄, 藤田司, 中村一, 岩崎俊樹, 加藤輝之, 佐藤正樹, 小泉耕, 2004: アジア太平洋地域を中心とした豪雨予報モデルの高度化に関する専門家会議報告. 天気, **51**, 453-460.
129. 齋藤和雄, 2004: 第2回次世代数値予報モデル国際ワークショップ参加報告. 天気, **51**, 683-689.
130. 齋藤和雄, 藤田司, 中村一, 岩崎俊樹, 加藤輝之, 佐藤正樹, 小泉耕, 2004: アジア太平洋地域を中心とした豪雨予報モデルの高度化に関する専門家会議報告. 天気, **51**, 453-460.
131. R.N.ホフマン, 齋藤和雄 (監修), 2004: 台風をあやつる. 日経サイエンス, **34**, 36-44.
132. 齋藤和雄, 2004: 気象庁における非静力学数値モデル開発. 平成12年度~平成15年度科学研究費補助金研究成果報告書「高精度非静力学数値モデルの研究(1)基本フレームの確立」, 東北大学大学院理学研究科, 37-46.
- 坂井孝行 133. 福井敬一, 中禮正明, 北川貞之, 藤原健治, 坂井孝行, 高木朗充, 高見雅三, 田村慎, 岡崎紀俊, 石丸聡, 2004: 樽前山における地殻変動観測結果(1999年7月~2003年10月). 火山噴火予知連絡会会報, **86**, 11-13.

134. *坂井孝行, 宮村淳一, 2005: 平成15年(2003年)十勝沖地震に伴い北海道内の火山観測用空振計で観測された超低周波音. 験震時報, **68**, 105-120.
135. 藤原健治, 高木朗充, 山本哲也, 福井敬一, 坂井孝行, 2004: 富士山の浅部地震活動. 月刊地球, 号外**48**, 62-66.
- 佐々木秀孝 136. *Seino, N., H. Sasaki, J. Sato, and M. Chiba, 2004: High-resolution simulation of volcanic sulphur dioxide dispersion over the miyake island. *Atm. Environ.*, **38**, 7073-7081.
137. *Seino, N., H. Sasaki, A. Yamamoto, M. Mikami, H. Zhou, and F. Zeng, 2005: Numerical Simulation of mesoscale circulations in the Tarim Basin associated with dust events. *J. Met. Soc. Japan*, **83A**, 205-218.
- 澤 庸介 138. *Sawa, Y., H. Matsueda, Y. Makino, H.Y. Inoue, S. Murayama, M. Hirota, Y. Tsutsumi, Y. Zaizen, M. Ikegami, and K. Okada, 2004: Aircraft observation of CO₂, CO, O₃ and H₂ over the North Pacific during the PACE-7 campaign. *Tellus*, **56B**, 2-20.
139. *Igarashi, Y., Y. Sawa, K. Yoshioka, H. Matsueda, K. Fujii, and Y. Dokiya, 2004: Monitoring of the SO₂ concentration at the summit of Mt. Fuji and a comparison with other trace gases during winter. *J. Geophys. Res.*, **109** (D17304), doi : 10.1029/2003JD004428.
140. *Zaizen, Y., K. Okada, M. Ikegami, Y. Sawa, and Y. Makino, 2004: Number-size distributions of aerosol particles in the free troposphere over the Northwestern Pacific Ocean - Influence of Asian outflow and tropical air transport. *J. Meteorological Society of Japan*, **82**, 1147-1160.
141. *Matsueda, H., Y. Sawa, A. Wada, H.Y. Inoue, K. Suda, Y. Hirano, K. Tsuboi, and S. Nishioka 2004: Methane standard gases for atmospheric measurements at the MRI and JMA and intercomparison experiments. *Pap. Met. Geophys.*, **54**, 91-109.
142. 松枝秀和・須田一人・西岡佐喜子・平野礼朗・澤庸介・坪井一寛・堤之智・神谷ひとみ・根本和宏・長井秀樹・吉田雅司・岩野園城・山本治・森下秀昭・鎌田匡俊・和田晃, 2004: 気象庁及び気象研究所における二酸化炭素の長期観測に使用された標準ガスのスケールとその安定性の再評価に関する調査・研究. 気象研究所技術報告, **45**, 64pp.
- 柴田清孝 143. *Shibata, K. and K. Kodera, 2005: Simulation of radiative and dynamical responses of the middle atmosphere to the 11-year solar cycle. *J. Atmospheric and Solar-Terrestrial Physics*, **67**, 125-143.
144. *Shibata, K., M. Deushi, T. T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI chemical transport model for the study of stratospheric chemistry. *Pap. Met. Geophys.*, **55**, 75-119.
145. Shibata, K. and M. Deushi, 2005: Ozone QBO simulated by the stratospheric chemical transport model of Meteorological Research Institute (MJ98-CTM). *CGER's Supercomputer Activity Report*, 12-2003, 41-50.
146. 柴田清孝, 2004: 雲・水蒸気と放射. 64-70, 水の事典, 太田猛彦, 住明正, 池淵周一, 田淵俊雄, 眞柄泰基, 松尾友矩, 大塚柳太郎編, 朝倉書店, 576 pp.
- 小司禎教 147. *Shoji, Y., H. Nakamura, T. Iwabuchi, K. Aonashi, H. Seko, K. Mishima, A. Itagaki, R. Ichikawa, and R. Ohtani, 2004: Tsukuba GPS Dense Net Campaign Observation: Improvement of GPS Analysis of Slant Path Delay by Stacking Oneway Post fit

- Phase Residuals. *J. Met. Soc. Japan*, **82**, 301-314.
148. *Aoyama, Y., Y. Shoji, A.K. Mousa, T. Tsuda, and H. Nakamura, 2004: Temperature and Water Vapor Profiles Derived from Downward-Looking GPS Occultation Data. *J. Met. Soc. Japan*, **82**, 433-440.
149. *Seko, H., H. Nakamura, Y. Shoji, and T. Iwabuchi, 2004: The Meso- γ scale Water Vapor Distribution Associated with a Thunderstorm Calculated from a Dense Network of GPS Receivers. *J. Met. Soc. Japan*, **82**, 569-586.
150. 小司禎教, 1999年6月29日: GPS可降水量でみた寒冷前線, 気象研究ノート「メソ対流系」, (印刷中).
- 清野直子 151. *Seino, N., H. Sasaki, J. Sato, and M. Chiba, 2004: High-resolution simulation of volcanic sulphur dioxide dispersion over the miyake island. *Atm. Environ.*, **38**, 7073-7081.
152. *Seino, N., H. Sasaki, A. Yamamoto, M. Mikami, H. Zhou, and F. Zeng, 2005: Numerical Simulation of mesoscale circulations in the Tarim Basin associated with dust events. *J. Met. Soc. Japan*, **83A**, 205-218.
153. Takemi, T. and N. Seino, 2004: 「Duststorms and cyclone tracks over the arid regions in east Asia in spring」. *J. Geophys. Res.*, 110, D18S11, doi : 10.1029/2004JD004698.
154. 高橋忠司, 清野直子, 末木俊夫, 2004: 冬の関東地方南部で形成された局地前線. 埼玉大学紀要 教育学部 (数学・自然), **53**, 41-50.
- 関山 剛 155. *Shibata, K., M. Deushi, T. T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI chemical transport model for the study of stratospheric chemistry. *Pap. Met. Geophys.*, **55**, 75-119.
- 瀬古 弘 156. *Seko, H. and H. Nakamura, 2005: Analytical and numerical studies on meso- β scale precipitation bands observed over southern Kyushu on 7 July 1996. *Pap. Met. Geophys.*, **55**, 55-74.
157. Seko, H., T. Kawabata, and T. Tsuyuki, 2005: Data assimilation experiments of Nerima heavy rainfall. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **35**, 1-41 - 1-42.
158. *Seko, H., H. Nakamura, and S. Shimada, 2004: An Evaluation of Atmospheric Models for GPS data Retrieval by Output from a Numerical Weather Model. *J. Met. Soc. Japan*, **82**, 339-350.
159. *Seko, H., T. Kawabata, T. Tsuyuki, H. Nakamura, and K. Koizumi, 2004: Impacts of GPS-derived Water Vapor and Radial Wind Measured by Doppler Radar on Numerical Prediction of Precipitation. *J. Met. Soc. Japan*, **82**, 473-489.
160. *Seko, H., H. Nakamura, Y. Shoji, and T. Iwabuchi, 2004: The Meso- γ scale Water Vapor Distribution Associated with a Thunderstorm Calculated from a Dense Network of GPS Receivers. *J. Met. Soc. Japan*, **82**, 569-586.
161. Kunii, M. and H. Seko, 2005: Assimilation of radial wind measured by Doppler radar to Typhoon HIGOS. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **35**, 1-25 - 1-26.
162. Kawabata T., H. Seko, T. Kuroda, Y. Wakatsuki, Y. Honda, K. Tamiya, K. Aonashi, Y. Shoji, K. Saito, and T. Tsuyuki, 2005: A cloud resolving 4DVAR data assimilation

- system based on the JMA non-hydrostatic model. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **35**, 1-19-1-20.
163. 加藤輝之, 金井秀元, 松本積, 坪木和久, 瀬古弘, 2005:第24回「メソ気象研究会」の報告－集中豪雨のメカニズム・予想可能性に迫る－, *天気*, **52**, 203-207.
- 高木朗充 164. 大久保修平, 高木朗充, 新谷昌人, 松本滋夫, 福井敬一, 孫文科, 2004:富士山頂における絶対重力測定. *月刊地球*, 号外**48**, 56-61.
165. 福井敬一, 中禮正明, 北川貞之, 藤原健治, 坂井孝行, 高木朗充, 高見雅三, 田村慎, 岡崎紀俊, 石丸聡, 2004:樽前山における地殻変動観測結果(1999年7月～2003年10月). *火山噴火予知連絡会会報*, **86**, 11-13.
166. 福井敬一, 山本哲也, 藤原健治, 高木朗充, 坂井孝行, 2005:2003年12月から2004年5月に霧島山御鉢で発生した火山性微動に対応した傾斜変動. *火山噴火予知連絡会会報*, **88**, 127-130.
167. 藤原健治, 高木朗充, 山本哲也, 福井敬一, 坂井孝行, 2004:富士山の浅部地震活動, *月刊地球*, 号外**48**, 62-66.
- 高橋清利 168. Aonashi, K., N. Yamazaki, H. Kamahori, K. Takahashi, F. Liu, and K. Yoshida, 2004: Variational assimilation of TMI rain type and precipitation retrievals into global numerical weather prediction. *J. Meteor. Soc. Japan*, **82**, 671-693.
- 高藪 出 169. 高藪出, 2004:ストームトラックに係わる傾圧不安定波の理論的研究と、理想化されたモデル研究について. *月刊海洋*, 号外**38**, 流体力学から見た大気と海洋－木村龍治教授退官記念論文集－, 188-192.
- 高山寛美 170. *Kobayashi, A., A. Yoshida, T. Yamamoto, and H. Takayama, 2004: Slow slip in the focal region of the anticipated Tokai earthquake following the 2000 seismic-volcanic event in the northern Izu Islands. *Earth, Planets and Space*, (in press).
- 高山博之 171. *Kuroki, H., H. Ito, H. Takayama, and A. Yoshida, 2004: 3-D simulation of the occurrence of slow slip events in the Tokai region with a rate- and state-dependent friction law. *Bull. Seismol. Soc. America*, **94**, 2037-2050.
- 武田重夫 172. *Takeda, S., 2005: A low order thermal model with a flow pattern similar to Hill's spherical vortex. *Pap. Met. Geophys.*, **55**, 45-54.
- 千葉 長 173. *Aoki, Te., T. Y. Tanaka, A. Uchiyama, M. Chiba, M. Mikami, S. Yabuki, and J. R. Key, 2005: Sensitivity experiments of direct radiative forcing caused by mineral dust simulated with a chemical transport model. *J. Met. Soc. Japan*, **83A**, 315-331.
174. *Seino, N., H. Sasaki, J. Sato, and M. Chiba, 2004: High-resolution simulation of volcanic Sulphur dioxide dispersion over the Miyake Island. *Atm. Environ.*, 2004, **38**, 7073-7081.
175. *Tazaki, K., K. Miyata, T. Y. Tanaka, M. Chiba, R. Wakimoto, I. Saji, and K. Sato, 2004: Finding abnormal events during the Iraq War monitored at Japan 8000 km away from Iraq. *The Science Reports of Kanazawa University*, **48**, No.1, 2, 107-113.
176. *Tanaka, T. Y., and M. Chiba, 2005: Global simulation of dust aerosol with a chemical transport model, MASINGAR. *J. Met. Soc. Japan*, **83A**, (in press).
177. *Tanaka, T. Y., Y. Kurosaki, M. Chiba, T. Matsumura, T. Nagai, A. Yamazaki, A. Uchiyama, N. Tsunematsu, and K. Kai, 2005: Trans-continental dust transport

- from North Africa and the Middle East to East Asia. *Atm. Environ.*, (accepted).
178. Uchiyama, T., A. Noda, S. Yukimoto, and M. Chiba, 2004: Study of the Estimate of New Climate Change Scenarios Based on New Emission Scenarios – IPCC AR4 Experiments –. *CGER'S Supercomputer Activity Report* **13**-2004.
- 忠鉢 繁 179. *Chubachi, S., K. Miyagawa, and Y. Makino, 2005: A Case study of low total ozone event over Europe on 14th February 2001. *International J. Remote Sensing*, (in press).
- 辻野博之 180. 石川一郎, 辻野博之, 平原幹俊, 中野英之, 安田珠幾, 石崎 廣, 2005 : 気象研究所共用海洋モデル (MRI. COM) 解説. 気象研究所技術報告, **47**.
- 出牛 真 181. *Shibata, K., M. Deushi, T. T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI chemical transport model for the study of stratospheric chemistry. *Pap. Met. Geophys.*, **55**, 75-119.
182. Shibata, K. and M. Deushi, 2005: Ozone QBO simulated by the stratospheric chemical transport model of Meteorological Research Institute (MJ98-CTM). *CGER's Supercomputer Activity Report*, 41-50, **12**-2003.
- 時枝隆之 183. *Tokieda, T., M. Ishii, T. Yasuda, and K. Enyo, 2004: Chlorofluorocarbons (CFCs) in the North Pacific Central Mode Water: Possibility of under-saturation of CFCs in the wintertime mixed layer. *Geochem. J.*, **38**, 643-650.
184. *Tokieda, T., K. Enyo, H. Matsueda, M. Ishii, M. Hirota, and T. Midorikawa, 2005: A comparison of dissolved chlorofluorocarbons in seawater measured by MRI and JMA CFCs systems. *Pap. Met. Geophys.*, **55**, 1-11.
- 永井智広 185. *Taichu Y. Tanaka, Yasunori Kurosaki, Masaru Chiba, Takatsugu Matsumura, Tomohiro Nagai, Akihiro Yamazaki, Akihiro Uchiyama, Nobumitsu Tsunematsu and Kenji Kai, 2005: Trans-continental dust transport from North Africa and the Middle East to East Asia. *Atm. Environ.*, (accepted).
186. *T. Sakai, T. Nagai, M. Nakazato, and T. Matsumura, 2004: Raman lidar measurement of water vapor and ice clouds associated with Asian dust layer over Tsukuba, Japan. *Geophys. Res. Lett.*, **31**, L06128, doi : 10.1029/2003GL019332.
187. 永井智広, 2005 : レーザーハンドブック 第2版 (編集委員長 豊田 浩一、部分執筆), オーム社.
- 仲江川敏之 188. *Nakaegawa, T., M. Kanamitsu, and T. M. Smith, 2004: Interdecadal Trend of Prediction Skill in an Ensemble AMIP-Type Experiment. *J. Climate*, **17**, 2881-2889.
189. *Nakaegawa, T. and M. Kanamitsu, 2005: Cluster analysis of the seasonal forecast skill of the NCEP SFM over the Pacific-North-America sector. *J. Climate*, (accepted).
190. *Iwakuni, M., T. Kato, H. Takiguchi, T. Nakaegawa, and M. Satomura, 2004: Crustal deformation in Thailand and tectonics of Indochina peninsula as seen from GPS observations, *Geophys. Res. Lett.*, **31**, L11612, doi : 10.1029/2004GL020347.
191. *仲江川 敏之, 2004 : 日本の降水量変動とNino3 海面水温変動の関連性についての基礎的検討, 水工学論文集, **48**, 85-90.
192. *仲江川 敏之, 徳広 貴之, 2005 : 気象庁SiBオフライン実験により推定された陸域貯水量のTaylorダイアグラムによる検証, 水文・水資源学会誌, **18**, 310-320.

193. 楠 昌司, 松丸 圭一, 仲江川 敏之, 谷貝 勇, 荒川 理, 2004: グロースベッター, 第42巻, 38-56 (2004) .
- 中里真久 194. *T. Sakai, T. Nagai, M. Nakazato, and T. Matsumura, 2004: Raman lidar measurement of water vapor and ice clouds associated with Asian dust layer over Tsukuba, Japan. *Geophys. Res. Lett.*, **31**, L06128, doi : 10.1029/2003GL019332.
- 中澤哲夫 195. 中澤哲夫, 2004: 宇宙から雨を測る, 第11回日本気象学会中部支部公開気象講座「台風研究の最前線」, 9-12.
196. 中澤哲夫, 経田正幸, 山口宗彦, 2005: 気象庁週間アンサンブル予報データに見る台風発生. *日本風工学会誌*, **30**, 23-27.
- 中野俊也 197. *Nakano, T., I. Kaneko, M. Endoh, and M. Kamachi, 2005: Interannual and Decadal Variabilities of the NPIW Salinity Minimum Core Observed along JMA's Hydrographic Repeat Sections. *J. Oceanog.*, (in press).
198. *Y. W. Watanabe, H. Ishida, T. Nakano, and N. Nagai, 2005: Spatiotemporal decreases of nutrients and chlorophyll-a in the surface mixed layer of the western North Pacific from 1971 to 2000. *J. Oceanog.*, (in press).
199. *Kamachi, M., T. Kuragano, S. Sugimoto, K. Yoshita, T. Sakurai, T. Nakano, N. Usui, and F. Uboldi, 2004: Short-range prediction experiments with operational data assimilation system for the Kuroshio south of Japan. *J. Oceanog.*, **60**, 269-282.
- 中野英之 200. *Nakano, H. and H. Hasumi, 2005: A series of zonal jets embedded in the broad zonal flows in the Pacific obtained in eddy-permitting ocean general circulation models. *J. Phys. Oceanog.*, (in press).
201. *Boris Galperin, Hideyuki Nakano, Huei-Ping Huang, and Semion Sukoriansky, 2004: The ubiquitous zonal jets in the atmospheres of giant planets and Earth's oceans. *Geophys. Res. Lett.*, **31**, L13303, doi : 10.1029/2004GL019691.
202. 石川一郎, 辻野博之, 平原幹俊, 中野英之, 安田珠幾, 石崎 廣, 2005: 気象研究所共用海洋モデル (MRI. COM) 解説. *気象研究所技術報告*, **47**.
- 中村雅基 203. *Nakamura, M., 2004: Automatic determination of focal mechanism solutions using initial motion polarities of P and S waves. *Physics of the Earth and Planetary Interiors*, **146**, 531-549.
- 野田 彰 204. *Yoshizaki, M., C. Muroi, S. Kanada, Y. Wakazuki, K. Yasunaga, A. Hashimoto, T. Kato, K. Kurihara, A. Noda, and S. Kusunoki, 2004: Changes of Baiu (Meiyu) frontal activity in the global warming, simulated by a cloud-resolving non-hydrostatic regional climate model. *SOLA*, **1**, 25-28.
205. Noda, A., T. Matsuno, A. Sumi, H. Kondo, 2004: Climate modeling and the projection of global warming. *Global Warming - the Research Challenges*. A. Ichikawa eds., Springer, Dordrecht, Netherlands, **55-83**.
206. Uchiyama, T., A. Noda, S. Yukimoto, and M. Chiba, 2004: Study of the Estimate of New Climate Change Scenarios Based on New Emission Scenarios - IPCC AR4 Experiments -. *CGER'S Supercomputer Activity Report*, **13-2004**.
- 長谷川洋平 207. 谷岡勇市郎, 西村裕一, 平川一臣, 今村文彦, 阿部郁男, 安部祥, 進藤一弥, 松富英夫, 高橋智幸, 今井健太郎, 藤間功司, 原田賢治, 行谷佑一, 長谷川洋平,

- 林 豊, 吉川章文, 上川明保, 志賀透, 小林正樹, 眞坂精一, 鎌滝孝信, 七山太, 佐竹健治, 河田恵昭, 深澤良信, 越村俊一, 秦康範, 東井裕介, 平田賢治, 2005: 2003年十勝沖地震の津波遡上高調査および大津漁港での津波数値計算. 月刊地球, 号外**49**, 128-136.
208. 谷岡勇市郎, 西村裕一, 平川一臣, 今村文彦, 松富英夫, 高橋智幸, 都司嘉宣, 原田賢治, 長谷川洋平, 林 豊, 小林正樹, 上川明保, 佐竹健治, 七山太, 鎌滝孝信, 越村俊一, 平田賢治, 2004: 津波遡上高・被害の調査及び結果の整理. 平田 直編, 科学技術振興調整費成果報告書 先導的研究等の推進 平成15年(2003年)十勝沖地震に関する緊急調査研究, 56-71.
209. 長谷川洋平, 吉田康宏, 林 豊, 小林政樹, 川上明保, 蒲田喜代司, 松山輝雄, 2004: 津波遡上高の詳細解析に基づく津波発生機構の解明. 平田 直編, 科学技術振興調整費成果報告書 先導的研究等の推進 2003年(平成15年)十勝沖地震に関する緊急調査研究, 82-98.
210. 長谷川洋平, 林 豊, 2005: 津波遡上高の詳細解析に基づく津波発生機構の解明. 気象庁技術報告, **126**, 65-72.
- 濱田信生 211. *Uhira, K., T. Baba, H. Mori, H. Katayama, and N. Hamada, 2005: Earthquake swarms preceding the 2000 eruption of Miyakejima, Japan. *Bull. Volcanology*, **67**, 219-230.
212. 濱田信生, 吉川一光, 近藤さや, 鎌谷紀子, 明田川保, 松浦律子, 鈴木保典, 2004: 日本の震源カタログの改善 - 1923年~1925年部分の新規作成と1926年以降の改善 -. 験震時報, **68**巻, 1-24.
- 林 修吾 213. *Yoshizaki, M., T. Kato, H. Eito, S. Hayashi, and W. -K. Tao, 2004: An overview of the field experiment ““Winter Mesoscale Convective System (MCSs) over the Japan Sea in 2001””, and comparisons of the cold-air outbreak case (14 January) between analysis and a non-hydrostatic cloud-resolving model. *J. Met. Soc. Japan*, **82**, 1365-1387.
214. Kato, T., K. Yasunaga, C. Muroi, M. Yoshizaki, S. Kanada, A. Hashimoto, Y. Wakazuki, H. Eito, S. Hayashi, and H. Sasaki, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 1: Outline/purpose of a high-resolution long-term prediction. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-19 - 7-20.
215. Hashimoto, A., M. Murakami, T. Kato, C. Muroi, M. Yoshizaki, and S. Hayashi, 2004: Improvement of microphysical parameterization in a Japan Meteorological Agency nonhydrostatic model with a high resolution and its effect on simulation result. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4-11 - 4-12.
216. Eito, H., C. Muroi, S. Hayashi, T. Kato, and M. Yoshizaki, 2004: A high-resolution wide-range numerical simulation of cloud bands associated with the Japan Sea Polar-air mass Convergence Zone in winter using a NON-HYDROSTATIC MODEL on the Earth Simulator. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5-7 - 5-8.
217. 林修吾, 2005: 「雲解像モデル(JMANHM)を用いた発雷予測手法の開発」. 大気電気研究, **66**, (印刷中).
- 林 豊 218. 谷岡勇市郎, 西村裕一, 平川一臣, 今村文彦, 阿部郁男, 安部 祥, 進藤一弥, 松

- 富英夫, 高橋智幸, 今井健太郎, 藤間功司, 原田賢治, 行谷佑一, 長谷川洋平, 林 豊, 吉川章文, 上川明保, 志賀 透, 小林正樹, 眞坂精一, 鎌滝孝信, 七山太, 佐竹健治, 河田恵昭, 深澤良信, 越村俊一, 秦 康範, 東井裕介, 平田賢治, 2005: 2003年十勝沖地震の津波遡上高調査および大津漁港での津波数値計算. 月刊地球, 号外**49**, 128-136.
219. 谷岡勇市郎, 西村裕一, 平川一臣, 今村文彦, 松富英夫, 高橋智幸, 都司嘉宣, 原田賢治, 長谷川洋平, 林 豊, 小林正樹, 上川明保, 佐竹健治, 七山太, 鎌滝孝信, 越村俊一, 平田賢治, 2004: 津波遡上高・被害の調査及び結果の整理. 平田直編, 科学技術振興調整費成果報告書 平成15年(2003年)十勝沖地震に関する緊急調査研究, 56-71.
220. 長谷川洋平, 吉田康宏, 林 豊, 小林政樹, 川上明保, 蒲田喜代司, 松山輝雄, 2004: 津波遡上高の詳細解析に基づく津波発生機構の解明. 平田直編, 科学技術振興調整費成果報告書 2003年(平成15年)十勝沖地震に関する緊急調査研究, 82-98.
221. 長谷川洋平, 林 豊, 2005: 津波遡上高の詳細解析に基づく津波発生機構の解明. 気象庁技術報告, 126, 65-72.
222. *林 豊, 山里 平, 白土正明, 新井伸夫, 工藤泰子, 2005: 富士山の火山活動に関する情報発信のあり方. 災害情報, 3, 60-67.
223. 山里 平, 林 豊, 白土正明, 2004: 活動情報の高度化の研究. 藤井敏嗣編, 科学技術振興調整費成果報告書 富士火山の活動の総合的研究と情報の高度化, 106-117.
224. 山里 平, 林 豊, 白土正明, 新井伸夫, 工藤泰子, 2004: 気象庁の富士山情報の今後—富士山における火山情報はどうかあるべきか—. 月刊地球, 号外**48**, 199-204.
225. *Yamawaki, T., S. Tanaka, S. Ueki, H. Hamaguchi, H. Nakamichi, T. Nishimura, J. Oikawa, T. Tsutsui, K. Nishi, H. Shimizu, S. Yamaguchi, H. Miyauchi, H. Yamasato, and Y. Hayashi, 2004: Three-dimensional P-wave velocity structure of Bandai volcano in northeastern Japan inferred from active seismic survey. *J. volcanology and geothermal research*, **138**, 267-282.
- 平原幹俊 226. 石川一郎, 辻野博之, 平原幹俊, 中野英之, 安田珠幾, 石崎 廣, 2005: 気象研究所共用海洋モデル(MRI.COM)解説. 気象研究所技術報告, **47**.
- 廣瀬勝己 227. *Hirose, K., 2004: Chemical speciation of thorium in marine biogenic particulate matter. *The Scientific World JOURNAL*, **4**, 67-76.
228. *Hirose, K., T. Honda, S. Yagishita, Y. Igarashi, and M. Aoyama, 2004: Deposition behaviors of ^{210}Pb , ^7Be and thorium isotopes observed in Tsukuba and Nagasaki, Japan. *Atm. Environ.*, **38**, 6601-6608.
229. *Hirose, K., C.K. Kim, B.W. Chang, Y. Igarashi, and M. Aoyama, 2004: Wet and dry depositions of plutonium in Daejeon, Korea. *The Science of the Total Environment*, **332**, 243-252.
230. *Povinec, P. P., K. Hirose, T. Honda, T. Ito, E. Marian Scott, and O. Togawa, 2004: Spatial distribution of ^3H , ^{90}Sr , ^{137}Cs and $^{239,240}\text{Pu}$ in surface waters of the Pacific and Indian Oceans - GLOMARD database. *J. Environ. Radioactivity*, **76**, 113-137.
231. *Aoyama, M., and K. Hirose, 2004: Artificial Radionuclides database in the Pacific Ocean: Ham database. *The Scientific World JOURNAL*, **4**, 200-215.
232. *Igarashi, Y., M. Aoyama, K. Hirose, T. Miyao, K. Nemoto, and T. Fujikawa, 2004: Resuspension: Decadal monitoring time series of the anthropogenic radioactivity

- deposition in Japan. *J. Radiation Res.*, **44**, 319-328.
233. *Hirota, M., K. Nemoto, A. Wada, Y. Igarashi, M. Aoyama, H. Matsueda, K. Hirose, H. Sartorius, C. Schlosser, S. Schmid, W. Weiss, and K. Fujii, 2004: Spatial and temporal variations of atmospheric ^{85}Kr observed during 1995-2001 in Japan: estimation of atmospheric ^{85}Kr inventory in the Northern Hemisphere. *J. Radiation Res.*, **45**, 405-413.
- 廣田道夫 234. *Hirota, M., K. Nemoto, A. Wada, Y. Igarashi, M. Aoyama, H. Matsueda, K. Hirose, H. Sartorius, C. Schlosser, S. Schmid, W. Weiss, and K. Fujii, 2004: Spatial and temporal variations of atmospheric ^{85}Kr observed during 1995-2001 in Japan: estimation of atmospheric ^{85}Kr inventory in the Northern Hemisphere. *J. Radiation Res.*, **45**, 405-413.
235. *Tokieda, T., K. Enyo, H. Matsueda, M. Ishii, M. Hirota, and T. Midorikawa, 2005: A comparison of dissolved chlorofluorocarbons in seawater measured by MRI and JMA CFCs systems. *Pap. Met. Geophys.*, **55**, 1-11.
236. *Sawa, Y., H. Matsueda, Y. Makino, H.Y. Inoue, S. Murayama, M. Hirota, Y. Tsutsumi, Y. Zaizen, M. Ikegami, and K. Okada, 2004: Aircraft observation of CO_2 , CO , O_3 and H_2 over the North Pacific during the PACE-7 campaign. *Tellus*, **56B**, 2-20.
- 深堀正志 237. *Fukabori, M., T. Aoki and T. Watanabe, 2004: Measurements of the line strengths, N_2 - and O_2 -broadened half-widths in the ν_3 , $\nu_1+2\nu_2$ and $2\nu_2$ bands of $^{14}\text{N}_2^{16}\text{O}$ at room temperature. *Molecular Physics*, **102**, 811-818.
238. *Tanaka, T., M. Fukabori, H. Nakajima, T. Yokota, T. Watanabe, T. Aoki, and Y. Sasano, 2004: Absorption line parameter measurements of N_2O band near $8\mu\text{m}$. *J. Molecular Spectroscopy*, **228**, 213-215.
239. Fukabori, M, T. Aoki, and T. Watanabe, 2004: Measurements of the line strengths, N_2 - and O_2 -broadened half-widths in the $2\nu_2+\nu_3$ band of $^{14}\text{N}_2^{16}\text{O}$ at room temperature. *J. Spectrosc. Society of Japan*, **53**, 80-86.
240. 藤枝 銅, 深堀正志, 2004: 高分解能大気放射伝達モデル「LBLRTM」による大気の透過率・放射輝度等の計算方法, 測候時報, **71**, 59-127.
241. 深堀正志, 横田達也, 田中智章, 2004: 第8回HITRANデータベース会議報告. 分光研究, **53**, 311-313.
- 福井敬一 242. 福井敬一, 中禮正明, 北川貞之, 藤原健治, 坂井孝行, 高木朗充, 高見雅三, 田村慎, 岡崎紀俊, 石丸聡, 2004: 樽前山における地殻変動観測結果(1999年7月~2003年10月). 火山噴火予知連絡会会報, **86**, 11-13.
243. 福井敬一, 山本哲也, 藤原健治, 高木朗充, 坂井孝行, 2005: 2003年12月から2004年5月に霧島山御鉢で発生した火山性微動に対応した傾斜変動. 火山噴火予知連絡会会報, **88**, 127-130.
244. 大久保修平, 高木朗充, 新谷昌人, 松本滋夫, 福井敬一, 孫文科, 2004: 富士山頂における絶対重力測定. 月刊地球, 号外**48**, 56-61.
245. 藤原健治, 高木朗充, 山本哲也, 福井敬一, 坂井孝行, 2004: 富士山の浅部地震活動. 月刊地球, 号外**48**, 62-66.
- 藤井陽介 246. *Fujii, Y., 2005: Preconditioned Optimizing Utility for Large-dimensional analyses (POpULar). *J. Oceanog.*, **61**, 167-181.
247. *Fujii, Y., S. Ishizaki, and M. Kamachi, 2005: Application of nonlinear constraints in a

- three-dimensional variational ocean analysis. *J. Oceanog.*, (accepted).
248. 蒲地政文, 倉賀野連, 杉本悟史, 吉田久美, 桜井敏之, 碓氷典久, 藤井陽介, 辻野博之, 2005: 気象庁・気象研究所における海況予報システムの現状. 月刊海洋, (in press).
- 藤枝 鋼 249. 藤枝 鋼, 深堀正志, 2004: 高分解能大気放射伝達モデル「LBLRTM」による大気の透過率・放射輝度等の計算方法. 測候時報, **71**, 59-127.
- 藤部文昭 250. Fujibe, F., N. Yamazaki, M. Katsuyama, and K. Kobayashi, 2005: The Increasing Trend of Intense Precipitation in Japan Based on Four-hourly Data for a Hundred Years. *SOLA*, **1**, 41-44.
251. *F. Fujibe, N. Yamazaki, and M. Katsuyama, 2005: Long-term trends in the diurnal cycles of precipitation frequency in Japan. *Pap. Met. Geophys.*, **55**, 13-20.
252. 藤部文昭, 2004: ヒートアイランドに伴う局地循環. 月刊海洋, 号外**38**, 84-88.
253. 金井秀元, 新野 宏, 藤部文昭, 加藤輝之, 田中恵信, 2004: 集中豪雨をもたらす低気圧とそのメソスケール構造. 月刊海洋, 号外**38**, 206-210.
254. 藤部文昭, 2005: 都市化の進展にともなう気温上昇, 理戦, **79**, 18-25.
255. 藤部文昭, 2005: 近年の日本の気候変化, 水資源学シンポジウム「国連水の日—気候変動がもたらす水問題」資料, **15-19**.
256. 藤部文昭, 2005: 日本における著しい高温と強雨の増加実態, 第42回気候影響・利用研究会資料, **4-7**.
- 藤原健治 257. 福井敬一, 中禮正明, 北川貞之, 藤原健治, 坂井孝行, 高木朗充, 高見雅三, 田村慎, 岡崎紀俊, 石丸聡, 2004: 樽前山における地殻変動観測結果 (1999年7月~2003年10月). 火山噴火予知連絡会会報, **86**, 11-13.
258. 藤原健治, 高木朗充, 山本哲也, 福井敬一, 坂井孝行, 2004: 富士山の浅部地震活動. 月刊地球, 号外**48**, 62-66.
259. 福井敬一, 山本哲也, 藤原健治, 高木朗充, 坂井孝行, 2005: 2003年12月から2004年5月に霧島山御鉢で発生した火山性微動に対応した傾斜変動. 火山噴火予知連絡会会報, **88**, 127-130.
- 別所康太郎 260. 別所康太郎, 2004: 台風の観測と予報改善に向けた最新の研究状況, 2004年度日本気象学会九州支部「気象教室」テキスト, 18-28.
- 保坂征宏 261. Kitoh, A., M. Hosaka, Y. Adachi, and K. Kamiguchi, 2005: Future projections of precipitation characteristics in East Asia simulated by the MRI CGCM2. *Advances in Atmospheric Sciences*, (in press).
- 益子 涉 262. *Mashiko, W., 2005: Polygonal Eyewall and Mesovortices Structure in a Numerically Simulated Typhoon Rusa, *SOLA*, **1**, 29-32.
263. 益子涉, 2005: 第23回「メソ気象研究会」報告「台風とそれに伴うメソシステム」7. 雲解像非静力学2way多重移動格子モデルを用いた台風の予報実験. 天気, **52**
264. 益子涉, 2005: 高解像度非静力学モデルによって再現された台風0215号 (RUSA) の内部構造, 日本風工学会誌, **30**.
- 増田一彦 265. *K. Masuda, Y. Mano, H. Ishimoto, N. Okawara, and Y. Yoshizaki, 2005: Aerosol optical thickness over the oceans derived from GMS-5 during spring 2002 and 2003. *J. Met. Soc. Japan*, **83A**, 173-186.

- 松枝秀和 266. *Matsueda, H., Y. Sawa, A. Wada, H.Y. Inoue, K. Suda, Y. Hirano, K. Tsuboi, and S. Nishioka 2004: Methane standard gases for atmospheric measurements at the MRI and JMA and intercomparison experiments. *Pap. Met. Geophys.*, **54**, 91-109.
267. *Hirota, M., K. Nemoto, A. Wada, Y. Igarashi, M. Aoyama, H. Matsueda, K. Hirose, H. Sartorius, C. Schlosser, S. Schmid, W. Weiss, and K. Fujii, 2004: Spatial and temporal variations of atmospheric ^{85}Kr observed during 1995-2001 in Japan: estimation of atmospheric ^{85}Kr inventory in the Northern Hemisphere. *J. Radiation Res.*, **45**, 405-413.
268. *Igarashi, Y., Y. Sawa, K. Yoshioka, H. Matsueda, K. Fujii, and Y. Dokiya, 2004: Monitoring of the SO_2 concentration at the summit of Mt. Fuji and a comparison with other trace gases during winter. *J. Geophys. Res.*, **109** (D17304), doi : 10.1029/2003JD004428.
269. *Sawa, Y., H. Matsueda, Y. Makino, H.Y. Inoue, S. Murayama, M. Hirota, Y. Tsutsumi, Y. Zaizen, M. Ikegami, and K. Okada, 2004: Aircraft observation of CO_2 , CO , O_3 and H_2 over the North Pacific during the PACE-7 campaign. *Tellus*, **56B**, 2-20.
270. *Tokieda, T., K. Enyo, H. Matsueda, M. Ishii, M. Hirota, and T. Midorikawa, 2005: A comparison of dissolved chlorofluorocarbons in seawater measured by MRI and JMA CFCs systems. *Pap. Met. Geophys.*, **55**, 1-11.
271. 松枝秀和・須田一人・西岡佐喜子・平野礼朗・澤庸介・坪井一寛・堤之智・神谷ひとみ・根本和宏・長井秀樹・吉田雅司・岩野園城・山本治・森下秀昭・鎌田匡俊・和田晃, 2004: 気象庁及び気象研究所における二酸化炭素の長期観測に使用された標準ガスのスケールとその安定性の再評価に関する調査・研究. 気象研究所技術報告, **45**, 64pp.
- 真野裕三 272. *Mano, Y. and H. Ishimoto, 2004: Fast radiative-transfer model based on the correlated k-distribution method for a high-resolution satellite sounder. *Appl. Optics*, **43**, 6304-6312.
273. *K. Masuda, Y. Mano, H. Ishimoto, N. Okawara, and Y. Yoshizaki, 2005: Aerosol optical thickness over the oceans derived from GMS-5 during spring 2002 and 2003. *J. Met. Soc. Japan*, **83A**, 173-186.
- 馬淵和雄 274. *Mabuchi, K., Y. Sato, and H. Kida, 2005: Climatic impact of vegetation change in the Asian tropical region Part I: Case of the Northern hemisphere summer. *J. Climate*, **18**, 410-428.
275. *Mabuchi, K., Y. Sato, and H. Kida, 2005: Climatic impact of vegetation change in the Asian tropical region Part II: Case of the Northern hemisphere winter and impact on the extratropical circulation. *J. Climate*, **18**, 429-446.
276. *Mabuchi, K., Y. Sato, and H. Kida, 2004: Climatic Impact of Vegetation Change in the Asian Tropical Region. Extended abstracts of the 6th International Study Conference on GEWEX in Asia and GAME, CD-ROM.
277. 馬淵和雄, 佐藤康雄, 木田秀次, 2005: 植生モデルBAIMを導入した気候モデルによる数値実験. 各種陸上生態系における炭素・水・熱フラックスの相互作用の微気象生態学的解析研究成果報告書, 135-139.
278. 馬淵和雄, 青木輝夫, 山内 恭, 塩原匡貴, 平沢尚彦, 2004: 気候モデルを用いた雪氷圏-大気圏相互作用に関する研究 (II). 国立極地研究所平成15年度共同研究報告書, 62-63.

- 三上正男 279. *Mikami, M. et al., 2005: Measurement of saltation process over gobi and sand dunes in the Taklimakan Desert China with newly developed Sand Particle Counter. *J. Geophys. Res.*, **110**, doi : 10.1029/2004JD004688.
280. *Mikami, M., Te. Aoki, M. Ishizuka, S. Yabuki, Y. Yamada, W. D. Gao, and F. J. Zeng, 2005: Observation of number size distribution of desert aerosols in the south of the Taklimakan Desert, China. *J. Met. Soc. Japan*, **83A**, 31-43.
281. *Aoki, Te., M. Mikami, A. Yamazaki, S. Yabuki, Y. Yamada, M. Ishizuka, F. J. Zeng, W. D. Gao, J. Y. Sun, L. C. Liu, and M. X. Zhou, 2005: Spectral albedo of desert surfaces measured in western and central China. *J. Met. Soc. Japan*, **83A**, 279-290.
282. *Aoki, Te., T. Y. Tanaka, A. Uchiyama, M. Chiba, M. Mikami, S. Yabuki, and J. R. Key, 2005: Sensitivity experiments of direct radiative forcing caused by mineral dust simulated with a chemical transport model. *J. Met. Soc. Japan*, **83A**, 315-331.
283. *Ishizuka, M., Mikami, M., Yamada, Zeng F. J. and Y., Gao, 2005: An observational study of soil moisture effects on wind erosion at a gobi site in the Taklimakan Desert. *J. Geophys. Res.*, **110**, doi : 10.1029/2004JD004709.
284. *Kurosaki, Y. and M. Mikami, 2005: Regional difference in the characteristics of dust event in East Asia: relationship among dust outbreak, surface wind, and land surface condition. *J. Met. Soc. Japan*, **83A**, 1-18.
285. *Kurosaki, Y. and M. Mikami, 2004: Effect of Snow Cover on Threshold Wind Velocity of Dust Outbreak. *Geophys. Res. Lett.*, **31**, L03106, doi:10.1029/2003GL018632.
286. *Seino, N., H. Sasaki, A. Yamamoto, M. Mikami, H. Zhou, and F. Zeng, 2004: Numerical Simulation of mesoscale circulations in the Tarim Basin associated with dust events. *J. Met. Soc. Japan*, **83A**, 205-218.
287. *Shao, Y. and M. Mikami, 2005: Heterogeneous saltation: Theory, observation and comparison. *Boundary Layer Meteorol.*, **115**, 359-379.
288. *Yabuki, S., M. Mikami, Y. Nakamura, S. Kanayama, F. F. Fu, M. Z. Liu, and H. F. Zhou, 2005: Aerosol characteristics at Aksu in the Asian dust source region of north-west China: Summery of the three years' observation from March 2001 to April 2004. *J. Met. Soc. Japan*, **83A**, 45-72.
- 村上正隆 289. *Kusunoki, K., M. Murakami, N. Orikasa, M. Hoshimoto, Y. Tanaka, Y. Yamada, H. Mizuno, K. Hamazu, and H. Watanabe, 2005: Observations of quasi-stationary and shallow orographic snow clouds: Spatial distributions of supercooled liquid water and snow particles. *Mon. Wea. Rev.*, (in press).
290. *Orikasa, N., M. Murakami, M. Hoshimoto, and Y. Yamada, 2005: Re-evaluation of the collection efficiency of the hydrometeor videosonde for dry snow particles. *J. Met. Soc. Japan*, (in press).
291. Hashimoto, A., M. Murakami, T. Kato, C. Muroi, M. Yoshizaki, and S. Hayashi, 2004: Improvement of microphysical parameterization in a Japan Meteorological Agency nonhydrostatic model with a high resolution and its effect on simulation result, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4.11 - 4.12.
292. 村上正隆, 2005:降雪雲と降雪分布 (降雪の気象), 雪と氷の事典 (第2章 第1節), 朝倉書店.
- 室井ちあし 293. *Yoshizaki, M., C. Muroi, S. Kanada, Y. Wakazuki, K. Yasunaga, A. Hashimoto, T.

- Kato, K. Kurihara, A. Noda, and S. Kusunoki, 2004: Changes of Baiu (Meiyu) frontal activity in the global warming, simulated by a cloud-resolving non-hydrostatic regional climate model. *SOLA*, **1**, 25-28.
294. Hashimoto, A., M. Murakami, T. Kato, C. Muroi, M. Yoshizaki, and S. Hayashi, 2004: Improvement of microphysical parameterization in a Japan Meteorological Agency nonhydrostatic model with a high resolution and its effect on simulation result. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4-11 - 4-12.
295. Eito, H., C. Muroi, S. Hayashi, T. Kato, and M. Yoshizaki, 2004: A high-resolution wide-range numerical simulation of cloud bands associated with the Japan Sea Polar-air mass Convergence Zone in winter using a NON-HYDROSTATIC MODEL on the Earth Simulator. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5-7 - 5-8.
296. Kato, T., K. Yasunaga, C. Muroi, M. Yoshizaki, S. Kanada, A. Hashimoto, Y. Wakazuki, H. Eito, S. Hayashi and H. Sasaki, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 1: Outline/purpose of a high-resolution long-term prediction. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-19 - 7-20.
297. Yasunaga, K., T. Kato, Y. Wakazuki, H. Sasaki, C. Muroi, K. Kurihara, Y. Sato, M. Yoshizaki, S. Kanada, and A. Hashimoto, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 2: Performances of the model with the spectral boundary coupling method. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-43 - 7-44.
- 毛利英明 298. *Mouri, H., A. Hori and Y. Kawashima, 2004: Vortex tubes in turbulence velocity fields at Reynolds numbers $Re = 300-1300$. *Phy. Rev. E*, **70**, 066305.
- 本井達夫 299. *Ashok K., W-L. Chan, T. Motoi, and T. Yamagata, 2004: Decadal variability of the Indian Ocean dipole. *Geophys. Res. Lett.*, **31**, L24207, doi : 10.1029/2004GL021345.
300. *Chan W-L. and T. Motoi, 2005: Response of thermohaline circulation and thermal structure to removal of ice sheets and high atmospheric CO_2 concentration. *Geophys. Res. Lett.*, **32**, L07601, doi : 10.1029/2004GL021951.
- 安田珠幾 301. *Tokieda, T., M. Ishii, T. Yasuda, K. Enyo, 2004: Chlorofluorocarbons (CFCs) in the North Pacific Central Mode Water: Possibility of under-saturation of CFCs in the wintertime mixed layer. *Geochem. J.*, **38**, 643-650.
302. 安田珠幾, 2005 : 日本近海海面高度の数十年規模変動－北太平洋の風応力と海面熱フラックスの変動との関係－. 測候時報, **72**, S73-S89.
303. *石川一郎・辻野博之・平原幹俊・中野英之・安田珠幾・石崎廣, 2005 : 気象研究所共用海洋モデル (MRI.COM) 解説. 気象研究所技術報告, 第**47**号.
- 山崎明宏 304. *Aoki, Te., M. Mikami, A. Yamazaki, S. Yabuki, Y. Yamada, M. Ishizuka, F. J. Zeng, W. D. Gao, J. Y. Sun, L. C. Liu, and M. X. Zhou, 2005: Spectral Albedo of Desert Surfaces Measured in Western and Central China. *J. Met. Soc. Japan*, **83A**, 279-290.
305. *Asano S., A. Uchiyama, A. Yamazaki, and K. Kikuchi, 2004, Solar Radiation Budget

- from the MRI Radiometers for clear and cloudy air-columns with ARESE II. *J. Atm. Sci.*, **61**, 3082-3096.
306. *Kuji, M., N. Yamada, S. Hayashida, M. Yasui, A. Uchiyama, A. Yamazaki, and Te. Aoki, 2005: Retrieval of Asian dust amount over land using ADEOS-II/GLI near UV data, *SOLA*, **1**, 33-36.
307. *Nishizawa T., S. Asano, A. Uchiyama, and A. Yamazaki, 2004: Seasonal variation of aerosol direct radiative forcing estimated from ground-based solar radiation measurements. *J. Atm. Sci.*, **61**, 57-72.
308. *Taichu Y. Tanaka., Y. Kurosaki, M. Chiba, T. Matsumura, T. Nagai, A. Yamazaki, A. Uchiyama, N. Tsunematsu, and K. Kai, 2005: Trans-continental dust transport from North Africa and the Middle East to East Asia, *Atm. Environ.*, (accepted).
309. *Uchiyama, A., A. Yamazaki, H. Togawa, and J. Asano, 2005: Characteristics of Aeolian dust observed by sky-radiometer in the ADEC Intensive Observation Period 1 (IOP1). *J. Met. Soc. Japan*, (in press).
- 山崎信雄 310. *Fujibe, F., N. Yamazaki, M. Katsuyama, and K. Kobayashi, 2005: The Increasing Trend of Intense Precipitation in Japan Based on Four-hourly Data for a Hundred Years. *SOLA*, **1**, 41-44.
311. *F. Fujibe, N. Yamazaki, and M. Katsuyama, 2005: Long-term trends in the diurnal cycles of precipitation frequency in Japan, *Pap. Met. Geophys.*, **55**, 13-20.
- 山本 哲 312. *Seino, N., H. Sasaki, A. Yamamoto, M. Mikami, H. Zhou, and F. Zeng, 2005: Numerical Simulation of mesoscale circulations in the Tarim Basin associated with dust events. *J. Met. Soc. Japan*, **83A**, 205-218.
313. *Yoshida Y., S. Asano, A. Yamamoto, N. Orikasa, and A. Yamazaki, 2005: Radiative Properties of Mid-latitude Frontal Ice-Clouds Observed by the Shortwave and Longwave Radiometer-Sondes. *J. Met. Soc. Japan*, **82**, 639-656.
314. 蔵治光一郎, 津田敏隆, 山本 哲, 大楽浩司, 南川敦宜, 伊賀啓太, 笠井康子, 竹見哲也, 千葉 長, 谷本浩志, 金谷有剛, 小田昌人, 今村 剛, 一柳錦平, 平井雅之, 2005: アジア オセアニア地球科学会 (AOGS) 第1回大会・アジア太平洋水文水資源協会 (APHW) 第2回国際会議合同大会報告, *天気*, **52**, 171-186.
315. 山本 哲, 2005: 第8回ジョージメイスン大学輸送・拡散モデリング会議出席報告. *天気*, **52**, (印刷中).
316. 山本 哲, 三上正男, 安井元昭, 矢吹貞代, 鶴野伊津志, 内山明博, 2005: 「風送ダストの気候影響に関する日中共同研究」に係る「第4回ADECワークショップ」報告. *天気*, **52**, (印刷中).
- 山本剛靖 317. *Kobayashi, A., A. Yoshida, T. Yamamoto, and H. Takayama, 2005: Slow slip in the focal region of the anticipated Tokai earthquake following the 2000 seismic-volcanic event in the northern Izu Islands. *Earth, Planets and Space*, (in press).
- 山本哲也 318. 福井敬一, 山本哲也, 藤原健治, 高木朗充, 坂井孝行, 2005: 2003年12月から2004年5月に霧島山御鉢で発生した火山性微動に対応した傾斜変動. *火山噴火予知連絡会会報*, **88**, 127-130.
319. 藤原健治, 高木朗充, 山本哲也, 福井敬一, 坂井孝行, 2004: 富士山の浅部地震活動. *月刊地球*, 号外**48**, 62-66.

- 行本誠史
320. *Yukimoto, S. and K. Kodera, 2005: Interdecadal Arctic Oscillation in twentieth-century climate simulations viewed as internal variability and response to external forcing. *Geophys. Res. Lett.*, **32**, L03707, doi:10.1029/2004GL021870.
321. *Ashrit, R., A. Kitoh, and S. Yukimoto, 2005: Transient response of ENSO-monsoon teleconnection in MRI-CGCM2.2 climate change simulations. *J. Met. Soc. Japan*, **83**, 273-291.
322. Uchiyama, T., A. Noda, S. Yukimoto, and M. Chiba, 2004: Study of the Estimate of New Climate Change Scenarios Based on New Emission Scenarios – IPCC AR4 Experiments –, CGER'S Supercomputer Activity Report Vol. 13-2004.
323. 佐藤康雄, 行本誠史, 辻野博之, 石崎廣, 野田彰, 2004: 地球温暖化による北半球大気大循環と北太平洋海洋循環の変化. 月刊海洋, 号外**38**「総特集・流体力学からみた大気と海洋 —木村龍治教授退官記念論文集—」, 225-229.
- 吉崎正憲
324. *Yoshizaki, M., T. Kato, H. Eito, S. Hayashi, and W. -K. Tao, 2004: An overview of the field experiment, “Winter Mesoscale Convective System (MCSs) over the Japan Sea in 2001”, and comparisons of the cold-air outbreak case (14 January) between analysis and a non-hydrostatic cloud-resolving model. *J. Met. Soc. Japan*, **82**, 1365-1387.
325. *Yoshizaki, M., C. Muroi, S. Kanada, Y. Wakazuki, K. Yasunaga, A. Hashimoto, T. Kato, K. Kurihara, A. Noda, and S. Kusunoki, 2004: Changes of Baiu (Meiyu) frontal activity in the global warming, simulated by a cloud-resolving non-hydrostatic regional climate model. *SOLA*, **1**, 25-28.
326. Kato, T., K. Yasunaga, C. Muroi, M. Yoshizaki, S. Kanada, A. Hashimoto, Y. Wakazuki, H. Eito, S. Hayashi, and H. Sasaki 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 1: Outline/purpose of a high-resolution long-term prediction. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-19 - 7-20.
327. Hashimoto, A., M. Murakami, T. Kato, C. Muroi, M. Yoshizaki, and S. Hayashi, 2004: Improvement of microphysical parameterization in a Japan Meteorological Agency nonhydrostatic model with a high resolution and its effect on simulation result. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 4-11 - 4-12.
328. Eito, H., C. Muroi, S. Hayashi, T. Kato, and M. Yoshizaki, 2004: A high-resolution wide-range numerical simulation of cloud bands associated with the Japan Sea Polar air mass Convergence Zone in winter using a NON-HYDROSTATIC MODEL on the Earth Simulator. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 5-7 - 5-8.
329. Yasunaga, K., T. Kato, Y. Wakazuki, H. Sasaki, C. Muroi, K. Kurihara, Y. Sato, M. Yoshizaki, S. Kanada, and A. Hashimoto, 2004: Regional climate prediction by using a Japan Meteorological Agency nonhydrostatic model with a high resolution. Part 2: Performances of the model with the spectral boundary coupling method. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 7-43 - 7-44.
330. *Motegi, Q., H. Uyda, T. Maesaka, T. Shinoda, M. Yoshizaki, and T. Kato, 2004: Structure and development of two merged rainbands observed over the East

- China Sea during X-BAIU-99: part I. Meso- β -scale structure and development processes. *J. Met. Soc. Japan*, **82**, 19-44.
331. *Motegi, Q., H. Uyda, T. Maesaka, T. Shinoda, M. Yoshizaki, and T. Kato, 2004: Structure and development of two merged rainbands observed over the East China Sea during X-BAIU-99: part II. Meso- α -scale structure and build-up processes of convergence in the Baiu frontal region. *J. Met. Soc. Japan*, **82**, 45-65.
332. 吉崎正憲, 2004: 梅雨期の東シナ海・九州における降水系や冬季日本海における降雪系に関する研究—観測・解析・数値実験—. 月刊海洋, 号外**38**, 128-134.
333. 吉崎正憲, 2005: 第3章 気象システム 39-56, 地球環境科学 (木村龍治・藤井直之・川上紳一編集), (財)放送大学教育振興会.
334. 吉崎正憲, 村上正隆, 加藤輝之, 2005: メソ対流系, 気象研究ノート, (印刷中).
- 吉田康宏 335. *Yoshida, Y. and D. Suetsugu, 2004: Lithospheric thickness beneath the Pitcairn hot spot trail as inferred from Rayleigh wave dispersion. *Physics of the Earth and Planetary Interiors Editors*, **146**, 75-85.
336. 吉田康宏, 上野寛, 松岡英俊, 石川有三, 國友孝洋, 熊澤峰夫, 2004: 気象庁・Hi-net観測点で受信した東濃弾性波アクロス信号の特性、地球内部のアクティブ・モニタリング—4D地球内部診断を目指して—. 月刊地球, 号外**47**, 124-131.
337. 吉田康宏, 2005: 近地地震波形解析による震源過程. 気象庁技術報告, **126**, 9-14.
338. 伊藤秀美, 弘瀬冬樹, 中村浩二, 吉田康宏, 吉田明夫, 2005: 2003年宮城県沖地震 (M7.1) —断層モデルと前後の地震活動—. 月刊地球, **27**, 8-16.
339. 伊藤秀美, 弘瀬冬樹, 中村浩二, 吉田康宏, 吉田明夫, 2005: 2003年宮城県北部地震 (M6.4) —断層モデルと前後の地震活動—. 月刊地球, **27**, 92-99.
340. 笠原順三, 鶴我佳代子, 羽佐田葉子, 山岡耕春, 藤井直之, 吉田康宏, 國友孝洋, 熊澤峰夫, 2004: アクティブ・モニタリングによるプレート沈み込みのプレート境界イメージングの提案、地球内部のアクティブ・モニタリング—4D地球内部診断を目指して—. 月刊地球, 号外**47**, 141-147.
341. 長谷川洋平, 吉田康宏, 林豊, 小林政樹, 川上明保, 蒲田喜代司, 松山輝雄, 2004: 津波遡上高の詳細解析に基づく津波発生機構の解明. 平田直編, 科学技術振興調整費成果報告書 先導的研究等の推進 2003年 (平成15年) 十勝沖地震に関する緊急調査研究, 82-98.
- 吉村 純 342. 吉村純, 2004: 超高分解能モデルによる地球温暖化時の台風シミュレーション. 気候ネットワーク通信, **39**, 5.
- 吉村裕正 343. *Shibata, K, M. Deushi, T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI Chemical Transport Model for the Study of Stratospheric Chemistry. *Pap. Met. Geophys.*, **55**, 75-119.
344. Yoshimura, H., and T. Matsumura, 2004: A two-time-level vertically-conservative semi-Lagrangian semi-implicit double Fourier series AGCM. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **35**, 3-19-3-20.
345. 吉村裕正, 2005: 3.1.4節「2タイムレベル時間積分法」. 数値予報課報告, 別冊51号「全球モデル開発プロジェクト」, 気象庁.
- 和田章義 346. *Wada, A., 2005: Numerical simulations of sea surface cooling by a mixed layer model during the passage of Typhoon Rex. *J. Oceanog.*, **61**, 41-57.

347. Wada, A., 2004: Effects of atmospheric physical processes to the intensity of typhoons and their ocean responses. *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 9-5 - 9-6.
348. Wada, A., 2004: A role of surface boundary processes in a typhoon-ocean coupled model.2004: *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling/WMO*, **34**, 9-7 - 9-8.