

6.3. 論文等(平成 20 年度)

平成 20 年度に気象研究所の職員が発表した論文等について、気象研究所年報(平成 20 年度)に多数の記載漏れがあったので、本節に再掲載する。

各著作物の情報は、整理番号、著者、刊行年、論文タイトル、掲載誌、掲載巻、頁の順に掲載している。また、整理番号の後ろに「*」を付した著作物は、査読付き論文であることを示している。

- 青木重樹 1* 山崎明, 青木重樹, 吉田康宏, 小林昭夫, 勝間田明男, 阿部正雄, 森脇健, 大河原齊揚, 長田芳一, 松岡英俊, 吉田知央, 関谷博, 親納孝嘉, 平松秀行, 2008: 海底地震計を用いた 2004 年紀伊半島南東沖の地震の余震観測, 気象研究所研究報告, **59**, 65-82.
- 2 吉田康宏, 青木重樹, 迫田浩司, 2008: 1.4 近地地震波形解析による震源過程, 気象庁技術報告, **131**, 18-22.
- 青木輝夫 1 青木輝夫, 田中泰宙, 2008: 大気エアロゾルの沈着が積雪アルベドに与える影響, 天気, **55**, 538-547.
- 2 青木輝夫, 安仁屋政武, 串田圭司, 山内恭, 浮田甚朗, 构木勝幸, 2008: EARSeL 陸域雪氷リモートセンシングに関する第 5 回ワークショップ, 及びスイスとの二国間セミナー参加報告, 雪氷, **70**, 441-446.
- 3 青木輝夫, 2009: 積雪の光学特性とリモートセンシングに関する研究 - 2008 年度日本気象学会賞受賞記念講演 -, 天気, **56**, 5-17.
- 4* Nakajima, T., H. Murakami, M. Hori, T. Y. Nakajima, H. Yamamoto, J. Ishizuka, R. Tateishi, Te. Aoki, T. Takamura, M. Kuji, N. D. Duong, A. Ono, S. Fukuda and K. Muramatsu, 2009: Overview and science highlights of the ADEOS-II/GLI project, *J. Remote Sens. Soc. Japan*, **29**, 11-28.
- 5* Aoki, Te., M. Hori and K. Stamnes, 2009: ADEOS-II/GLI snow/ice products and the scientific implications, *J. Remote Sens. Soc. Japan*, **29**, 124-132.
- 青山道夫 1* Hirose, K., M. Aoyama, Y. Igarashi and K. Komura, 2008: Improvement of ¹³⁷Cs analysis in small volume seawater samples using the Ogoya underground facility, *Journal of Radioanalytical and Nuclear Chemistry*, **276**(3), 795-798.
- 2* Hirose, K., Y. Igarashi and M. Aoyama, 2008: Analysis of the 50-year records of the atmospheric deposition of long-lived radionuclides in Japan, *Applied Radiation and Isotopes*, **66**, 1675-1678.
- 3* Inomata, Y., M. Aoyama and K. Hirose, 2009: Analysis of 50-y record of surface ¹³⁷Cs concentrations in the global ocean using the HAM-global database, *Journal of Environmental Monitoring*, **11**, 116-125, doi:10.1039/b811421h.
- 4* 猪股弥生, 五十嵐康人, 千葉長, 青山道夫, 廣瀬勝己, 2009: 再現期間を用いた降水時における高ガンマ線線量率の異常値判定, *Radioisotopes*, **58**, 37-42.
- 5* Inomata, Y., Y. Igarashi, M. Chiba, M. Aoyama and K. Hirose, 2008: Return period of enhanced gamma ray dose rates: regional differences observed in Japan, *Journal of Environmental Monitoring*, **10**, 837-841.
- 6 Aoyama, M. and K. Hirose, 2008: Radiometric determination of anthropogenic radionuclides in seawater, *Analysis of Environmental Radionuclides (P. Povinec Ed)*, **11**, 137-162, ISBN 978-0-08-044988-3.
- 7* Aoyama, M., H. Goto, H. Kamiya, I. Kaneko, S. Kawae, H. Kodama, Y. Konishi, K. Kusumoto, H. Miura, E. Moriyama, K. Murakami, T. Nakano, F. Nozaki, D. Sasano, T. Shimizu, H. Suzuki, Y. Takatsuki and A. Toriyama, 2008: Marine biogeochemical response to a rapid warming in the main stream of the Kuroshio in the western North Pacific, *Fisheries Oceanography*, **17**(3), 206-218, doi: 10.1111/j.1365-2419.2008.00473.x.
- 8* Kouketsu, S., M. Fukasawa, I. Kaneko, T. Kawano, H. Uchida, T. Doi, M. Aoyama and K. Murakami, 2009: Changes in water properties and transports along ²⁴N in the North Pacific between 1985 and 2005, *Journal of Geophysical Research*, **114**, C01008. doi:10.1029/2008JC004778.

- 9* Hirose, K., M. Aoyama and P. P. Povinec, 2009: $^{239,470}\text{Pu}/^{137}\text{Cs}$ ratios in the water column of the North Pacific: a proxy of biogeochemical processes, *Journal of Environmental Radioactivity*, **100**, 258-262.
- 10 Aoyama, M., 2009: Nutrients, *WHP P01, P14 REVISIT DATA BOOK, Takeshi Kawano et al. (eds), JAMSTEC*, 75-88.
- 足立アホロ 1* Tsunematsu, N., T. Nagai, T. Murayama, A. Adachi and Y. Murayama, 2008: Volcanic Ash Transport from Mount Asama to the Tokyo Metropolitan Area Influenced by Large-Scale Local Wind Circulation, *Journal of Applied Meteorology and Climatology*, **47**, 1248-1265, doi:10.1175/2007JAMC1644.1.
- 2* Adachi, A. and T. Kobayashi, 2009: A nonclassical gust front and a solitary wave embedded within a typhoon as observed with Doppler radar and wind Profiler, *J. Meteor. Soc. Japan*, **87**, 57-82, doi:10.2151/jmsj.87.57.
- 足立恭将 1* Mizuta, R., Y. Adachi, S. Yukimoto and S. kusunoki, 2008: Estimation of the Future Distribution of Sea Surface Temperature and Sea Ice Using the CMIP3 Multi-model Ensemble Mean, *Technical Report of the Meteorological Research Institute*, **56**, 28pp.
- 安藤 忍 1 安藤忍, 2009: だいち／PALSAR の干渉 SAR でみた雲仙岳溶岩ドームの変形, 火山噴火予知連絡会会報, **99**, 97-98.
- 2 安藤忍, 山里平, 福井敬一, 高木朗充, 坂井孝行, 北川貞之, 2009: ALOS データを用いた離島火山等のモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 25-33.
- 3 福井敬一, 山里平, 高木朗充, 坂井孝行, 安藤忍, 北川貞之, 2009: PRISM を利用し他噴気のマッピングとモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 116-123.
- 五十嵐康人 1* Hirose, K., M. Aoyama, Y. Igarashi and K. Komura, 2008: Improvement of ^{137}Cs analysis in small volume seawater samples using the Ogoya underground facility, *Journal of Radioanalytical and Nuclear Chemistry*, **276**(3), 795-798.
- 2* Hirose, K., Y. Igarashi and M. Aoyama, 2008: Analysis of the 50-year records of the atmospheric deposition of long-lived radionuclides in Japan, *Applied Radiation and Isotopes*, **66**, 1675-1678.
- 3 五十嵐康人, 2009: 三省堂 新化学小事典(池田長生・小熊幸一監修、三省堂編集所編).
- 4* Suzuki, I., K. Hayashi, Y. Igarashi, H. Takahashi, Y. Sawa, N. Ogura, T. Akagi and Y. Dokiya, 2008: Seasonal variation of water-soluble ion species in the atmospheric aerosols at the summit of Mt. Fuji, *Atmospheric Environment*, **42**, 8027-8035.
- 5* 猪股弥生, 五十嵐康人, 千葉長, 青山道夫, 廣瀬勝己, 2009: 再現期間を用いた降水時における高ガンマ線線量率の異常値判定, *Radioisotopes*, **58**, 37-42.
- 6* Inomata, Y., Y. Igarashi, M. Chiba, M. Aoyama and K. Hirose, 2008: Return period of enhanced gamma ray dose rates: regional differences observed in Japan, *Journal of Environmental Monitoring*, **10**, 837-841.
- 石井雅男 1* Christian, J. R., R. A. Feely, M. Ishii, R. Murtugudde and X. Wang, 2008: Testing an ocean carbon model with observed sea surface CO₂ and dissolved inorganic carbon in the tropical Pacific Ocean, *Journal of Geophysical Research*, **113**, C09047, doi:10.1029/2007JC004428.
- 石崎 廣 1* Yamanaka, G., H. Ishizaki, M. Hirabara and I. Ishikawa, 2008: Decadal variability of the Subtropical Front of the western North Pacific in an eddy-resolving ocean general circulation model, *Journal of Geophysical Research - Oceans*, **113**, C12027, doi:10.1029/2008JC005002.
- 2 山中吾郎, 石崎廣, 2009: 入射角を考慮した海洋短波吸収スキームの開発 - 大気海洋結合モデルへの導入 -, 平成 20 年度全国季節予報技術検討会資料(気象研究所), 19-27.
- 石原幸司 1* 石原幸司, 仲江川敏之, 2008: 全国 51 地点におけるノンパラメトリック手法を用いた確率降水量の算出, 水文・水資源学会誌, **21**(6), 459-463.

- 石原正仁 2 石原幸司, 2008: 二十四節気は本当に日本の季節変化とずれている?, 天気, **55**(11), 929-933.
- 猪上華子 1 石原正仁, 2009: 龍巻とダウンバースト, 理大フォーラム, 296.
- 楠研一 1 楠研一, 猪上華子, 2008: 突風を探知する, *RRR*, **65**, 8-11.
- 竹見哲也 2* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子渉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, **20**, 25-30.
- 楠研一 3* 楠研一, 山内洋, 猪上華子, 別所康太郎, 市山尚, 2008: The MRI portable X-band Doppler radar for severe weather observations -Status and Applications-, 第20回風工学シンポジウム論文集, **20**, 205-210.
- 岩切一宏 1* Shinohara, M., T. Kanazawa, T. Yamada, K. Nakahigashi, S. Sakai, R. Hino, Y. Murai, A. Yamazaki, K. Obana, Y. Ito, K. Iwakiri, R. Miura, Y. Machida, K. Mochizuki, K. Uehira, M. Tahara, A. Kuwano, S. Amamiya, S. Kodaira, T. Takanami and Y. Kaneda, 2008: Precise aftershock distribution of the 2007 Chuetsu-oki Earthquake obtained by using an ocean bottom seismometer network, *Earth, Planets and Space*, **60**, 1121-1126.
- 上野 充 1 Bessho, K., T. Nakazawa and M. Ueno, 2008: Statistical analysis of surface wind distribution of typhoons on western North Pacific observed by scatterometer for 9 years, *Preprints of 28th Conference on Hurricanes Tropical Meteorology of the American Meteorological Society*, 15B, 2.
- 2* Ueno, M., 2008: Effects of Ambient Vertical Wind Shear on the Inner-Core Asymmetries and Vertical Tilt of a Simulated Tropical Cyclone, *J. Meteor. Soc. Japan*, **86**(4), 531-555.
- 碓氷典久 1* Usui, N., H. Tsujino, H. Nakano and Y. Fujii, 2008: Formation process of the Kuroshio large meander in 2004, *Journal of Geophysical Research-Oceans*, **113**, C08047, doi:10.1029/2007JC004675.
- 2* Fujii, Y., H. Tsujino, N. Usui, H. Nakano and M. Kamachi, 2008: Application of singular vector analysis to the Kuroshio large meander, *Journal of Geophysical Research*, **113**, C07026.
- 3 Wada, A., N. Usui and H. Niino, 2008: The impact of oceanic observations on tropical cyclone intensity prediction in the case of Typhoon Namtheun (2004), *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 9.03-9.04.
- 内山明博 1* Naoe, H., S. Hasegawa, J. Heintzenberg, K. Okada, A. Uchiyama, Y. Zaizen, E. Kobayashi and A. Yamazaki, 2009: State of mixture of atmospheric submicrometer black carbon particles and its effect on particulate light absorption, *Atmospheric Environment*, **43**, 1296-1301.
- 2 Kudo, R., A. Uchiyama, A. Yamazaki, E. Kobayashi and T. Nishizawa, 2008: Retrieval of aerosol single-scattering properties from diffuse and direct irradiances: Numerical studies, *Journal of Geophysical Research*, **113**, D09204, doi:10.1029/2007JD009239.
- 折笠成宏 1 Murakami, M. and N. Orikasa, 2008: How does Asian dust storm affect the microphysical structures of orographic snow clouds?, *15th International Conference on Clouds and Precipitation Extended abstract*, 6.5.
- 勝間田明男 1* 山崎明, 青木重樹, 吉田康宏, 小林昭夫, 勝間田明男, 阿部正雄, 森脇健, 大河原斎揚, 長田芳一, 松岡英俊, 吉田知央, 関谷博, 親納孝嘉, 平松秀行, 2008: 海底地震計を用いた2004年紀伊半島南東沖の地震の余震観測, 気象研究所研究報告, **59**, 65-82.
- 2* Yamamoto, T., A. Kobayashi, A. Katsumata and S. Mori, 2008, Evaluation of detection level of crustal deformation observation in the time domain through power spectrum analysis, *測地学会誌*, **54**, 81-91.
- 加藤輝之 1 Kato, T. and S. Hayashi, 2008: Problems on the usage of Kain-Fritsch parameterization in a 5km model: Statistical comparison with cloud-top

- heights of cumulonimbi simulated by a cloud resolving model, *CAS/JSC Research Activities in Atmospheric and Oceanic Modelling*, **38**, 4.05-4.06.
- 2* Kato, T., A. Hashimoto and S. Hayashi, 2008: A numerical study on the appearance of target clouds for artificial precipitation experiments over Shikoku Island, western Japan during the Baiu season, *SOLA*, **4**, 81-85.
- 3* Hashimoto, A., T. Kato, S. Hayashi and M. Murakami, 2008: Seedability Assessment for Winter Orographic Snow Clouds over the Echigo Mountains, *SOLA*, **4**, 69-72.
- 4* Kanada, S., M. Nakano, S. Hayashi, T. Kato, M. Nakamura, K. Kurihara and A. Kitoh, 2008: Reproducibility of Maximum Daily Precipitation Amount over Japan by a High-resolution Non-hydrostatic Model, *SOLA*, **4**, 105-108.
- 蒲地政文 1 Fujii, Y., T. Yasuda, T. Nakaegawa and M. Kamachi, 2008: Coupled Ocean and Atmosphere Simulation by Assimilating Ocean Observation Data to a Coupled Model, *3rd WCRP International Conference on Reanalysis Extended Abstract*, 6pp.
- 2* Fujii, Y., H. Tsujino, N. Usui, H. Nakano and M. Kamachi, 2008: Application of singular vector analysis to the Kuroshio large meander, *J. Geophys. Res.* **113**, C07026.
- 北畠尚子 1* Kitabatake, N., 2008: Extratropical Transition of Tropical Cyclones in the Western Pacific: Their Frontal Evolution, *Mon. Wea. Rev.*, **136**, 2066-2090.
- 2* Kitabatake, N., 2008: Extratropical Transition of Typhoon Tokage (0423) and Associated Heavy Rainfall on the Left Side of Its Track over Western Japan, *Papers in Meteorology and Geophysics*, **59**, 97-114, doi:10.2467/mripapers.
- 鬼頭昭雄 1* K.-S. Yun, S.-J. Shin, K.-J. Ha, A. Kitoh and S. Kusunoki, 2008: East Asian precipitation change in the global warming climate simulated by a 20-km mesh AGCM, *Asia-Pacific J. Atmos. Sci.*, **44**, 233-247.
- 2* K.-Y. Kim, A. Kitoh and K.-J. Ha, 2008: The SST-forced predictability of the sub-seasonal mode over East Asia with an atmospheric general circulation model, *Int. J. Climatol.*, **28**, 1599-1606.
- 3* Kitoh, A. and S. Kusunoki, 2008: East Asian summer monsoon simulation by a 20-km mesh AGCM, *Clim. Dyn.*, **31**, 389-401.
- 4* Rajendran, K., A. Kitoh, R. Mizuta, S. Sajani and T. Nakazawa, 2008: High-resolution simulation of mean convection and its intraseasonal variability over the tropics in the MRI/JMA 20km mesh AGCM, *J. Climate*, **21**, 3722-3739.
- 5* Kitoh, A., A. Yatagai and P. Alpert, 2008: Reply to comment by Ben-Zvi and Givati on First super-high-resolution model projection that the ancient "Fertile Crescent" will disappear in this century, *Hydrological Research Letters*, **2**, 46.
- 6* Wohlfahrt, J., S. P. Harrison, P. Braconnot, C. D. Hewitt, A. Kitoh, U. Mikolajewicz, B. L. Otto-Bliesner and S. L. Weber, 2008: Evaluation of coupled ocean-atmosphere simulations of the mid-Holocene using palaeovegetation data from the northern hemisphere extratropics, *Clim. Dyn.*, **31**, 871-890.
- 7 Zongci, Z., A. Kitoh and D. K. Lee, 2008: Warming in East Asia as a consequence of increasing greenhouse gases, *Changes in the Human-Monsoon System of East Asia in the Context of Global Change*. (C. Fu, J. R. Freney and J. W. B. Stewart, Eds.), 105-114.
- 8 Bates, B. C., Z. W. Kundzewicz, S. Wu and J. P. Palutikof (Eds.), 2008: Climate Change and Water, *Climate Change and Water: Technical Paper of the Intergovernmental Panel on Climate Change*, 210pp.
- 9* Rajendran, K. and A. Kitoh, 2008: Indian summer monsoon in future climate projection by a super high-resolution global model, *Current Science*, **95**, 1560-1569.
- 10 本井達夫, 鬼頭昭雄, 緑川貴, 荒川理, 笹井義一, 陳永利, 2008: 大地形の変遷と気候変動, *地学雑誌*, **117**(6), 1015-1028.
- 11 鬼頭昭雄, 2009: 地球温暖化と異常気象, *理大 科学フォーラム*, **296**, 27-31.

- 12 鬼頭昭雄, 2009: 気候変動シナリオの実際と将来予測, 水循環 貯留と浸透, **71**, 6-12.
- 13 A. Kitoh and M. Hosaka, 2009: Projection of River Flow Changes Caused by Climate Change, *Study on Asian River Basin*, V-1—V-29.
- 14* Kanada, S., M. Nakano, S. Hayashi, T. Kato, M. Nakamura, K. Kurihara and A. Kitoh, 2008: Reproducibility of Maximum Daily Precipitation Amount over Japan by a High-resolution Non-hydrostatic Model, *SOLA*, **4**, 105-108.
- 楠 研一 1 楠研一, 2008: 鉄道安全運行のための突風研究, *検査技術*, **13**, 55-59.
- 2 楠研一, 猪上華子, 2008: 突風を探知する, *RRR*, **65**, 8-11.
- 3* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子涉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, **20**, 25-30.
- 4* 楠研一, 山内洋, 猪上華子, 別所康太郎, 市山尚, 2008: The MRI portable X-band Doppler radar for severe weather observations -Status and Applications-, 第20回風工学シンポジウム論文集, **20**, 205-210.
- 5 楠研一, 2009: 温低化過程の台風における激しい重力波の発生メカニズム, 台風に伴う強風、豪雨などの気象災害の被害軽減に関する研究集会報告書, **20K-06**, 68-71.
- 楠 昌司 1 Noda, A., S. Kusunoki, J. Yoshimura, H. Yoshimura, K. Ouchi and R. Mizuta, 2008: Global Warming Projection by an Atmospheric General Circulation Model with a 20-km Grid, *High Resolution Numerical Modelling of the Atmosphere and Ocean*, 113-128.
- 2* K.-S. Yun, S.-J. Shin, K.-J. Ha, A. Kitoh and S. Kusunoki, 2008: East Asian precipitation change in the global warming climate simulated by a 20-km mesh AGCM, *Asia-Pacific J. Atmos. Sci.*, **44**, 233-247.
- 3* Kusunoki, S. and R. Mizuta, 2008: Future Changes in the Baiu Rain Band Projected by a 20-km Mesh Global Atmospheric Model : Sea Surface Temperature Dependence, *SOLA*, **4**, 85-88, doi:10.2151/Sola,2008-022.
- 4* Kitoh, A. and S. Kusunoki, 2008: East Asian summer monsoon simulation by a 20-km mesh AGCM, *Clim. Dyn.*, **31**, 389-401.
- 5* Scaife, A. A., F. Kucharski, C. K. Folland, J. Kinter, S. Brönnimann, D. Fereday, A. M. Fischer, S. Grainger, E. K. Jin, I. S. Kang, J. R. Knight, S. Kusunoki, N. C. Lau, M. J. Nath, T. Nakaegawa, P. Pégion, S. Schubert, P. Sporyshev, J. Syktus, J. H. Yoon, N. Zeng and T. Zhou, 2008: The CLIVAR C20C project : Selected twentieth century climate events, *Climate Dynamics*, **33**(5), 603-614, doi: 10.1007/s00382-008-0451-1.
- 6* Murakami, H., T. Matsumura, R. Sakai, A. Noda and S. Kusunoki, 2008: Verification of typhoon forecasts for a 20km-mesh high-resolution global model, *気象雑誌*, **86**, 2680-2696.
- 7* Mizuta, R., Y. Adachi, S. Yukimoto and S. Kusunoki, 2008: Estimation of the Future Distribution of Sea Surface Temperature and Sea Ice Using the CMIP3 Multi-model Ensemble Mean, *Technical Report of the Meteorological Research Institute*, **56**, 28pp.
- 8* T. Zhou, B. Wu, A. A. Scaife, S. Brönnimann, A. Cherchi, D. Feredy, A. M. Fischer, C. K. Folland, K. E. Jin, J. Kinter, J. R. Knight, F. Kucharski, S. Kusunoki, N.-C. Lau, Lijuan Li, M. J. Nath, T. Nakaegawa, A. Navarra, P. Pégion, E. Rozanov, S. Schubert, P. Sporyshev, A. Voldoire, X. Wen, J. H. Yoon and N. Zeng, 2008: The CLIVAR C20C project: Which components of the Asian-Australian monsoon circulation variations are forced and reproducible?, *Clim. Dyn.*, **33**, 1051-1068, doi:10.1007/s00382-008-0501-8.
- 朽木勝幸 1 青木輝夫, 安仁屋政武, 串田圭司, 山内恭, 浮田甚朗, 朽木勝幸, 2008: EARSeL 陸城雪氷リモートセンシングに関する第5回ワークショップ, 及びスイスとの二国

- 間セミナー参加報告, 雪氷, **70**, 441-446.
- 工藤 玲 1 Kudo, R., A. Uchiyama, A. Yamazaki, E. Kobayashi and T. Nishizawa , 2008: Retrieval of aerosol single-scattering properties from diffuse and direct irradiances: Numerical studies, *Journal of Geophysical Research*, **113**, D09204, doi:10.1029/2007JD009239.
- 國井 勝 1* Seko, H., S. Hayashi, M. Kunii and K. Saito, 2008: Structure of the Regional Heavy Rainfall System that Occurred in Mumbai, India, on 26 July 2005, *SOLA*, **4**, 129-132.
- 2 Seko, H., T. Miyoshi, M. Kunii and K. Saito, 2008: Japan area ensemble forecast using NHM-LETKF, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.25-1.26.
- 3 Seko, H., Y. Shoji, M. Kunii, J. Furumoto and T. Tsuda, 2008: Assimilation experiments using COSMIC occultation data, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.27-1.28.
- 4 Seko, H., K. Saito, M. Kunii, T. Hara and M. Yamaguchi, 2008: Meso-ensemble experiments on potential parameter of tornado formation using JMANHM, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.29-1.30.
- 5 Seko, H., K. Saito and M. Kunii, 2008: Tier-2 downscale experiments of B08RDP, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.31-1.32.
- 6 濑古弘, 國井勝, 小司禎教, 2009: GPS 掩蔽(えんぺい)データの同化法の開発と降水予報の改善例, 天気, **55**, 979-980.
- 7 齊藤和雄, 濑古弘, 國井勝, 2008: 第3回 WWRP 北京2008 予報実証実験／研究開発プロジェクト(B08FDP/RDP)ワークショップ報告, 天気, **55**, 81-89.
- 栗原和夫 1* Kanada, S., M. Nakano, S. Hayashi, T. Kato, M. Nakamura, K. Kurihara and A. Kitoh, 2008: Reproducibility of Maximum Daily Precipitation Amount over Japan by a High-resolution Non-hydrostatic Model, *SOLA*, **4**, 105-108.
- 小林昭夫 1* 山崎明, 青木重樹, 吉田康宏, 小林昭夫, 勝間田明男, 阿部正雄, 森脇健, 大河原斎揚, 長田芳一, 松岡英俊, 吉田知央, 関谷博, 親納孝嘉, 平松秀行, 2008: 海底地震計を用いた2004年紀伊半島南東沖の地震の余震観測, 気象研究所研究報告, **59**, 65-82.
- 2* Yamamoto, T., A. Kobayashi, A. Katsumata and S. Mori, 2008, Evaluation of detection level of crustal deformation observation in the time domain through power spectrum analysis, *測地学会誌*, **54**, 81-91.
- 古林絵里子 1* Naoe, H., S. Hasegawa, J. Heintzenberg, K. Okada, A. Uchiyama, Y. Zaizen, E. Kobayashi and A. Yamazaki, 2009: State of mixture of atmospheric submicrometer black carbon particles and its effect on particulate light absorption, *Atmospheric Environment*, **43**, 1296-1301.
- 2 Kudo, R., A. Uchiyama, A. Yamazaki, E. Kobayashi, and T. Nishizawa, 2008: Retrieval of aerosol single-scattering properties from diffuse and direct irradiances: Numerical studies, *Journal of Geophysical Research*, **113**, D09204, doi:10.1029/2007JD009239.
- 小林隆久 1 小林隆久, 2008: 11.4.2 気象, 次世代センサハンドブック, 培風館, 987-992.
- 2* Kobayashi, T. and K. Masuda, 2008: Effects of precipitation on the relationships between cloud optical thickness and drop size derived from space-borne measurements, *Geophys. Res. Lett.*, **35**, L24809, doi:10.1029/2008GRL36140.
- 3 Masuda, K. and T. Kobayashi, 2008: Relation between cloud optical thickness and precipitation derived from space-borne measurements, *Proc. of SPIE Remote Sensing of the Atmosphere and Clouds II*, **7152**, 71520N1-11.
- 4* Adachi, A. and T. Kobayashi, 2009: A nonclassical gust front and a solitary wave embedded within a typhoon as observed with Doppler radar and wind Profiler, *J. Meteor. Soc. Japan*, **87**, 57-82, doi:10.2151/jmsj.87.57.
- 財前祐二 1* Okada, K., M. Ikegami, Y. Zaizen, Y. Tsutsumi, Y. Makino, J. B. Jensen and J. L. Garas, 2008: Submicrometer sulfur-rich particles in the middle troposphere: Aircraft observations from Australia to Japan, *Atmospheric Research*, **88**(3-4),

- 成 果 発 表
- 185-198.
- 2* Naoe, H., S. Hasegawa, J. Heintzenberg, K. Okada, A. Uchiyama, Y. Zaizen, E. Kobayashi and A. Yamazaki, 2009: State of mixture of atmospheric submicrometer black carbon particles and its effect on particulate light absorption, *Atmospheric Environment*, **43**, 1296-1301.
- 齊藤和雄 1* Hayashi, S., K. Aranami and K. Saito, 2008: Statistical Verification of Short Term NWP by NHM and WRF-ARW with 20 km Horizontal Resolution around Japan and Southeast Asia, *SOLA*, **4**, 133-136.
- 2* Seko, H., S. Hayashi, M. Kunii and K. Saito, 2008: Structure of the Regional Heavy Rainfall System that Occurred in Mumbai, India, on 26 July 2005, *SOLA*, **4**, 129-132.
- 3* Iguchi, T., T. Nakajima, A. P. Khain, K. Saito, T. Takemura and K. Suzuki , 2008: Modeling the influence of aerosols on cloud microphysical properties in the east Asia region using a mesoscale model coupled with a bin-based cloud microphysics scheme, *J. Geophys. Res.*, **113**, D14215, doi:10.1029/2007JD009774.
- 4* 中村秀治, 齊藤和雄, 水津育男, 2008: 気象解析コードを用いた局地的風向別強風マップの作成, *電力土木*, **338**, 9-18.
- 5 齊藤和雄, 2008: 天気予報の国際的な比較実験—北京オリンピック予報実証／研究開発, *化学*, **63**, 45.
- 6 余田成男, 齊藤和雄, 竹見哲也, 西澤誠也, 2008: 東南アジア地域の気象災害軽減に資する国際共同研究の新展開, *天気*, **54**, 71-74.
- 7 Saito, K., H. Seko, M. Kunii and M. Hara, 2008: Mesoscale Ensemble Prediction experiment for WWRP Beijing Olympic 2008 RDP -- 2007 preliminary experiment --, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 1.23-1.24.
- 8 Saito, K., M. Kunii, H. Seko, M. Yamaguchi and K. Aranami, 2008: Implementation of lateral boundary perturbations into mesoscale EPS, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 3.11-3.12.
- 9 齊藤和雄, 岡本幸三, 2008: 数値予報, 気象予報士ハンドブック, オーム社, 437-451.
- 坂井孝行 1 安藤忍, 山里平, 福井敬一, 高木朗充, 坂井孝行, 北川貞之, 2009: ALOS データを用いた離島火山等のモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 25-33.
- 2 福井敬一, 山里平, 高木朗充, 坂井孝行, 安藤忍, 北川貞之, 2009: PRISM を利用し他噴気のマッピングとモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 116-123.
- 笛野大輔 1* Aoyama, M., H. Goto, H. Kamiya, I. Kaneko, S. Kawae, H. Kodama, Y. Konishi, K. Kusumoto, H. Miura, E. Moriyama, K. Murakami, T. Nakano, F. Nozaki, D. Sasano, T. Shimizu, H. Suzuki, Y. Takatsuki and A. Toriyama, 2008: Marine biogeochemical response to a rapid warming in the main stream of the Kuroshio in the western North Pacific, *Fisheries Oceanography*, **17**(3), 206-218, doi: 10.1111/j.1365-2419.2008.00473.x.
- 澤 康介 1* Tanimoto, H., Y. Sawa, S. Yonemura, K. Yumimoto, H. Matsueda, I. Uno, T. Hayasaka, H. Mukai, Y. Tohjima, K. Tsuboi and L. Zhang, 2008: Diagnosing recent CO emissions and ozone evolution in East Asia using coordinated surface observations, and adjoint inverse modeling and MOPITT satellite data, *Atmos. Chem. Phys.*, **8**, 3867-3880.
- 2* Machida, T., H. Matsueda, Y. Sawa, Y. Nakagawa, K. Hirotani, N. Kondo, K. Goto, T. Nakazawa, K. Ishikawa and T. Ogawa, 2008: Worldwide measurements of atmospheric CO₂ and other trace gas species using commercial airlines, *Journal of Atmospheric and Oceanic Technology*, **25**, 1744-1754.
- 3 町田敏暢, 松枝秀和, 澤康介, 2008: 民間航空機を活用したアジア太平洋域上空における温室効果気体の観測, *地球環境研究総合推進費(地球一括計上) 平成19年度*

- 中間研究成果報告集, 317-361.
- 4* Sawa, Y., T. Machida and H. Matsueda, 2008: Seasonal variations of CO₂ near the tropopause observed by commercial aircraft, *Journal of Geophysical Research*, **113**, D23301(1-15), doi:10.1029/2008JD010568.
- 5* Miyazaki, K., T. Machida, P. K. Patra, T. Iwasaki, Y. Sawa, H. Matsueda and T. Nakazawa, 2009: Formation mechanisms of latitudinal CO₂ gradients in the upper troposphere over the subtropics and tropics, *Journal of Geophysical Research*, **114**, doi:10.1029/2008JD010545.
- 6* Inoue, H. Y., Y. Fukazawa, H. Tanimoto, H. Matsueda, Y. Sawa and A. Wada, 2008: Atmospheric CO₂ and O₃ observed on Rishiri Island from December 2006 to March 2007, *Papers in Meteorology and Geophysics*, **59**, 31-38, doi:10.2467/mripapers.59.31.
- 7* Matsueda, H., T. Machida, Y. Sawa, Y. Nakagawa, K. Hirotani, H. Ikeda, N. Kondo and K. Goto, 2008: Evaluation of atmospheric CO₂ measurements from new flask air sampling of JAL airliner observations, *Papers in Meteorology and Geophysics*, **59**, 1-17, doi:10.2467/mripapers.59.1.
- 柴田 彰 1 柴田彰, 2009: 海面水温・海上風速算出アルゴリズムの開発, 日本リモートセンシング学会誌, **29**(1), 167-173.
- 柴田清孝 1* Shibata, K. and M. Deushi, 2008: Long-term variations and trends in the simulation of the middle atmosphere 1980-2004 by the chemistry-climate model of the Meteorological Research Institute, *Annales Geophysicae*, **26**, 1299-1326.
- 小司禎教 1* Shoji, Y., 2009: A Study of Near Real-time Water Vapor Analysis Using a Nationwide Dense GPS Network of Japan, *J. Meteor. Soc. Japan*, **87**, 1-18.
- 瀬古 弘 1* Seko, H., S. Hayashi, M. Kunii and K. Saito, 2008: Structure of the Regional Heavy Rainfall System that Occurred in Mumbai, India, on 26 July 2005, *SOLA*, **4**, 129-132.
- 2 Seko, H., T. Miyoshi, M. Kunii and K. Saito, 2008: Japan area ensemble forecast using NHM-LETKF, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.25-1.26.
- 3 Seko, H., Y. Shoji, M. Kunii, J. Furumoto and T. Tsuda, 2008: Assimilation experiments using COSMIC occultation data, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.27-1.28.
- 4 Seko, H., K. Saito, M. Kunii, T. Hara and M. Yamaguchi, 2008: Meso-ensemble experiments on potential parameter of tornado formation using JMANHM, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.29-1.30.
- 5 Seko, H., K. Saito and M. Kunii, 2008: Tier-2 downscale experiments of B08RDP, *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 1.31-1.32.
- 6 Saito, K., H. Seko, M. Kunii and M. Hara, 2008: Mesoscale Ensemble Prediction experiment for WWRP Beijing Olympic 2008 RDP -- 2007 preliminary experiment --, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 1.23-1.24.
- 7 Saito, K., M. Kunii, H. Seko, M. Yamaguchi and K. Aranami, 2008: Implementation of lateral boundary perturbations into mesoscale EPS, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 3.11-3.12.
- 8 瀬古弘, 國井勝, 小司禎教, 2009: GPS 掩蔽(えんぺい)データの同化法の開発と降水予報の改善例, 天気, **55**, 979-980.
- 9 余田成男, 中澤哲夫, 山口宗彦, 竹内義明, 木本昌秀, 榎本剛, 岩崎俊樹, 向川均, 松枝未遠, 茂木耕作, 三好建正, 新野宏, 齊藤和雄, 瀬古弘, 小司禎教, 2008: 日本における顕著現象の予測可能性研究, 天気, **55**, 117-126.
- 10 齊藤和雄, 瀬古弘, 國井勝, 2008: 第3回 WWRP 北京 2008 予報実証実験／研究開発プロジェクト(B08FDP/RDP)ワークショップ報告, 2008, 天気, **55**, 81-89.
- 高木朗充 1* 山本哲也, 高木朗充, 福井敬一, 大和田毅, 2008: 安達太良山の火山活動の総合的観

- 測と推定される熱水活動, 気象研究所研究報告, **59**, 39-64.
- 2 安藤忍, 山里平, 福井敬一, 高木朗充, 坂井孝行, 北川貞之, 2009: ALOS データを用いた離島火山等のモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 25-33.
- 3 福井敬一, 山里平, 高木朗充, 坂井孝行, 安藤忍, 北川貞之, 2009: PRISM を利用した噴気のマッピングとモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 116-123.
- 高橋 宙 1* Suzuki, I., K. Hayashi, Y. Igarashi, H. Takahashi, Y. Sawa, N. Ogura, T. Akagi and Y. Dokiya, 2008: Seasonal variation of water-soluble ion species in the atmospheric aerosols at the summit of Mt. Fuji, *Atmospheric Environment*, **42**, 8027-8035.
- 高藪 出 1* 石崎安洋, 仲江川敏之, 高藪出, 2009: ベイズ的アプローチによる日本域における地球温暖化に伴う地表気温上層量の予測, 水工学論文集, **53**, 229-234.
- 高山博之 1* 林豊, 高山博之, 2009: 地震波可聴化エフェンメントの制作および気象研究所の夏季広報イベントにおける実践活用, 駿震時報, **72**, 79-84.
- 2* Nakamura, M., Y. Yoshida, D. Zhao, H. Takayama, K. Obana, H. Katao, J. Kasahara, T. Kanazawa, S. Kodaira, T. Sato, H. Shiobara, M. Shinohara, H. Shimamura, N. Takahashi, A. Nakanishi, R. Hino, Y. Murai and K. Mochizuki, 2008: Three-dimensional P- and S-wave velocity structures beneath Japan, *Phys. Earth Planet. Int.*, **168**, 49-70.
- 田中泰宙 1 青木輝夫, 田中泰宙, 2008: 大気エアロゾルの沈着が積雪アルベドに与える影響, 天気, **55**, 538-547.
- 千葉 長 1 千葉長, 猪股弥生, 2008: 降雨に伴う空間 γ 線線量率の上昇一大気中ラドン濃度の評価—化学輸送モデルを用いた空間 γ 線線量率の予測可能性について—, *Isotope News*, **11**, 13-16.
- 2* 猪股弥生, 五十嵐康人, 千葉長, 青山道夫, 廣瀬勝己, 2009: 再現期間を用いた降水時における高ガンマ線線量率の異常値判定, *Radioisotopes*, **58**, 37-42.
- 3* Inomata, Y., Y. Igarashi, M. Chiba, M. Aoyama and K. Hirose, 2008: Return period of enhanced gamma ray dose rates: regional differences observed in Japan, *Journal of Environmental Monitoring*, **10**, 837-841.
- 辻野博之 1* Usui, N., H. Tsujino, H. Nakano and Y. Fujii, 2008: Formation process of the Kuroshio large meander in 2004, *Journal of Geophysical Research-Oceans*, **113**, C08047, doi:10.1029/2007JC004675.
- 2* Fujii, Y., H. Tsujino, N. Usui, H. Nakano and M. Kamachi, 2008: Application of singular vector analysis to the Kuroshio large meander, *Journal of Geophysical Research*, **113**, C07026.
- 出牛 真 1* Shibata, K. and M. Deushi, 2008: Long-term variations and trends in the simulation of the middle atmosphere 1980-2004 by the chemistry-climate model of the Meteorological Research Institute, *Annales Geophysicae*, **26**, 1299-1326.
- 鳥山暁人 1* Aoyama, M., H. Goto, H. Kamiya, I. Kaneko, S. Kawae, H. Kodama, Y. Konishi, K. Kusumoto, H. Miura, E. Moriyama, K. Murakami, T. Nakano, F. Nozaki, D. Sasano, T. Shimizu, H. Suzuki, Y. Takatsuki and A. Toriyama, 2008: Marine biogeochemical response to a rapid warming in the main stream of the Kuroshio in the western North Pacific, *Fisheries Oceanography*, **17**(3), 206-218, doi: 10.1111/j.1365-2419.2008.00473.x.
- 直江寛明 1* Naoe, H., S. Hasegawa, J. Heintzenberg, K. Okada, A. Uchiyama, Y. Zaizen, E. Kobayashi and A. Yamazaki, 2009: State of mixture of atmospheric submicrometer black carbon particles and its effect on particulate light absorption, *Atmospheric Environment*, **43**, 1296-1301.
- 永井智広 1* Tsunematsu, N., T. Nagai, T. Murayama, A. Adachi and Y. Murayama, 2008: Volcanic Ash Transport from Mount Asama to the Tokyo Metropolitan Area Influenced by Large-Scale Local Wind Circulation, *Journal of Applied*

- 仲江川敏之 1 *Meteorology and Climatology*, **47**, 12448-1265, doi:10.1175/2007JAMC1644.1.
- 2* Sakaizawa, D., C. Nagasawa, T. Nagai, M. Abo, Y. Shibata and M. Nakazato, 2009: Development of a 1.6 μ m differential absorption lidar with a quasi-phase-matching optical parametric oscillator and photon-counting detector for the vertical CO₂ profile, *Applied Optics*, **48**(4), 748-757, doi:10.1364/AO.48.000748.
- 仲江川敏之 1 Fujii, Y., T. Yasuda, T. Nakaegawa and M. Kamachi, 2008: Coupled Ocean and Atmosphere Simulation by Assimilating Ocean Observation Data to a Coupled Model, *3rd WCRP International Conference on Reanalysis Extended Abstract*, 6pp.
- 2* Scaife, A. A., F. Kucharski, C. K. Folland, J. Kinter, S. Brönnimann, D. Fereday, A. M. Fischer, S. Grainger, E. K. Jin, I. S. Kang, J. R. Knight, S. Kusunoki, N. C. Lau, M. J. Nath, T. Nakaegawa, P. Pégion, S. Schubert, P. Sporyshev, J. Syktus, J. H. Yoon, N. Zeng and T. Zhou, 2008: The CLIVAR C20C project : Selected twentieth century climate events, *Clim. Dyn.*, **33**(5), 603-614, doi:10.1007/s00382-008-0451-1.
- 3* 石原幸司, 仲江川敏之, 2008: 全国51地点におけるノンパラメトリック手法を用いた確率降水量の算出, *水文・水資源学会誌*, **21**(6), 459-463.
- 4* 仲江川敏之, 安田珠幾, 高谷祐平(気象庁), 2008: 利根川上流域を対象とした渇水対策のための力学的季節予測結果の利用に関する基礎的研究, *水工学論文集*, **52**, 517-522.
- 5* Nakaegawa, T., and M. Hosaka, 2008: Effects of calibrated current speeds and groundwater scheme in a global river-flow model on river discharge and terrestrial water storage, *Hydrological Research Letters*, **2**, 18-21.
- 6 Hasegawa, K., K. Yamamoto, Y. Fukuda and T. Nakaegawa, 2008: The 2006 Australian drought detected by GRACE satellite gravity mission, *From Headwaters to the Ocean: Hydrological Changes and Watershed Management*, 363-367.
- 7* Kucharski, F., A. A. Scaife, J. H. Yoo, C. K. Folland, J. Kinter, J. Knight, D. Fereday, A. M. Fischer, E. K. Jin, J. Kroger, N.-C. Lau, T. Nakaegawa, M. J. Nath, P. Pégion, E. Rozanov, S. Schubert, P. V. Sporyshev, J. Syktus, A. Voldoire, J. H. Yoon, N. Zeng and T. Zhou, 2008: The CLIVAR C20C project: skill of simulating Indian monsoon rainfall on interannual to decadal timescales. Does GHG forcing play a role?, *Clim. Dyn.*, doi:10.1007/s00382-008-0462-y.
- 8 Yamamoto, K., T. Nakaegawa, T. Hasegawa, Y. Fukuda and M. Taniguchi, 2008: Improvement of JLG terrestrial water storage model using GRACE satellite gravity data, *From Headwaters to the Ocean: Hydrological Changes and Watershed Management*, 369-374.
- 9* Nakaegawa, T., 2008: Reproducibility of the seasonal cycles of hydrological variables in Japanese 25-year Re-Analysis, *Hydrological Research Letters*, **2**, 56-60.
- 10* Zhou, B. Wu, A. A. Scaife, S. Brönnimann, A. Cherchi, D. Feredy, A. M. Fischer, C. K. Folland, K. E. Jin, J. Kinter, J. R. Knight, F. Kucharski, S. Kusunoki, N.-C. Lau, Lijuan Li, M. J. Nath, T. Nakaegawa, A. Navarra, P. Pégion, E. Rozanov, S. Schubert, P. Sporyshev, A. Voldoire, Xinyu Wen, J. H. Yoon and N. Zeng, 2008: The CLIVAR C20C project: Which components of the Asian-Australian monsoon circulation variations are forced and reproducible?, *Climate Dynamics*, **33**(7-8), 1051-1068, doi:10.1007/s00382-008-0501-8.
- 11 仲江川敏之(分担執筆), 2009: //の百科事典(編著 高橋裕ほか), 丸善, 794pp.
- 12* 仲江川敏之, 安田珠幾, 高谷祐平(ECMWF), 2009: 利根川上流域の渇水対策に対する力学的季節予測情報の経済価値評価, *水工学論文集*, **53**, 547-552.
- 13 石崎安洋, 仲江川敏之, 高萩出, 2009: ベイズ的アプローチによる日本域における地球温暖化に伴う地表気温上層量の予測, *水工学論文集*, **53**, 229-234.
- 中里真久 1* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子涉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近

- 傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, **20**, 25-30.
- 2* Sakaizawa, D., C. Nagasawa, T. Nagai, M. Abo, Y. Shibata and M. Nakazato, 2009: Development of a 1.6 μ m differential absorption lidar with a quasi-phase-matching optical parametric oscillator and photon-counting detector for the vertical CO₂ profile, *Applied Optics*, **48**, 748-757, doi:10.1364/AO.48.000748.
- 中澤哲夫 1 Bessho, K., T. Nakazawa and M. Ueno, 2008: Statistical analysis of surface wind distribution of typhoons on western North Pacific observed by scatterometer for 9years, *Preprints of 28th Conference on Hurricanes Tropical Meteorology of the American Meteorological Society*, 15B.2.
- 2* Rajendran, K., A. Kitoh, R. Mizuta, S. Sajani and T. Nakazawa, 2008: High-resolution simulation of mean convection and its intraseasonal variability over the tropics in the MRI/JMA 20km mesh AGCM, *J. Climate*, **21**, 3722-3739.
- 3 Smith, E. A., G. Asrar, Y. Furuhama, A. Ginatti, C. Kummerow, V. Levizzani, A. Mugnai, K. Nakamura, R. Adler, V. Casse, M. Cleave, M. Debois, J. Durning, J. Entin, P. Houser, T. Iguchi, R. Kakar, J. Kaye, M. Kojima, D. Lettenmaier, M. Luther, A. Mehta, P. Morel, T. Nakazawa, S. Neeck, K. Okamoto, R. Oki, G. Raju, M. Shepherd, E. Stocker, J. Testud and E. Wood, 2007: International global precipitation measurement (GPM) program and mission: an overview, *Measuring precipitation from space EURAINSAT and the future*, Springer, 213-224.
- 4 中澤哲夫, 2008: 2004年のMJOと台風発生, 京都大学防災研究所「台風に伴う強風、豪雨などの気象災害の被害軽減に関する研究集会」報告書, 78-81.
- 5 余田成男, 中澤哲夫ほか, 2008: 日本における顕著現象の予測可能性研究, 2.1.1 T-PARC, 4.おわりに, 天気, **55**, 117-126.
- 中野英之 1* Usui, N., H. Tsujino, H. Nakano and Y. Fujii, 2008: Formation process of the Kuroshio large meander in 2004, *Journal of Geophysical Research-Oceans*, **113**, C08047, doi:10.1029/2007JC004675.
- 2* Fujii, Y., H. Tsujino, N. Usui, H. Nakano and M. Kamachi, 2008: Application of singular vector analysis to the Kuroshio large meander, *Journal of Geophysical Research*, **113**, C07026.
- 3 Wada, A., H. Niino and H. Nakano, 2008: Sensitivity of tuning parameters in a mixed-layer scheme to simulated sea surface cooling caused by a passage of a typhoon, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 8.15-8.16.
- 中村誠臣 1* Kanada, S., M. Nakano, S. Hayashi, T. Kato, M. Nakamura, K. Kurihara and A. Kitoh, 2008: Reproducibility of Maximum Daily Precipitation Amount over Japan by a High-resolution Non-hydrostatic Model, *SOLA*, **4**, 105-108.
- 2 Wakazuki, Y., M. Nakamura, S. Kanada, C. Muroi, 2008: Climatological Reproducibility Evaluation and Future Climate Projection of Extreme Precipitation Events in the Baiu Season Using a High-Resolution Non-Hydrostatic RCM in Comparison with an AGCM, *J. Meteor. Soc. Japan*, **86**, 951-967.
- 萩野谷成徳 1* 神田敬, 杉本孝公, 上野健一, 萩野谷成徳, 堀晃浩, 川島儀英, 2008: 千葉マリンスタジアム内に特徴的な風系と強風の要因, 天気, **55**, 241-250.
- 2* Ueno, K., T. Morimoto, S. Sugimoto, J. Asanuma, S. Haginoya, K. Takahashi, N. Okawara, A. Shimizu, K. Dairaku, M. Mano and A. Miyata, 2008: Establishment of CEOP Tsukuba Reference Site, *Tsukuba Geoenvironmental Sciences*, **4**, 17-20.
- 橋本明弘 1* Kato, T., A. Hashimoto and S. Hayashi, A numerical study on the appearance of target clouds for artificial precipitation experiments over Shikoku Island, western Japan during the Baiu season, *SOLA*, **4**, 81-85.
- 2* Hashimoto, A., T. Kato, S. Hayashi and M. Murakami, 2008: Seedability Assessment for Winter Orographic Snow Clouds over the Echigo Mountains,

- 林 修吾 1* *SOLA*, **4**, 69-72.
 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子渉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, **20**, 25-30.
- 2* Hayashi, S., K. Aranami and K. Saito, 2008: Statistical Verification of Short Term NWP by NHM and WRF-ARW with 20 km Horizontal Resolution around Japan and Southeast Asia, *SOLA*, **4**, 133-136.
- 3 Kato, T. and S. Hayashi, 2008: Problems on the usage of Kain-Fritsch parameterization in a 5km model: Statistical comparison with cloud-top heights of cumulonimbi simulated by a cloud resolving model, *CAS/JSC Research Activities in Atmospheric and Oceanic Modelling*, **38**, 4.05-4.06.
- 4* Kato, T., A. Hashimoto and S. Hayashi, A numerical study on the appearance of target clouds for artificial precipitation experiments over Shikoku Island, western Japan during the Baiu season, *SOLA*, **4**, 81-85.
- 5* Hashimoto, A., T. Kato, S. Hayashi and M. Murakami, 2008: Seedability Assessment for Winter Orographic Snow Clouds over the Echigo Mountains, *SOLA*, **4**, 69-72.
- 6* Kanada, S., M. Nakano, S. Hayashi, T. Kato, M. Nakamura, K. Kurihara and A. Kitoh, 2008: Reproducibility of Maximum Daily Precipitation Amount over Japan by a High-resolution Non-hydrostatic Model, *SOLA*, **4**, 105-108.
- 7* Seko, H., S. Hayashi, M. Kunii and K. Saito, 2008: Structure of the Regional Heavy Rainfall System that Occurred in Mumbai, India, on 26 July 2005, *SOLA*, **4**, 129-132.
- 林 豊 1* 林豊, 2008: 明治以降の日本の噴火・火山性異常カタログの時間的均質性, *歴史地震*, **23**, 27-32.
- 2* 林豊, 前田憲二, 2009: 日本の主要活断層帯の古地震発生履歴を説明する更新過程の統計モデルの比較, *活断層研究*, **30**, 27-36.
- 3* 林豊, 高山博之, 2009: 地震波可聴化エデュティメントの制作および気象研究所の夏季広報イベントにおける実践活用, *駿震時報*, **72**, 79-84.
- 平原幹俊 1* Yamanaka, G., H. Ishizaki, M. Hirabara and I. Ishikawa, 2008: Decadal variability of the Subtropical Front of the western North Pacific in an eddy-resolving ocean general circulation model, *Journal of Geophysical Research - Oceans*, **113**, C12027, doi:10.1029/2008JC005002.
- 廣瀬勝己 1* Hirose, K., M. Aoyama, Y. Igarashi and K. Komura, 2008: Improvement of ^{137}Cs analysis in small volume seawater samples using the Ogoya underground facility, *Journal of Radioanalytical and Nuclear Chemistry*, **276**(3), 795-798.
- 2* Hirose, K., Y. Igarashi and M. Aoyama, 2008: Analysis of the 50-year records of the atmospheric deposition of long-lived radionuclides in Japan, *Applied Radiation and Isotopes*, **66**, 1675-1678.
- 3 廣瀬勝己, 2008: 人類起源炭素の行方—海洋の役割, *海の気象*, **54**, 1-9.
- 4* Inomata, Y., M. Aoyama and K. Hirose, 2009: Analysis of 50-y record of surface ^{137}Cs concentrations in the global ocean using the HAM-global database, *Journal of Environmental Monitoring*, **11**, 116-125, doi:10.1039/b811421h.
- 5* 猪股弥生, 五十嵐康人, 千葉長, 青山道夫, 廣瀬勝己, 2009: 再現期間を用いた降水時における高ガンマ線線量率の異常値判定, *Radioisotopes*, **58**, 37-42.
- 6* Inomata, Y., Y. Igarashi, M. Chiba, M. Aoyama and K. Hirose, 2008: Return period of enhanced gamma ray dose rates: regional differences observed in Japan, *Journal of Environmental Monitoring*, **10**, 837-841.
- 7* Hirose, K., M. Aoyama and P. P. Povinec, 2009: $^{239,470}\text{Pu}/^{137}\text{Cs}$ ratios in the water column of the North Pacific: a proxy of biogeochemical processes, *Journal of Environmental Radioactivity*, **100**, 1-5.
- 8 Hirose, K., 2009: Temporal and spatial variations of vertical distributions of nutrients in the Kuroshio recirculation region of the western North Pacific,

- 成 果 発 表
- | | |
|-------|--|
| 福井敬一 | <p>1* <i>The Pacific and Arctic Oceans</i>, 89-111.</p> <p>山本哲也, 高木朗充, 福井敬一, 大和田毅, 2008: 安達太良山の火山活動の総合的観測と推定される熱水活動, 気象研究所研究報告, 59, 39-64.</p> <p>2 安藤忍, 山里平, 福井敬一, 高木朗充, 坂井孝行, 北川貞之, 2009: ALOS データを用いた離島火山等のモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 25-33.</p> <p>3 福井敬一, 山里平, 高木朗充, 坂井孝行, 安藤忍, 北川貞之, 2009: PRISM を利用した噴気のマッピングとモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 116-123.</p> |
| 藤井陽介 | <p>1 Soga, T., I. Ishikawa, S. Matusmoto, Y. Fujii and T. Yasuda, 2008: New Ocean Data Assimilation System for monitoring ENSO at Japan Meteorological Agency, <i>3rd WCRP International Conference on Reanalysis Extended Abstract</i>, 4pp.</p> <p>2 Fujii, Y., T. Yasuda, T. Nakaegawa and M. Kamachi, 2008: Coupled Ocean and Atmosphere Simulation by Assimilating Ocean Observation Data to a Coupled Model, <i>3rd WCRP International Conference on Reanalysis Extended Abstract</i>, 6pp.</p> <p>3* Usui, N., H. Tsujino, H. Nakano and Y. Fujii, 2008: Formation process of the Kuroshio large meander in 2004, <i>Journal of Geophysical Research-Oceans</i>, 113, C08047, doi:10.1029/2007JC004675.</p> <p>4* Fujii, Y., H. Tsujino, N. Usui, H. Nakano and M. Kamachi, 2008: Application of singular vector analysis to the Kuroshio large meander, <i>Journal of Geophysical Research</i>, 113, C07026.</p> |
| 藤部文昭 | <p>1* 藤部文昭, 村上正隆, 越田智喜, 吉田一全, 2008: 早明浦ダム周辺の降水量とダム貯水量の変動特性, 天気, 55(6), 469-473.</p> <p>2* 藤部文昭, 2008: 強風の極値統計における特異事例と地形要因との関連, 第20回風工学シンポジウム論文集, 19-24.</p> <p>3* Fujibe, F., H. Togawa and M. Sakata, 2009: Long-term change and spatial anomaly of warm season afternoon precipitation in Tokyo, <i>SOLA</i>, 5, 17-20.</p> |
| 別所康太郎 | <p>1 Bessho, K., T. Nakazawa and M. Ueno, 2008: Statistical analysis of surface wind distribution of typhoons on western North Pacific observed by scatterometer for 9 years, <i>Preprints of 28th Conference on Hurricanes Tropical Meteorology of the American Meteorological Society</i>, 15B.2.</p> <p>2* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子涉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, 20, 25-30.</p> <p>3* 楠研一, 山内洋, 猪上華子, 別所康太郎, 市山尚, 2008: The MRI portable X-band Doppler radar for severe weather observations -Status and Applications-, 第20回風工学シンポジウム論文集, 20, 205-210.</p> |
| 保坂征宏 | <p>1* Nakaegawa, T. and M. Hosaka, 2008: Effects of calibrated current speeds and groundwater scheme in a global river-flow model on river discharge and terrestrial water storage, <i>Hydrological Research Letters</i>, 2, 18-21.</p> <p>2 Kitoh, A. and M. Hosaka, 2009: Projection of River Flow Changes Caused by Climate Change, <i>Study on Asian River Basin</i>, V-1-V-29.</p> |
| 星野俊介 | <p>1* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子涉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, 20, 25-30.</p> |
| 千場充之 | <p>1 千場充之, 松森敏幸, 2009: 地震の揺れの前に警報を -緊急地震速報-, <i>中国科学技術月報</i>, 27.</p> <p>2 Hoshiba, M., 2008: Nationwide earthquake early warning in Japan: information before strong ground motion, <i>UJNR Panel on Wind and Seismic Effects</i>:</p> |

- Newsletter, 3.
- 3 干場充之, 松森敏幸, 2009: 地震の揺れの前に警報を - 緊急地震速報 -, 中国・日本科学最前線 - 研究の現場から - 2009年版, 231-234.
- 前田憲二 1* 林豊, 前田憲二, 2009: 日本の主要活断層帯の古地震発生履歴を説明する更新過程の統計モデルの比較, 活断層研究, **30**, 27-36.
- 益子 渉 1 Mashiko, W., H. Niino and T. Kato, 2008: Numerical simulation of a tornadogenesis in a mini-supercell associated with Typhoon Shanshan on 17 September 2006, Preprints, 24th Congerence on Severe Local Storms, Amer. Meteor. Soc., 14.4.
- 2 Mashiko, W., 2008: Numerical simulation of supercell tornadogenesis associated with Typhoon Shanshan(2006), CAS/JSC WGNE Res. Activities in Atm. and Oceanic Modelling, **38**, 5.17-5.18.
- 3* 竹見哲也, 猪上華子, 楠研一, 加藤亘, 鈴木博人, 今井俊昭, 別所康太郎, 中里真久, 星野俊介, 益子渉, 林修吾, 福原隆彰, 柴田徹, 2008: メソ気象擾乱に伴う地上近傍の強風変動に関する高解像度気象モデル解析, 第20回風工学シンポジウム論文集, **20**, 25-30.
- 増田一彦 1 Masuda, K. and T. Kobayashi, 2008: Relation between cloud optical thickness and precipitation derived from space-borne measurements, Proc. of SPIE Remote Sensing of the Atmosphere and Clouds II, **7152**, 71520N1-11.
- 2* Kobayashi, T. and K. Masuda, 2008: Effects of precipitation on the relationships between cloud optical thickness and drop size derived from space-borne measurements, Geophys. Res. Lett., **35**, L24809, doi:10.1029/2008GRL36140.
- 松枝秀和 1* Kuwata, M., Y. Kondo, Y. Miyazaki, Y. Komazaki, J. H. Kim, S. S. Yum, H. Tanimoto and H. Matsueda, 2008: Cloud condensation nuclei activity at Jeju Island, Korea in spring 2005, Atmos. Chem. Phys., **8**, 2933-2948.
- 2 松枝秀和, 2008: 地球観測による二酸化炭素增加の実態と今後の動向, 第22回環境工学連合後援会講演論文集, 81-86.
- 3* Tanimoto, H., Y. Sawa, S. Yonemura, K. Yumimoto, H. Matsueda, I. Uno, T. Hayasaka, H. Mukai, Y. Tohjima, K. Tsuboi and L. Zhang, 2008: Diagnosing recent CO emissions and ozone evolution in East Asia using coordinated surface observations, and adjoint inverse modeling and MOPITT satellite data, Atmos. Chem. Phys., **8**, 3867-3880.
- 4* Machida, T., H. Matsueda, Y. Sawa, Y. Nakagawa, K. Hirotani, N. Kondo, K. Goto, T. Nakazawa, K. Ishikawa and T. Ogawa, 2008: Worldwide measurements of atmospheric CO₂ and other trace gas species using commercial airlines, Journal of Atmospheric and Oceanic Technology, **25**, 1744-1754.
- 5 町田敏暢, 松枝秀和, 澤庸介, 2008: 民間航空機を活用したアジア太平洋域上空における温室効果気体の観測, 地球環境研究総合推進費(地球一括計上) 平成19年度中間研究成果報告集, 317-361.
- 6* Sawa, Y., T. Machida and H. Matsueda, 2008: Seasonal variations of CO₂ near the tropopause observed by commercial aircraft, Journal of Geophysical Research, **113**, D23301, doi:10.1029/2008JD010568.
- 7* Sahu, L. K., Y. Miyazaki, M. Kuwata, M. Koike, N. Takegawa, H. Tanimoto, H. Matsueda, S. C. Yoon and Y. J. Kim, 2009: Anthropogenic aerosols observed in Asian continental outflow at Jeju Island, Korea, in spring 2005, Journal of Geophysical Research, **114**, D03301, doi:10.1029/2008JD010306.
- 8* Miyazaki, K., T. Machida, P. K. Patra, T. Iwasaki, Y. Sawa, H. Matsueda and T. Nakazawa, 2009: Formation mechanisms of latitudinal CO₂ gradients in the upper troposphere over the subtropics and tropics, Journal of Geophysical Research, **114**, D03306, doi:10.1029/2008JD010545.
- 9* Inoue, H. Y., Y. Fukazawa, H. Tanimoto, H. Matsueda, Y. Sawa and A. Wada, 2008: Atmospheric CO₂ and O₃ observed on Rishiri Island from December 2006 to March 2007, Papers in Meteorology and Geophysics, **59**, 31-38, doi:10.2467/

- mri papers.59.31.
- 10* Matsueda, H., T. Machida, Y. Sawa, Y. Nakagawa, K. Hirotani, H. Ikeda, N. Kondo and K. Goto, 2008: Evaluation of atmospheric CO₂ measurements from new flask air sampling of JAL airliner observations, *Papers in Meteorology and Geophysics*, **59**, 1-17, doi:10.2467/mripapers.59.1.
- 松本 聰 1 Soga, T., I. Ishikawa, S. Matusmoto, Y. Fujii and T. Yasuda, 2008: New Ocean Data Assimilation System for monitoring ENSO at Japan Meteorological Agency, *3rd WCRP International Conference on Reanalysis Extended Abstract*, 4pp.
- 馬淵和雄 1 Alexandry, G. A., D. Chan, M. Chan, K. Gurney, K. Higuchi, A. Ito, C. D. Jones, A. Komarov, K. Mabuchi, D. M. Matross, F. Veroustraete and W. W. Verstraeten, 2008: Model-data fusion in studies of the terrestrial carbon sink, *Developments in Integrated Environmental Assessment, Vol.3. Environmental Modeling, Software and Decision Support*, 329-344.
- 2 末田達彦, 馬淵和雄, 鷹尾元, 高橋正義, 天野正博, 濱戸島政博, 船橋学, 2008: リモートセンシングを活用したバイオマス計測手法の開発, 環境省地球環境研究総合推進費終了研究成果報告書「京都議定書吸収源としての森林機能評価に関する研究」, 19-43.
- 緑川 貴 1 本井達夫, 鬼頭昭雄, 緑川貴, 荒川理, 笹井義一, 陳永利, 2008: 大地形の変遷と気候変動, *地学雑誌*, **117**(6), 1015-1028.
- 村上正隆 1* 藤部文昭, 村上正隆, 越田智喜, 吉田一全, 2008: 早明浦ダム周辺の降水量とダム貯水量の変動特性, *天気*, **55**(6), 469-473.
- 2 Murakami, M. and N. Oriasa, 2008: How does Asian dust storm affect the microphysical structures of orographic snow clouds?, *15th International Conference on Clouds and Precipitation*, 6, 5.
- 3* Hashimoto, A., T. Kato, S. Hayashi and M. Murakami, 2008: Seedability Assessment for Winter Orographic Snow Clouds over the Echigo Mountains, *SOLA*, **4**, 69-72.
- 村田昭彦 1* Murata, A., 2009: A mechanism for heavy precipitation over the Kii Peninsula accompanying typhoon Meari(2004), *J. Meteor. Soc. Japan*, **87**, 101-117.
- 毛利英明 1 Arimitsu, T., N. Arimitsu, K. Yoshida and H. Mouri, 2008: Multifractal PDF analysis of intermittent systems, *Anomalous Fluctuation Phenomena in Complex Systems: Plasmas, Fluids, and Financial Markets*, 25-55.
- 2* Mouri, H. and A. Hori, 2009: Vortex tubes in turbulence velocity fields at high Reynolds numbers, *Fluid Dynamics Research*, **41**, 021402.
- 本井達夫 1 本井達夫, 鬼頭昭雄, 緑川貴, 荒川理, 笹井義一, 陳永利, 2008: 大地形の変遷と気候変動, *地学雑誌*, **117**(6), 1015-1028.
- 安田珠幾 1 Soga, T., I. Ishikawa, S. Matusmoto, Y. Fujii and T. Yasuda, 2008: New Ocean Data Assimilation System for monitoring ENSO at Japan Meteorological Agency, *3rd WCRP International Conference on Reanalysis Extended Abstract*, 4pp.
- 2 Fujii, Y., T. Yasuda, T. Nakaegawa and M. Kamachi, 2008: Coupled Ocean and Atmosphere Simulation by Assimilating Ocean Observation Data to a Coupled Model, *3rd WCRP International Conference on Reanalysis Extended Abstract*, 6pp.
- 3* 仲江川敏之, 安田珠幾, 高谷祐平, 2008: 利根川上流域を対象とした渇水対策のための力学的季節予測結果の利用に関する基礎的研究, *水工学論文集*, **52**, 517-522.
- 4* 仲江川敏之, 安田珠幾, 高谷祐平, 2009: 利根川上流域の渇水対策に対する力学的季節予測情報の経済価値評価, *水工学論文集*, **53**, 547-552.
- 山内 洋 1* 楠研一, 山内洋, 猪上華子, 別所康太郎, 市山尚, 2008: The MRI portable X-band Doppler radar for severe weather observations -Status and Applications-, 第20回風工学シンポジウム論文集, **20**, 205-210.
- 山崎明宏 1* Naoe, H., S. Hasegawa, J. Heintzenberg, K. Okada, A. Uchiyama, Y. Zaizen, E.

- Kobayashi and A. Yamazaki, 2009: State of mixture of atmospheric submicrometer black carbon particles and its effect on particulate light absorption, *Atmospheric Environment*, **43**, 1296-1301.
- 2 Kudo, R., A. Uchiyama, A. Yamazaki, E. Kobayashi, and T. Nishizawa, 2008: Retrieval of aerosol single-scattering properties from diffuse and direct irradiances: Numerical studies, *Journal of Geophysical Research*, **113**, D09204, doi:10.1029/2007JD009239.
- 山崎 明 1* 山崎明, 青木重樹, 吉田康宏, 小林昭夫, 勝間田明男, 阿部正雄, 森脇健, 大河原齊揚, 長田芳一, 松岡英俊, 吉田知央, 関谷博, 親納孝嘉, 平松秀行, 2008: 海底地震計を用いた 2004 年紀伊半島南東沖の地震の余震観測, *気象研究所研究報告*, **59**, 65-82.
- 2 山崎明, 青木伸昭, 山本輝明, 熊谷桂子, 伊藤信和, 2008: 鹿屋の絶対観測室の磁気異常とその経年的安定性について, *Conductivity Anomaly 研究会 2008 年論文集*, 107-112.
- 3* Shinohara, M., T. Kanazawa, T. Yamada, K. Nakahigashi, S. Sakai, R. Hino, Y. Murai, A. Yamazaki, K. Obama, Y. Ito, K. Iwakiri, R. Miura, Y. Machida, K. Mochizuki, K. Uehira, M. Tahara, A. Kuwano, S. Amamiya, S. Kodaira, T. Takanami and Y. Kaneda, 2008: Precise aftershock distribution of the 2007 Chuetsu-oki Earthquake obtained by using an ocean bottom seismometer network, *Earth, Planets and Space*, **60**, 1121-1126.
- 山里 平 1 山里平, 2008: 日本の火山防災体制（活火山の定義～火山噴火予知連絡会）日本の噴火災害資料, *火山の事典（第2版）*（下鶴大輔・荒牧重雄・井田善明・中田節也編集）, 417-425, 558-562.
- 2 安藤忍, 山里平, 福井敬一, 高木朗充, 坂井孝行, 北川貞之, 2009: ALOS データを用いた離島火山等のモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 25-33.
- 3 福井敬一, 山里平, 高木朗充, 坂井孝行, 安藤忍, 北川貞之, 2009: PRISM を利用した噴気のマッピングとモニタリング, 火山活動の評価及び噴火活動の把握に関する共同研究成果報告書, 116-123.
- 山中吾郎 1* Yamanaka, G., 2008: Discrepancies between observed and ocean general circulation model-simulated anomalies in recent SSTs of the tropical Indian Ocean caused by apparent trends in atmospheric reanalysis data, *Geophys. Res. Lett.*, **35**, L18603, doi:10.1029/2008GL034737.
- 2* Yamanaka, G., H. Ishizaki, M. Hirabara and I. Ishikawa, 2008: Decadal variability of the Subtropical Front of the western North Pacific in an eddy-resolving ocean general circulation model, *Journal of Geophysical Research - Oceans*, **113**, C12027, doi:10.1029/2008JC005002.
- 3 山中吾郎, 石崎廣, 2009: 入射角を考慮した海洋短波吸収スキームの開発 - 大気海洋結合モデルへの導入 -, 平成 20 年度全国季節予報技術検討会資料 (気象研究所), 19-27.
- 行本誠史 1* Mizuta, R., Y. Adachi, S. Yukimoto and S. Kusunoki, 2008: Estimation of the Future Distribution of Sea Surface Temperature and Sea Ice Using the CMIP3 Multi-model Ensemble Mean, *Technical Report of the Meteorological Research Institute*, **56**, 28pp.
- 2* Yoshimura, H. and S. Yukimoto, 2008: Development of a Simple Coupler (Scup) for Earth System Modeling, *Papers in Meteorology and Geophysics*, **59**, 19-29.
- 吉田康宏 1* 山崎明, 青木重樹, 吉田康宏, 小林昭夫, 勝間田明男, 阿部正雄, 森脇健, 大河原齊揚, 長田芳一, 松岡英俊, 吉田知央, 関谷博, 親納孝嘉, 平松秀行, 2008: 海底地震計を用いた 2004 年紀伊半島南東沖の地震の余震観測, *気象研究所研究報告*, **59**, 65-82.
- 2* Ide, S., K. Imanishi, Y. Yoshida, G. C. Beroza and D. R. Shelly, 2008: Bridging the gap between seismically and geodetically detected slow earthquakes, *Geophys. Res. Lett.*, **35**, L10305, doi:10.1029/2008GL034014
- 3* Nakamura, M., Y. Yoshida, D. Zhao, H. Takayama, K. Obama, H. Katao, J.

- Kasahara, T. Kanazawa, S. Kodaira, T. Sato, H. Shiobara, M. Shinohara, H. Shimamura, N. Takahashi, A. Nakanishi, R. Hino, Y. Murai and K. Mochizuki, 2008: Three-dimensional P- and S-wave velocity structures beneath Japan, *Phys. Earth Planet. Int.*, **168**, 49-70.
- 吉村 純 4 吉田康宏, 青木重樹, 迫田浩司, 2008: 1.4 近地地震波形解析による震源過程, 気象庁技術報告, **131**, 18-22.
- 吉村 純 5* Yoshida, Y., 2009: The rupture process of the 2004 Sumatra-Andaman earthquake viewed from strainmeter data, *Journal of Earthquake and Tsunami*, **3**, 35-42.
- 吉村 裕正 1 Noda, A., S. Kusunoki, J. Yoshimura, H. Yoshimura, K. Oouchi and R. Mizuta, 2008: Global Warming Projection by an Atmospheric General Circulation Model with a 20-km Grid, *High Resolution Numerical Modelling of the Atmosphere and Ocean*, 113-128.
- 吉村 裕正 2 吉村純(分担執筆), 2008: 環境辞典(日本科学者会議編), 旬報社, 1173pp.
- 吉村 裕正 1 Noda, A., S. Kusunoki, J. Yoshimura, H. Yoshimura, K. Oouchi and R. Mizuta, 2008: Global Warming Projection by an Atmospheric General Circulation model with a 20-km Grid, *High Resolution Numerical Modelling of the Atmosphere and Ocean*, 113-128.
- 和田章義 2* Yoshimura, H. and S. Yukimoto, 2008: Development of a Simple Coupler (Scup) for Earth System Modeling, *Papers in Meteorology and Geophysics*, **59**, 19-29.
- 和田章義 1* Wada, A., Johnny and C. L. Chan, 2008: Relationship between typhoon activity and upper ocean heat content, *Geophys. Res. Lett.*, **35**, L17603.
- 和田章義 2 Wada, A., H. Niino and H. Nakano, 2008: Sensitivity of tuning parameters in a mixed-layer scheme to simulated sea surface cooling caused by a passage of a typhoon, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 8.15-8.16.
- 和田章義 3 Wada, A., N. Usui and H. Niino, 2008: The impact of oceanic observations on tropical cyclone intensity prediction in the case of Typhoon Namtheun (2004), *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 9.03-9.04.
- 和田章義 4 Wada, A. and H. Niino, 2008: Numerical experiments of intensification of an idealized typhoon-like vortex under various sea surface temperatures by a nonhydrostatic atmosphere-ocean coupled model, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **38**, 9.05-9.06.