6. 成果発表

6. 1. 論文等

気象研究所の職員が、平成 23 年度に発表した原著論文や報告書、著書、翻訳、解説などの著作物について、単独・共著の区別なく掲載した。ただし、口頭発表に伴う著作物のうち学会予稿集など簡易なものについては除いている。

各著作物の情報は、整理番号, 著者, 発表年, タイトル. *掲載誌（書名）*, **掲載巻**, 発行者（著書（分担執筆含む））, 掲載頁, doi（オンライン論文誌）または ISBN（著書（分担執筆含む））の順で掲載した。整理番号の後ろに「*」を付した著作物は、査読付きであることを示している。

青木重樹
1* Yoshida, Y., H. Ueno, D. Muto and S. Aoki, 2011: Source process of the 2011 off the Pacific coast of Tohoku Earthquake with the combination of teleseismic and strong motion data. *Earth, Planets and Space*, **63**, 565–569.
2 気象庁気象研究所（青木重樹, 吉田康宏, 干場充之, 勝間田明男）, 2011: 平成 23 年（2011 年）東北地方太平洋沖地震の短周期エンベロープを用いた振動源イメージング. *地震予知連絡会会報*, **86**, 74-79.
3 Katsumata, A., S. Aoki, Y. Yoshida, H. Ueno and T. Yokota, 2012: Rapid source parameter estimation of great earthquakes for tsunami warning. *Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan Earthquake*, 592-601.

青木輝夫
1* Aoki, Te., K. Kuchiki, M. Niwano, Y. Kodama, M. Hosaka and T. Tanaka, 2011: Physically based snow albedo model to calculate broadband albedos and solar heating profile in snowpack for general circulation models. *J. Geophys. Res.*, **116**, D11114, doi: 10.1029/2010JD015507.
2 青木輝夫, 田中泰宙, 2011: 雪氷中の光吸収性エアロゾル. *気象研究ノート*, **222**, 95-106.
3* Kuchiki, K., Te. Aoki, M. Niwano, H. Motoyoshi and H. Iwabuchi, 2011: Effect of sastrugi on snow bidirectional reflectance and its application to MODIS data. *J. Geophys. Res.*, **116**, D18110, doi: 10.1029/2011JD016070.
4* Kokhanovsky, A., V. V. Rozanov, Te. Aoki, D. Odermatt, C. Brockmann, O. Krüger, M. Bouvet, M. Drusch and M. Hori, 2011: Sizing of snow grains using backscattered solar light. *International Journal of Remote Sensing*, **32**(22), 6975–7008.
5 青木輝夫, 2011: 積雪内の放射計算. *気象研究ノート*, **223**, 123-141.

青梨和正
1 Saito, K., H. Seko, T. Kuroda, T. Fujita, T. Kawabata, K. Aonashi and T. Tsuyuki, 2011: Next generation supercomputer project toward cloud resolving NWP. *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 5.19-5.20.

青柳曉典
1* Aoyagi, T. and N. Seino, 2011: A Square Prism Urban Canopy Scheme for the NHM and Its Evaluation on Summer Conditions in the Tokyo Metropolitan Area, Japan. *J. Appl. Meteor. Climatol.*, **50**, 1476-1496, doi: 10.1175/2011 JAMC2489.1.
2* Aoyagi, T. and S. Takahashi, 2012: Development of an Urban Multilayer Radiation Scheme and Its Application to the Urban Surface Warming Potential. *Boundary-Layer Meteorology*, **142**, 305-328, doi: 10.1007/s10546- 011-9679-0.
3 青柳曉典, 清野直子, 2012: メソ数値予報モデルと都市. *気象研究ノート*, **224**, 273-301.
4* Aoyagi, T., N. Kayaba and N. Seino, 2012: Numerical simulation of the surface air temperature change caused by increases of urban area, anthropogenic heat, and building aspect ratio in the Kanto-Koshin Area. *J. Meteor. Soc. Japan*, **90B**, 11-31, doi: 10.2151/jmsj.2012-B02.

青山道夫
1* Aoyama, M., P. P. Povinec and J. A. Sanchez-Cabeza, 2011: Preface The Southern Hemisphere Ocean Tracer Studies (SHOTS) project. *Progress in*

Oceanography, 89, 1-6, doi: 10.1016/j.pocean.2010.12.002.

2* Aoyama, M., M. Fukasawa, K. Hirose, Y. Hamajima, T. Kawano, P. P. Povinec and J. A. Sanchez-Cabeza, 2011: Cross Equator transport of ^{137}Cs from North Pacific Ocean to South Pacific Ocean (BEAGLE2003 cruises). *Progress in Oceanography*, 89, 7-16, doi: 10.1016/j.pocean.2010.12.003.

3* Povinec, P. P., M. Aoyama, M. Fukasawa, K. Hirose, K. Komura, J. A. Sanchez- Cabeza, J. Gastaud, M. Jeskovsky, I. Levy and I. Sykora, 2011: ^{137}Cs water profiles in the South Indian Ocean - An evidence for accumulation of pollutants in the subtropical gyre. *Progress in Oceanography*, 89, 17-30, doi: 10.1016/j.pocean.2010.12.004.

4* Sanchez-Cabeza, J. A., I. Levy, J. Gastaud, M. Eriksson, I. Ovath, M. Aoyama, P. P. Povinec and K. Komura, 2011: Transport of North Pacific ^{137}Cs labeled waters to the south eastern Atlantic Ocean. *Progress in Oceanography*, 89, 31-37, doi: 10.1016/j.pocean.2010.12.005.

5* Tsumune, D., M. Aoyama, K. Hirose, F. Bryan, K. Lindsay and G. Danabasoglu, 2011: Transport of ^{137}Cs to the Southern Hemispheere in an Ocean General Circulation Model. *Progress in Oceanography*, 89, 38-48, doi: 10.1016/j.pocean. 2010.12.006.

6* Gastaud, J., P. P. Povinec, M. Aoyama, K. Hirose, J. A. Sanchez-Cabeza, I. Levy, P. Roos, M. Eriksson, E. Bosc and S. Rezzoug, 2011: Transport and scavenging of Pu in surface waters of the Southern hemisphere Oceans. *Progress in Oceanography*, 89, 92-100, doi: 10.1016/j.pocean.2010.12.009.

7* Hirose, K., C. S. Kim, S. A. Yim, M. Aoyama, M. Fukasawa, K. Komura, P. P. Povinec and J. A. Sanchez-Cabeza, 2011: Vertical profiles of plutonium in the central South Pacific. *Progress in Oceanography*, 89, 101-107, doi: 10.1016/ j.pocean.2010.12.010.

8* Levy, I., P. P. Povinec, M. Aoyama, K. Hirose, J. A. Sanchez-Cabeza, J-F. Comanducci, J. Gastaud, M. Eriksson, Y. Hamajima, C. S. Kim, K. Komura, I. Osvath, P. Roos and S. A. Yim, 2011: Marine anthropogenic radiotracers in the Southern Hemisphere: new sampling and analytical strategies. *Progress in Oceanography*, 89, 120-133, doi: 10.1016/j.pocean.2010.12.012.

9 Okada, Y. and M. Aoyama, 2011: Resources of heat, water and carbon fluxs for an inducedurban fire in 1945 Hiroshima based on field research of Japanese traditional houses. *REVISIT THE HIROSHIMA A-BOMB WITH A DATABASE*, 37-41.

10 Aoyama, M., N. Kawano, T. Koizumi, T. Okada, Y. Okada, M. Ohtaki and T. Tanikawa, 2011: Estimation of heat, water, and black carbon fluxes during the fire induced by the Hiroshima A-bomb. *REVISIT THE HIROSHIMA A-BOMB WITH A DATABASE*, 43-54.

11* Nishino, S. M. Itoh, Y. Kawaguchi, T. Kikuchi and M. Aoyama, 2011: Impact of an unusually large warm – core eddy on distributions of nutrients and phytoplankton in the southwestern Canada Basin during late summer/early fall 2010. *Geophys. Res. Lett.*, 38, L16602, doi: 10.1029/2011GL047885.

12 津旨大輔, 坪野考樹, 青山道夫, 廣瀬勝巳, 2011: 福島第一原子力発電所から漏洩した ^{137}Cs の海洋拡散シミュレーション. *電力中央研究所報告書*, V11002.

13* Buesseler, K., M. Aoyama and M. Fukasawa, 2011: Impacts of the Fukushima nuclear power plants on marine radioactivity. *Environ. Sci. Technol.*, 45(23), 9931–9935, doi: 10.1021/es202816c.

14 青山道夫, 2011: 福島原子力発電所事故による海洋汚染. *理大 科学フォーラム*, 329, 42-45.

15 青山道夫, 2011: 第 2 章 海水中の人工放射能 : 太平洋における ^{137}Cs の観測結果と海洋大循環モデルをつかった研究結果・第 5 章 海水中の人工放射能, 環境における人工放射能の研究 2011, 青山道夫編, 気象研究所地球化学研究部, 環境・応用気象研究部, ISSN 1348-9739.

16 Honda, M. C., Aono, T., Aoyama, M., Hamajima, Y., Kawakami, H., Kitamura, M., Masumoto, Y., Miyazawa, Y., Takigawa, M. and Saino, T., 2012: Dispersion of artificial caesium-134 and -137 in the western North Pacific one month after the Fukushima accident. *Geochemical Journal*, **46**, e1-e9.

足立アホロ 1* Adachi, A., T. Kobayashi, H. Yamauchi and S. Onogi, 2011: Detection of convective cells with a potential to produce local heavy rainfalls by a C-band polarimetric radar. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 81770P1-6,. doi: 10.1117/12.897807.

2* Kobayashi, T., K. Masuda, H. Yamauchi and A. Adachi, 2011: Physically-based simulator for measurements of precipitation with polarimetric and space-borne radars. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 8177101-6. doi: 10.1117/12.897702.

安藤　忍 1* 安藤忍, 2011: ALOS データを用いた InSAR 解析により捉えられた 2010 年 Eyjafjallajokull 火山噴火に伴う地殻変動. *測地学会誌*, **57**(2), 49-59.

五十嵐康人 1* Igarashi, Y., H. Fujiwara and D. Jugder, 2011: Change of the Asian dust source region deduced from the composition of anthropogenic radionuclides in surface soil in Mongolia. *Atmos. Chem. Phys.*, **11**, 7069-7080, doi: 10.5194/ acp-11-7069-2011.

2* Inomata, Y., Y. Igarashi, H. Naoe, H. Takahashi, A. Shimizu, N. Sugimoto and T. Y. Tanaka, 2011: Influence of blocking effect of mountain and local front on two Asian-dust events observed at Mt. Haruna and Tsukuba in Kanto, Japan, in 2007. *Atmospheric Environment*, **45**, 4429-4441, doi: 10.1016/j.atmosenv. 2011.05.038.

3* Jian Zheng, Yongsan Zhang, Masatoshi Yamada, Fengchang Wu, Yasuhito Igarashi and Katsumi Hirose, 2011: Determination of Pu isotopes and ^{241}Am in a Reference Fallout Material using SF-ICP-MS. *Radiation Protection Dosimetry*, **146**, No. 1–3, 307–31.

4* Kato, H., Y. Igarashi, Y. Dokiya and Y. Katayama, 2012: Vertical Distribution of Carbonyl Sulfide at Mt. Fuji, Japan., Water, *Air, & Soil Pollut.*, **223**, 159–167, doi: 10.1007/s11270-011-0847-0

5 五十嵐康人、梶野瑞王, 2011: 第 1 章 人工放射性降下物・第 3 章 福島第一原子力発電所事故によるつくば市における大気放射能の変動, 環境における人工放射能の研究 2011, 青山道夫編, 気象研究所地球化学研究部, 環境・応用気象研究部, ISSN 1348-9739.

石井雅男 1* Midorikawa, T., M. Ishii, D. Sasano, N. Kosugi, H. Sugimoto, N. Hiraishi, S. Masuda, T. Suzuki, T. R. Takamura and H. Y. Inoue, 2011: Ocean acidification in the subtropical North Pacific estimated from accumulated carbonate data. *Pap. Met. Geophys.*, **62**, 47-56, doi: 10.2467/mripapers.62.47.

2* Ishii, M., N. Kosugi, D. Sasano, S. Saito, T. Midorikawa and H. Y. Inoue, 2011: Ocean acidification off the south coast of Japan: A result from time series observations of CO_2 parameters from 1994 to 2008. *J. Geophys. Res.*, **116**, C06022, doi: 10.1029/2010JC00683.

3* Wada, A., T. Midorikawa, M. Ishii and T. Motoi, 2011: Carbon system changes in the East China Sea induced by Typhoons Tina and Winnie in 1997. *J. Geophys. Res.*, **116**, C07014, doi: 10.1029/2010JC006701.

4* Sasano, D., M. Ishii, T. Midorikawa, T. Nakano, T. Tokieda and H. Uchida, 2011: Testing a new quick response oxygen sensor, "RINKO". *Pap. Met. Geophys.*, **62**, 63-73, doi: 10.2467/mripapers.62.63.

5* Nakano, H., H. Tsujino, M. Hirabara, T. Yasuda, T. Motoi, M. Ishii and G. Yamanaka, 2011: Uptake mechanism of anthropogenic CO2 in the Kuroshio Extension region in an ocean general circulation model. *J. Oceanogr.*, **65**, 765-783, doi: 10.1007/s10872-011-0075-7.

6* Hama, T., S. Kawashima, K. Shimotori, Y. Satoh, Y. Omori, T. Adachi, S. Hasegawa, T. Midorikawa, M. Ishii, S. Saito, D. Sasano, H. Endo, T. Nakayama and I. Inouye, 2011: Effect of Ocean Acidification on Coastal Phytoplankton Composition and Accompanying Organic Nitrogen Production, *J. Oceanogr.*, **68**, 183-194. doi: 10.1007/s10872-011-0084-6.

7 Sugimoto, H., N. Hiraishi, M. Ishii and T. Midorikawa, 2012: The development of the Sea-Air CO2 flux estimation method in the Pacific Ocean. 気象研究所技術報告, **66**, 28pp.

8* Midorikawa, T., H. Y. Inoue, M. Ishii, D. Sasano, N. Kosugi, G. Hashida, S. Nakaoka and T. Suzuki, 2012: Decreasing pH trend estimated from 35-year time series of carbonate parameters in the Pacific sector of the Southern Ocean in summer, *Deep-Sea Res. I*, **61**, 131-139, doi: 10.1016/j.dsr.2011.12.003.

石井正好

1* Mochizuki, T, Y. Chikamoto, M. Kimoto, M. Ishii, H. Tatebe, Y. Komuro, T. T. Sakamoto, M. Watanabe and M. Mori, 2012: Decadal Prediction using a Recent Series of MIROC Global Climate Models. *JMSJ Special Issue on Recent Development on Climate Models and Future Climate Projections*, **90A**, 373-383.

2* Tatebe, H., M. Ishii, T. Mochizuki, Y. Chikamoto, T. T. Sakamoto, Y. Komuro, M. Mori, S. Yasunaka, M. Watanabe, K. Ogochi, T. Suzuki, T. Nishimura and M. Kimoto, 2012: Initialization of the climate model MIROC for decadal prediction with hydographic data assimilation. *JMSJ Special Issue on Recent Development on Climate Models and Future Climate Projections*, **90A**, 275-294.

3* Komuro, Y., T. Suzuki, T. T. Sakamoto, H. Hasumi, M. Ishii, M. Watanabe, T. Nozawa, T. Yokohata, T. Nishimura, K. Ogochi. S. Emori and M. Kimoto, 2012: Sea-ice climatology and trends in twentieth-century simulations by new MIROC coupled models. *JMSJ Special Issue on Recent Development on Climate Models and Future Climate Projections*, **90A**, 213-232.

4* Chikamoto, Y., M. Kimoto, M. Ishii, M. Watanabe, T. Nozawa, T. Mochizuki, H. Tatebe, T. Sakamoto, Y. Komuro, H. Shiogama, M. Mori, S. Yasunaka, Y. Imada, H. Koyama, M. Nozu and F-F. Jin, 2012: Predictability of a stepwise shift in Pacific climate during the late 1990s in hindcast experiments by MIROC. *JMSJ Special Issue on Recent Development on Climate Models and Future Climate Projections*, **90A**, 1-21.

5* Yasunaka, S., M. Ishii, M. Kimoto, T. Mochizuki and H. Shiogama, 2011: Influence of XBT Temperature Bias on Decadal Climate Prediction with a Coupled Climate Model. *J. Climate*, **24**, 5303-5308, doi: 10.1175/2011JCLI4230.1.

6* Suzuki, T. and M. Ishii, 2011: Long‐term regional sea level changes due to variations in water mass density during the period 1981–2007, *Geophys. Res. Lett.*, **38**, L21604, doi: 10.1029/2011GL049326.

石橋俊之

1* Ishibashi, T., 2011: Tangent linear approximation based observation data impact estimation in 4D-Var. *Quarterly Journal of the Royal Meteorological Society*, **137**, 1898–1912.

2 Ishibashi, T., 2011: Cloudy radiance assimilation with extension of control variables in 4D-Var, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **41**,1.11-1.12.

3 Ishibashi, T., 2011: Effects of basic state update in the JMA global 4D-Var, *CAS/JSC WGNE Research Activities in Atmospheric and Oceanic Modelling*, **41**,1.13-1.14.

石元裕史

1* Masuda, K., H. Ishimoto and Y. Mano, 2012: Efficient method of computing a geometric optics integral for light scattering by nonspherical particles. *Pap. Met. Geophys.*, **63**, 15-19, doi: 10.2467/mripapers.63.15.

2* Ishimoto, H., K. Masuda, Y. Mano, N. Orikasa and A. Uchiyama, 2012: Irregularly shaped ice aggregates in optical modeling of convectively generated ice clouds. *Journal of Quantitative Spectroscopy & Radiative Transfer*, **113**, 632-643.

岩切一宏　1* Hoshiba, M., K. Iwakiri, N. Hayashimoto, T. Shimoyama, K. Hirano, Y. Yamada, Y. Ishigaki and H. Kikuta, 2011: Outline of the 2011 off the Pacific coast Tohoku earthquake (Mw9.0) - Earthquake Early Warning and Observed Seismic Intensity -. *Earth Planets Space*, **63**, 547-551.

2 Hoshiba, M. and K. Iwakiri, 2011: Initial 30 seconds of the 2011 off the Pacific coast of Tohoku Earthquake (Mw 9.0) - amplitude and τc for magnitude estimation for Earthquake Early Warning -. *Earth Planets Space*, **63**, 553-557.

3* 岩切一宏, 干場充之, 大竹和生, 2012: 近距離に注目した既往の距離減衰式の検討 ―緊急地震速報の震度予測への適用性評価―, *験震時報*, **75**, 25-36.

4* 岩切一宏, 干場充之, 大竹和生, 下山利浩, 2012: 南関東周辺の KiK-net 強震データの緊急地震速報への活用検討, *験震時報*, **75**, 37-59.

上野　寛　1* Yoshida, Y., H. Ueno, D. Muto and S. Aoki, 2011: Source process of the 2011 off the Pacific coast of Tohoku Earthquake with the combination of teleseismic and strong motion data. *Earth, Planets and Space*, **63**, 565–569.

2 Katsumata, A., S. Aoki, Y. Yoshida, H. Ueno and T. Yokota, 2012: Rapid source parameter estimation of great earthquakes for tsunami warning. *Proceedings of the of International Symposium on Engineering Lessons Learned from the 2011 Great East Japan Earthquake*, 592-601.

上野　充　1 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, **65**, 193pp.

2* Ueno, M. and K. Bessho, 2011: A Statistical Analysis of Near-Core Surface Wind Asymmetries in Typhoons Obtained from QuikSCAT Data. *J. Meteor. Soc. Japan*, **89**, 225-241, doi: 10.2151/jmsj.2011-304.

碓氷典久　1* Usui, N., S. Ishizaki, Y. Fujii and M. Kamachi, 2011: Improving strategies with constraints regarding non-Gaussian statistics in a three-dimensional variational assimilation method. *J. Oceanogr.*, **67**, 253-262.

2* Usui, N., H. Tsujino, H. Nakano, Y. Fujii and M. Kamachi, 2011: Decay mechanism of the 2004/05 Kuroshio large meander. *J. Geophys. Res.*, **116**, C10010, doi: 10.1029/2011JC007009.

内山明博　1* Ishimoto, H., K. Masuda, Y. Mano, N. Orikasa and A. Uchiyama, 2012: Irregularly shaped ice aggregates in optical modeling of convectively generated ice clouds. *Journal of Quantitative Spectroscopy & Radiative Transfer*, **113**, 632-643, doi: 10.1016/j.jqsrt.2012.01.017.

遠藤洋和　1* Ebita, A., S. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, K. Onogi, Y. Harada, S. Yasui, K. Miyaoka, K. Takahashi, H. Kamahori, C. Kobayashi, H. Endo, M. Soma, Y. Oikawa and T. Ishimizu, 2011: The Japanese 55-year Reanalysis "JRA-55": An Interim Report. *SOLA*, **7**, 149-152.

2* Matsueda, M. and H. Endo, 2011: Verification of medium‐range MJO forecasts with TIGGE, *Geophys. Res. Lett.*, **38**, L11801, doi: 10.1029/2010GL046618.

3* Yokoi, S., Y. N. Takayabu, K. Nishii, H. Nakamura, H. Endo, H. Ichikawa, T. Inoue, M. Kimoto, Y. Kosaka, T. Miyasaka, K. Oshima, N. Sato, Y. Tsushima and M. Watanabe, 2011: Application of Cluster Analysis to Climate Model Performance Metrics, *Journal of Applied Meteorology and Climatology*, **50**, 1666-1675, doi: 10.1175/2011JAMC2643.

4* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh,

2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

5* Nishii K., T. Miyasaka, H. Nakamura, Y. Kosaka, S. Yokoi, Y. N. Takayabu, H. Endo, H. Ichikawa, T. Inoue, K. Oshima, N. Sato and Y. Tsushima, 2012: Relationship of the Reproducibility of Multiple Variables among Global Climate Models. *Journal of the Meteorological Society of Japan,* **90A**, 87-100, doi: 10.2151/jmsj.2012-A04.

6* Endo, H., 2012: Future Changes of Yamase Bringing Unusually Cold Summers over Northeastern Japan in CMIP3 Multi-Models. *Journal of the Meteorological Society of Japan*, **90A**, 123-136, doi: 10.2151/jmsj.2012-A06.

大島　長

1* Verma, R. L., Y. Kondo, N. Oshima, H. Matsui, K. Kita, L. K. Sahu, S. Kato, Y. Kajii, A. Takami and T. Miyakawa, 2011: Seasonal variations of the transport of black carbon and carbon monoxide from the Asian continent to the western Pacific in the boundary layer. *J. Geophys. Res.*, **116**, D21307, doi: 10.1029/2011JD015830.

2* Kondo, Y., N. Oshima, M. Kajino, R. Mikami, N. Moteki, N. Takegawa, R. L. Verma, Y. Kajii, S. Kato and A. Takami, 2011: Emissions of black carbon in East Asia estimated from observations at a remote site in the East China Sea. *J. Geophys. Res.*, **116**, D16201, doi: 10.1029/2011JD015637.

3* Oshima, N., Y. Kondo, N. Moteki, N. Takegawa, M. Koike, K. Kita, H. Matsui, M. Kajino, H. Nakamura, J. S. Jung and Y. J. Kim, 2012: Wet removal of black carbon in Asian outflow: Aerosol Radiative Forcing in East Asia (A-FORCE) aircraft campaign. *J. Geophys. Res.*, **117**, D03204, doi: 10.1029/2011JD016552.

岡本幸三

1* Bauer, P., T. Auligné, A. Geer, V. Guidardc, S. Heillietted, M. Kazumori, K. Okamoto, R. Renshaw and L.-P. Riishojgaardg, 2011: Status of cloud and precipitation assimilation at operational NWP centres. *Quart. J. Roy. Meteor. Soc.*, **137**: 1934-1951, doi: 10.1002/qj.905.

尾瀬智昭

1* Ose, T. and O. Arakawa, 2011: Uncertainty of future precipitation change due to global warming associated with sea surface temperature change in the tropical Pacific. *J. Meteor. Soc. Japan*, **89**, 539-552, doi: 10.2151/jmsj.2011-508.

2* Yukimoto, S., Y. Adachi, M. Hosaka, T. Sakami, H. Yoshimura, M. Hirabara, T. Y. Tanaka, E. Shindo, H. Tsujino, M. Deushi, R. Mizuta, S. Yabu, A. Obata, H. Nakano, T. Koshiro, T. Ose and A. Kitoh, 2012 : A new global climate model of the Meteorological Research Institute: MRI-CGCM3 -model description and basic performance-. *J. Meteor. Soc. Japan*, **90A**, 23-64, doi: 10.2151/jmsj.2012-A02.

3* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

鬼澤真也

1 新堀敏基, 鬼澤真也, 甲斐玲子, 2012: 2011 年霧島山（新燃岳）噴火に伴う降灰予報の予備検証. *火山噴火予知連絡会会報*, **108**, 185-188.

2 鬼澤真也, 2012: 伊豆大島火山の地殻変動. *火山噴火予知連絡会会報*, **109**, 41-45.

3 鬼澤真也, 2012: 霧島山（新燃岳）の地殻変動. *火山噴火予知連絡会会報*, **109**, 169-173.

折笠成宏

1* Ishimoto, H., K. Masuda, Y. Mano, N. Orikasa and A. Uchiyama, 2012: Irregularly shaped ice aggregates in optical modeling of convectively generated ice clouds. *Journal of Quantitative Spectroscopy & Radiative Transfer*, **113**, 632-643, doi: 10.1016/j.jqsrt.2012.01.017.

梶野瑞王

1* Kajino, M., H. Ueda, K. Sato and T. Sakurai, 2011: Spatial distribution of the source-receptor relationship of sulfur in Northeast Asia. *Atmos. Chem. Phys.*, **11**, 6475-6491.

2* Kajino, M., 2011: MADMS: Modal Aerosol Dynamics model for multiple Modes and fractal Shapes in the free-molecular and near-continuum regimes. *J. Aerosol Sci.,* 42(4), 224-248.

3* Kajino, M. and H. Ueda, 2011: Chapter 2. Secondary Acidification, *Monitoring, Control and Effects of Air Pollution,* Ed. Andrzej, G. Chmielewski, InTech Open Access Publisher, ISBN:978-953-307-526-6, 15-38.

4* 梶野瑞王, 2011: 大気エアロゾルの性質と素過程の多様性を考慮できる軽くて正確な新しい動力学モデル. *エアロゾル研究*, 26(4), 296-306.

5* Inomata, Y., M. Kajino, K. Sato, T. Ohara, J. Kurokawa, H. Ueda, N. Tang, K. Hayakawa, T. Ohizumi and H. Akimoto, 2012: Emission and atmospheric transport of particulate PAHs in Northeast Asia. *Environ. Sci. Technol.*, in press.

6* Katata, G., M. Kajino, T. Hiraki, M. Aikawa, T. Kobayashi and H. Nagai, 2011: A Method for simple and accurate estimation of fog deposition in a mountain forest using a meteorological model. *J. Geophys. Res.*, 116, D20102, doi: 10.1029/2010JD015552.

7* Ueda, H., T. Fukui, M. Kajino, M. Horiguchi, H. Hashiguchi and S. Fukao, 2012: Eddy diffusivities for momentum and heat in the upper troposphere and lower stratosphere measured by MU radar and RASS, and a comparison of turbulence model predictions. *J. Atmos. Sci.*, 69, doi: 10.1175/jas-d-11-023.1, 323-337.

8* Kondo, Y., N. Oshima, M. Kajino, R. Mikami, N. Moteki, N. Takegawa, R. L. Verma, Y. Kajii, S. Kato and A. Takami, 2011: Emissions of black carbon in East Asia estimated from the observations at a remote site in the East China Sea. *J. Geophys. Res.*, 116, D16201, doi: 10.1029/2011JD015637.

9* Wang, Y., X. Wang, Y. Kondo, M. Kajino, J. W. Munger and J. Hao, 2011: Measurements of black carbon and its correlation with trace gases at a rural site in Beijing: implications for bottom-up emissions. *J. Geophys. Res.*, 116, D24304, doi: 10.1029/2011JD016575.

10* Kim, C.-H., L.-S. Chang, J.-S. Kim, F. Meng, M. Kajino, H. Ueda, Y. Zhang, H.-Y. Son, Y. He, J. Xu, K. Sato, C.-K. Song, S.-J. Ban, T. Sakurai, Z. Han, L. Duan, S.-J. Lee, S.-G. Shim, S. Young, T.-Y. Lee, 2011: Long-term simulations of the sulfur concentrations over the China, Japan and Korea: A model comparison study. *Asia-Pacific Journal of Atmospheric Sciences,* 47(4), 399-411.

11* Kondo, Y., H. Matsui, N. Moteki, L. Sahu, N. Takegawa, M. Kajino, Y. Zhao, M. J. Cubison, J. L. Jiminez, S. Vay, G. S. Diskin, B. Anderson, A. Wisthaler, T. Mikoviny, H. E. Fuelberg, D. R. Blake, G. Huey, A. J. Weinheimer, D. J. Knapp and W. H. Brune, 2011: Emissions of black carbon, organic, and inorganic aerosols from biomass burning in North America and Asia in 2008. *J. Geophys. Res.*, 116, D08204, doi: 10,1029/2010JD015152.

12* Oshima, N., Y. Kondo, N. Moteki, N. Takegawa, M. Koike, K. Kita, H. Matsui, M. Kajino, H. Nakamura, J. S. Jung and Y. J. Kim, 2012: Wet removal of black carbon in Asian outflow: Aerosol Radiative Forcing in East Asia (A-FORCE) aircraft campaign. *J. Geophys. Res.*, 117, D03204, doi: 10.1029/2011JD016552.

13 梶野瑞王, 2011: Acid Rain 2011 国際会議の参加報告, *大気化学研究会ニュースレター*, 26, Winter 2011, p.6-7.

14 Kajino, M., K. Sato, Y. Inomata and H. Ueda, 2011: LTP report: Modeling Part of Japan. *Proceedings of 14th Expert Meeting for the Long-range Transboundary Air Pollution in Northeast Asia*, 30pp.

15 梶野瑞王, 2011: 第 4 章 大気モデルの結果. *環境における人工放射能の研究 2011*, 青山道夫編, 気象研究所地球化学研究部, 環境・応用気象研究部, ISSN 1348-9739.

勝間田明男 1 気象庁気象研究所（青木重樹, 吉田康宏, 干場充之, 勝間田明男）, 2011: 平成 23 年（2011 年）東北地方太平洋沖地震の短周期エンベロープを用いた振動源イメージング. *地震予知連絡会会報*, **86**, 74-79.

2 Katsumata, A., S. Aoki, Y. Yoshida, H. Ueno and T. Yokota, 2012: Rapid source parameter estimation of great earthquakes for tsunami warning. *Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan Earthquake*, 592-601.

蒲地政文 1* Fujii, Y., M. Kamachi, S. Matsumoto and S. Ishizaki, 2012: Barrier Layer and Relevant Variability of the Salinity Field in the Equatorial Pacific Estimated in an Ocean Reanalysis Experiment. *Pure and Applied Geophysics*, **169**, 579-594, doi: 10.1007/s00024-011-0387-y.

2* Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

3* Usui, N., S. Ishizaki, Y. Fujii and M. Kamachi, 2011: Improving strategies with constraints regarding non-Gaussian statistics in a three-dimensional variational assimilation method. *J. Oceanogr.*, **67**, 253-262.

4* Usui, N., H. Tsujino, H. Nakano, Y. Fujii and M. Kamachi, 2011: Decay mechanism of the 2004/05 Kuroshio large meander. *J. Geophys. Res.*, **116**, C10010, doi: 10.1029/2011JC007009.

5 蒲地政文, 2011: データ同化：観測とモデルの融合. *数学セミナー*, **50**(12), 12-36.

釜堀弘隆 1* Ebita, A., S. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, K. Onogi, Y. Harada, S. Yasui, K. Miyaoka, K. Takahashi, H. Kamahori, C. Kobayashi, H. Endo, M. Soma, Y. Oikawa and T. Ishimizu, 2011: The Japanese 55-year Reanalysis "JRA-55": An Interim Report. *SOLA*, **7**, 149-152.

2* Kamahori, H., 2012: Mean Features of Tropical Cyclone Precipitation from TRMM/3B42. *SOLA*, **8**, 17-20, doi: 10.2151/sola.2012-005.

3 Kamahori, H., 2012: The Inactive Typhoon Season of 2010. *RSMC Tokyo Typhoon Center Technical Review*, **No14**.

上口賢治 1* Kamiguchi, K., A. Kitoh and O. Arakawa, 2011: Long-term Changes in Japanese Extreme Precipitation Analyzed with APHRO_JP_EX. *Global Environ. Res.*, **15**, 91-99.

2* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

川合秀明 1* Kawai, H. and J. Teixeira, 2012: Probability Density Functions of Liquid Water Path and Total Water Content of Marine Boundary Layer Clouds: Implications for Cloud Parameterization. *J. Climate*, **25**, 2162-2177, doi: 10.1175/JCLI-D-11-00117.1.

川畑拓矢 1 Kawabata, T., Y. Shoji, H. Seko and K. Saito, 2011: An assimilation experiment of GPS-derived water vapor observations on a local heavy rainfall event. *CAS/JSC WGNE Res. Activ. Atmos. Ocean. Model.*, **41**, 1.15-1.16.

2 Saito, K., H. Seko, T. Kuroda, T. Fujita, T. Kawabata, K. Aonashi and T. Tsuyuki, 2011: Next generation supercomputer project toward cloud resolving NWP. *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 5.19-5.20.

3* Kawabata, T., T. Kuroda, H. Seko and K. Saito, 2011: A Cloud-Resolving 4DVAR Assimilation Experiment for a Local Heavy Rainfall Event in the Tokyo Metropolitan Area. *Mon. Wea. Rev.*, **139**, 1911-1931, doi: 10.1175/2011MWR 3428.1.

4* Mikami, A., T. Kawabata, S. Satoh, J.-I. Furumoto, S. Nagai, Y. Murayama and T.

Tsuda, 2011: Meso-γ-scale convective systems observed by a 443-MHz wind -profiling radar with RASS in the Okinawa subtropical region. *J. Atmos. Solar -Terrestrial Phys.*, 73, 996-1009.

5 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, 65, 193pp.

北畠尚子

1* Kitabatake, N, 2011: Climatology of extratropical transition of tropical cyclones in the western North Pacific. *J. Meteor. Soc. Japan*, 89(4), 309-325, doi: 10.2151 /jmsj.2011-402.

2 北畠尚子, 2011: Cyclone Phase Space（低気圧位相空間）. *天気*, 58(9), 801-803.

3 北畠尚子, 2011:「身近な気象の事典」新田尚　監修, 日本気象予報士会　編. *天気*, 58(10), 895-896.

鬼頭昭雄

1* Kamiguchi K., A. Kitoh and O. Arakawa, 2011: Long-term Changes in Japanese Extreme Precipitation Analyzed with APHRO_JP_EX. *Global Environ. Res.*, 15, 91-99.

2* Arakawa, O. and A. Kitoh, 2011: Intercomparison of the relationship between precipitation and elevation among gridded precipitation datasets over the Asian summer monsoon region. *Global Environ. Res.*, 15, 109-118.

3* Kitoh, A. and O. Arakawa, 2011: Precipitation climatology over the Middle East simulated by the high-resolution MRI-AGCM3. *Global Environ. Res.*, 15, 139-146.

4 Kitoh, A., 2011: Impact of Climate Change on Asian Monsoon Characteristics. *The Global Monsoon System: Research and Forecast, 2nd Edition, World Scientific Series on Asia-Pacific Weather and Climate - Vol. (C.-P. Chang, Y. Ding, N.-C. Lau, R.H. Johnson, B. Wang and T. Yasunari, eds.)*, 557-568.

5* Jin, F., A. Kitoh and P. Alpert, 2011: Climatological relationships among the moisture budget components and rainfall amounts over the Mediterranean based on a super-high-resolution climate model. *J. Geophys. Res.*, 116, D09102, doi: 10.1029/2010JD014021.

6 鬼頭昭雄, 2011: 超高解像度大気モデルによる将来の極端現象の変化予測. *検査技術*, 16(7), 30-35.

7* Wang, B, H.-J. Kim, K. Kikuchi and A. Kitoh, 2011: Diagnostic metrics for evaluation of annual and diurnal cycles. *Clim. Dyn.*, 37, 941-955.

8* Jin, F., A. Kitoh and P. Alpert, 2010: Water cycle changes over the Mediterranean: a comparison study of a super-high-resolution global model with CMIP3, *Phil. Trans. R. Soc. A*, 368, 1-13.

9 鬼頭昭雄, 2011: 近年の集中豪雨について. *ARDEC*, 45, 34-38.

10* Raible, C. C., S. Kleppek, M. Wuest, D. N. Bresch, A. Kitoh, H. Murakami and T. F. Stocker., 2012: Atlantic hurricanes and associated insurance loss potentials in future climate scenarios: limitations of high-resolved AGCM simulations. *Tellus A*, 64, 15672, doi: 10.3402/tellusa.v64i0.15672.

11* Hsu, P.-C., T. Li, J.-J. Luo, H. Murakami, A. Kitoh and M. Zhao, 2012: Increase of global monsoon area and precipitation under global warming: A robust signal? *Geophys. Res. Lett.*, 39, L06701, doi: 10.1029/2012GL051037.

12* Rahman, Md. M., N. Ferdousi, Y. Sato, S. Kusunoki and A. Kitoh, 2012: Rainfall and temperature scenario for Bangladesh using 20km mesh AGCM. *International Journal of Climate Change Strategies and Management*, 4, 66-80, doi: 10.1108/17568691211200227.

13* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K.

Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

木村一洋　1* Tsushima, H., K. Hirata, Y. Hayashi, Y. Tanioka, K. Kimura, S. Sakai, M. Shinohara, T. Kanazawa, R. Hino and K. Maeda, 2011: Near-field tsunami forecasting using offshore tsunami data from the 2011 off the Pacific coast of Tohoku Earthquake. *Earth Planets Space*, **63**, 821-826.

2* Hayashi, Y., H. Tsushima, K. Hirata, K. Kimura and K. Maeda, 2011: Tsunami source area of the 2011 off the Pacific coast of Tohoku Earthquake determined from tsunami arrival times at offshore observation stations. *Earth Planets Space*, **63**, 809-813.

3 林 豊, 対馬弘晃, 平田賢治, 木村一洋, 前田憲二, 2011: 沖合津波観測値からの逆伝播で推定した平成 23 年（2011 年）東北地方太平洋沖地震の津波波源域と顕著な海面隆起箇所. *地震予知連絡会会報*, **86**, 71-73.

4 小林昭夫, 木村一洋, 2011: 東北地方太平洋沖地震の数年前からの震源域内の非地震性すべり. *地震予知連絡会会報*, **86**, 182-183, http://cais.gsi.go.jp/YOCHIREN/report/kaihou86/03_33.pdf

楠　研一　1* 宮崎忠臣, 道本光一郎, 鈴木智幸, 岡田富男, 楠研一, 早川正士, 木村順一, 早川信一, 2011: 夏季雷の正、負極性放電比率と最終放電電流値について. *Journal of Atmospheric Electricity*, **31**, 71-83.

2 楠研一, 2011: 1.4　いろいろな風. *風を知り風と付き合う－耐風設計入門－テクニカルレポート*, **94**, 14-17, 日本鋼構造協会.

3* Kusunoki, K., 2011: Assessment of the Doppler Radar for Airport Weather (DRAW) system in Japan as a research tool for studying typhoon. *IEEJ Transactions on Fundamentals and Materials*, **131**(9), 711-715.

4* Torii, T., T. Sugita, M. Kamogawa, Y. Watanabe and K. Kusunoki, 2011: Migrating Source of Energetic Radiation Generated by Thunderstorm Activity. *Geophys. Res. Lett.* **38**, L24801, doi: 10.1029/2011GL049731.

5 楠研一, 2012: 特集:東北地方で行われている研究プロジェクト（II）「高精度センシング技術を用いた列車運行判断のための災害気象の監視・予測手法の開発」. *東北支部便り*, **71**, 1～3, 日本気象学会東北支部.

楠　昌司　1* Kusunoki, S., R. Mizuta and M. Matsueda, 2011: Future changes in the East Asian rain band projected by global atmospheric models with 20-km and 60-km grid size. *Clim. Dyn.*, **37**, 2481-2493, doi: 10.1007/s00382-011-000-x.

2* Kusunoki, S. and O. Arakawa, 2011: Change in the precipitation intensity of the East Asian summer monsoon projected by CMIP3 models. *Clim. Dyn.*, doi: 10.1007/s00382-011-1234-7.

3 楠昌司, 2012: 予測の信頼性を高め極端な気象現象に備える. *環境会議*, **2012** 年春号, 64-70.

4* Rahman, Md. M., N. Ferdousi, Y. Sato, S. Kusunoki and A. Kitoh, 2012: Rainfall and temperature scenario for Bangladesh using 20km mesh AGCM. *International Journal of Climate Change Strategies and Management*, **4**, 66-80, doi: 10.1108/17568691211200227.

5* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

朽木勝幸　1* Aoki, Te., K. Kuchiki, M. Niwano, Y. Kodama, M. Hosaka and T. Tanaka, 2011: Physically based snow albedo model to calculate broadband albedosand solar heating profile in snowpack for general circulation models. *J. Geophys. Res.*, **116**, D11114, doi: 10.1029/2010JD015507.

	2*	Kuchiki, K., Te. Aoki, M. Niwano, H. Motoyoshi and H. Iwabuchi, 2011: Effect of sastrugi on snow bidirectional reflectance and its application to MODIS data. *J. Geophys. Res.*, **116**, D18110, doi: 10.1029/2011JD016070.
小杉如央	1*	Midorikawa, T., M. Ishii, D. Sasano, N. Kosugi, H. Sugimoto, N. Hiraishi, S. Masuda, T. Suzuki, T. R. Takamura and H. Y. Inoue, 2011: Ocean acidification in the subtropical North Pacific estimated from accumulated carbonate data. *Pap. Met. Geophys.*, **62**, 47-56, doi: 10.2467/mripapers.62.47.
	2*	Ishii, M., N. Kosugi, D. Sasano, S. Saito, T. Midorikawa and H. Y. Inoue, 2011: Ocean acidification off the south coast of Japan: A result from time series observations of CO2 parameters from 1994 to 2008. *J. Geophys. Res.*, **116**, C06022, doi: 10.1029/2010JC00683.
	3*	Midorikawa, T., H. Y. Inoue, M. Ishii, D. Sasano, N. Kosugi, G. Hashida, S. Nakaoka, T. Suzuki, 2012: Decreasing pH trend estimated from 35-year time series of carbonate parameters in the Pacific sector of the Southern Ocean in summer, *Deep-Sea Res. I*, **61**, 131-139, doi: 10.1016/j.dsr.2011.12.003.
小林昭夫	1*	Kobayashi, A. and T. Yamamoto, 2011: Repetitive long-term slow slip events beneath the Bungo Channel, southwestern Japan, identified from leveling and sea level data from 1979 to 2008. *J. Geophys. Res.*, **116**, B04406, doi: 10.1029/2010JB007822.
	2*	Yoshida, A., K. Hosono, H. Takayama, A. Kobayashi and K. Maeda, 2011: Seismic and geodetic evidence for the existence of hot materials beneath the Wakayama swarm activity. *Tectonophysics*, **510**, 124-131, doi: 10.1016/j.tecto. 2011.06.023.
	3	小林昭夫, 木村一洋, 2011: 東北地方太平洋沖地震の数年前からの震源域内の非地震性すべり. *地震予知連絡会会報*, **86**, 182-183, http://cais.gsi.go.jp/YOCHIREN/report/kaihou86/03_33.pdf
	4*	小林昭夫, 2012: 高知市付近で 1977～1980 年頃に発生した長期的スロースリップ. 地震 2, **64**, 63-73
小林隆久	1*	Kobayashi, T., K. Masuda, H. Yamauchi and A. Adachi, 2011: Physically-based simulator for measurements of precipitation with polarimetric and space-borne radars. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 8177101-6. doi: 10.1117/12.897702.
	2*	Adachi, A., T. Kobayashi H. Yamauchi and S. Onogi, 2011: Detection of convective cells with a potential to produce local heavy rainfalls by a C-band polarimetric radar. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 81770P1-6, doi: 10.1117/12.897807.
小林ちあき	1*	Kobayashi, C. and K. Shibata, 2011: Evaluation of Dynamical Contribution to Lower Stratospheric Ozone Trends in Northern Mid-latitudes over the Last Three Decades (1980-2006) Using a Chemical Transport Model. *J. Meteor. Soc. Japan*, **89**(4), 363-376.
	2*	Ebita, A., S. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, K. Onogi, Y. Harada, S. Yasui, K. Miyaoka, K. Takahashi, H. Kamahori, C. Kobayashi, H. Endo, M. Soma, Y. Oikawa and T. Ishimizu, 2011: The Japanese 55-year Reanalysis "JRA-55": An Interim Report. *SOLA*, **7**, 149-152.
齋藤篤思	1*	DeMott, P. J., O. Mohler, O. Stetzer, G. Vali, Z. Levin, M. Petters, M. Murakami, T. Leisner, U. Bundke, H. Klein, Z. A. Kanji, R. Cotton, H. Jones, S. Benz, M. Brinkmann, D. Rzesanke, H. Saathoff, M. Nicolet, A. Saito, B. Nillius, H. Bingemer, J. Abbatt, K. Ardon, E. Ganor, D. G. Georgakopoulos and C. Saunders, 2011: Resurgence in Ice Nuclei Measurement Research. *Bull. Amer. Meteor. Soc.*, **92**(12), 1623-1636, doi: 10.1175/2011BAMS3119.1.
齊藤和雄	1	Kawabata, T., Y. Shoji, H. Seko and K. Saito, 2011: An assimilation experiment of

GPS-derived water vapor observations on a local heavy rainfall event. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, 41, 1.15-1.16.

2* Saito, K., M. Hara, M. Kunii, H. Seko and M. Yamaguchi, 2011: Comparison of initial perturbation methods for the mesoscale ensemble prediction system of the Meteorological Research Institute for the WWRP Beijing 2008 Olympics Research and Development Project (B08RDP). *Tellus A*, 63, 445-467, doi: 10.1111/j.1600-0870.2010.00509.x.

3* Seko, H., T. Miyoshi, Y. Shoji and K. Saito, 2011: Data assimilation experiments of precipitable water vapour using the LETKF system: intense rainfall event over Japan 28 July 2008. *Tellus A*, 63, 402-412, doi: 10.1111/j.1600-0870.2010. 00508.x.

4 Seko, H., T. Tsuyuki and K. Saito, 2011: Development of an LETKF nested system for a cloud resolving model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, 41, 1.25-1.26.

5 Seko, H., K. Saito and T. Tsuda, 2011: Data assimilation experiments of vertical gradient of refractive index observed by wind profilers. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, 41, 1.27-1.28.

6 Saito, K., H. Seko, T. Kuroda, T. Fujita, T. Kawabata, K. Aonashi and T. Tsuyuki, 2011: Next generation supercomputer project toward cloud resolving NWP. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, 41, 5.19-5.20.

7* Kunii, M., K. Saito, H. Seko, M. Hara, T. Hara, M. Yamaguchi, J. Gong, M. Charron, J. Du, Y. Wang and D. Chen, 2011: Verification and intercomparison of mesoscale ensemble prediction systems in the Beijing 2008 Olympics Research and Development Project. *Tellus A*, 63, 531-549, doi: 10.1111/j.1600- 0870.2011.00512.x.

8* Kawabata, T., T. Kuroda, H. Seko and K. Saito, 2011: A Cloud-Resolving 4DVAR Assimilation Experiment for a Local Heavy Rainfall Event in the Tokyo Metropolitan Area. *Mon. Wea. Rev.*, 139, 1911-1931, doi: 10.1175/2011MWR 3428.1.

9 加藤輝之, 新野宏, 吉崎正憲, 石原正仁, 藤吉康志, 斉藤和雄, 坪木和久, 2011: 第 35 回メソ気象研究会の報告. *天気*, 58, 819-824.

10* Trilaksono, N. J., S. Otsuka, S. Yoden, K. Saito and S. Hayashi, 2011: Dependence of Model Simulated Heavy Rainfall on the Horizontal Resolution during the Jakarta Flood Event in January-February 2007. *SOLA*, 7, 193-196.

11 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, 65, 193pp.

12* Saito, K., H. Seko, M. Kunii and T. Miyoshi, 2012: Effect of lateral boundary perturbations on the breeding method and the local ensemble transform Kalman filter for mesoscale ensemble prediction. *Tellus A*, 64, 1-23, doi: 10.3402/tellusa.v64i0.11594.

13 斉藤和雄, 2012: 気象予測. *シミュレーション辞典（日本シミュレーション学会編）*, 60, コロナ社.

酒井　哲 1* 内野修, 酒井哲, 永井智広, 中里真久, 森野勇, 横田達也, 松永恒雄, 杉本伸夫, 新井康平, 奥村浩, 2011: GOSAT プロダクト検証用可搬型ライダーの開発. *日本リモートセンシング学会誌*, 31, 435-445.

佐々木秀孝 1* Murazaki, K., K. Kurihara and H. Sasaki, 2010: Dynamical Downscaling of JRA-25 Precipitation over Japan Using the MRI-Regional Climate Model, *SOLA*, 6, 141-144, doi: 10.2151/sola.2010-036.

2* Sasaki, H., A. Murata, M. Hanafusa, M. Oh'izumi and K. Kurihara, 2011: Reproducibility of present climate in a non-hydrostatic regional climate model nested within an atmosphere general circulation model. *SOLA*, **7**, 173-176, doi: 10.2151/sola.2011-044.

笹野大輔 1* Midorikawa, T., M. Ishii, D. Sasano, N. Kosugi, H. Sugimoto, N. Hiraishi, S. Masuda, T. Suzuki, T. R. Takamura and H. Y. Inoue, 2011: Ocean acidification in the subtropical North Pacific estimated from accumulated carbonate data. *Pap. Met. Geophys.*, **62**, 47-56, doi: 10.2467/mripapers.62.47.

2 Ishii, M., N. Kosugi, D. Sasano, S. Saito, T. Midorikawa and H. Y. Inoue, 2011: Ocean acidification off the south coast of Japan: A result from time series observations of CO_2 parameters from 1994 to 2008. *J. Geophys. Res.*, **116**, C06022, doi: 10.1029/2010JC00683.

3 Sasano, D., M. Ishii, T. Midorikawa, T. Nakano, T. Tokieda and H. Uchida, 2011: Testing a new quick response oxygen sensor, "RINKO". *Pap. Met. Geophys.*, **62**, 63-73, doi: 10.2467/mripapers.62.63.

4* Hama, T., S. Kawashima, K. Shimotori, Y. Satoh, Y. Omori, T. Adachi, S. Hasegawa, T. Midorikawa, M. Ishii, S. Saito, D. Sasano, H. Endo, T. Nakayama and I. Inouye, 2011: Effect of Ocean Acidification on Coastal Phytoplankton Composition and Accompanying Organic Nitrogen Production, *J. Oceanogr.*, **68**, 183-194. doi: 10.1007/s10872-011-0084-6.

5* Midorikawa, T., H. Y. Inoue, M. Ishii, D. Sasano, N. Kosugi, G. Hashida, S. Nakaoka, T. Suzuki, 2012: Decreasing pH trend estimated from 35-year time series of carbonate parameters in the Pacific sector of the Southern Ocean in summer, *Deep-Sea Res. I*, **61**, 131-139, doi: 10.1016/j.dsr.2011.12.003.

澤　庸介 1* Wada, A., H. Matsueda, Y. Sawa, K. Tsuboi and S. Okubo, 2011: Seasonal variation of enhancement ratios of trace gases observed over 10 years in the western North Pacific. *Atmospheric Environment*, **45**, 2129-2137, doi: 10.1016/j.atmosenv.2011.01.043.

2* Patra, P. K, Y. Niwa, T. J. Schuck, C. A. M. Brenninkmeijer, T. Machida, H. Matsueda and Y. Sawa, 2011: Carbon balance of South Asia constrained by passenger aircraft CO_2 measurements. *Atmos. Chem. Phys.*, **11**, 4163-4175, doi: 10.5194/acp-11-4163-2011.

3 町田敏暢, 松枝秀和, 澤庸介, 2011: 定期航空路による温室効果ガス観測. *計測と制御*, **50**, 1-8.

4* Chevallier, F., N.-M. Deutscher, T.-J. Conway, P. Ciais, L. Ciattaglia, S. Dohe, M. Frohlich, A.-J. Gomez-Pelaez, D. Griffith, F. Hase, L. Haszpra, P. Krummel, E. Kyro, C. Labuschagne, R. Langenfelds, T. Machida, F. Maignan, H. Matsueda, I. Morino, J. Notholt, M. Ramonet, Y. Sawa, M. Schmidt, V. Sherlock, P. Steele, K. Strong, R. Sussmann, P. Wennberg, S. Wofsy, D. Worthy, D. Wunch and M. Zimnoch, 2011: Global CO_2 fluxes inferred from surface air-sample measurements and from TCCON retrievals of the CO_2 total column. *Geophys. Res. Lett.*, **38**, L24810.

5* Basu, S., S. Houweling, W. Peters, C. Sweeney, T. Machida, S. Maksyutov, P. K. Patra, R. Saito, F. Chevallier, Y. Niwa, H. Matsueda and Y. Sawa, 2011: The seasonal cycle amplitude of total column CO_2: Factors behind the model- observation mismatch. *J. Geophys. Res.*, **116**, D23306, doi: 10.1029/2011JD016124.

6* Niwa, Y., P. K. Patra, Y. Sawa, T. Machida, H. Matsueda, D. Belikov, T. Maki, M. Ikegami, R. Imasu, S. Maksyutov, T. Oda, M. Satoh and M. Takigawa, 2011: Three-dimensional variations of atmospheric CO_2: aircraft measurements and multi-transport model simulations. *Atmospheric Chemistry and Physics*, **11**, 13359–13375, doi: 10.5194/acp-11-13359-2011.

7* Ganshin, A., T. Oda, M. Saito, S. Maksyutov, V. Valsala, R.-J. Andres, R.-E. Fisher, D. Lowry, A. Lukyanov, H. Matsueda E.-G. Nisbet, M. Rigby, Y. Sawa, R. Toumi, K. Tsuboi, A. Varlagin and R. Zhuravlev, 2012: A global coupled Eulerian-Lagrangian model and 1×1 km CO_2 surface flux dataset for high- resolution atmospheric CO_2 transport simulations. *Geosci. Model Dev.*, 5, 231-243.

8 坪井一寛, 松枝秀和, 澤庸介, 丹羽洋介, 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 2012: C-130H 輸送機を利用した温室効果ガス観測のためのフラスコ採取とその高精度測定システムの開発. *気象研究所技術報告*, 67, 54pp.

9* Chunmao, Z., H. Y. Inoue, H. Matsueda, Y. Sawa, Y. Niwa, A. Wada and H. Tanimoto, 2012: Influence of Asian outflow on Rishiri Island, northernmost Japan: Application of radon as a tracer for characterizing fetch regions and evaluating a global 3D model. *Atmospheric Environment*, 50, 174-181, doi: 10.1016/j.atmosenv.2011.12.043.

10 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 松枝秀和, 澤庸介, 坪井一寛, 丹羽洋介, 2012: 航空機による上空の温室効果ガス観測の開始について～WMO/GAW 計画に貢献する気象庁の温室効果ガス観測～. *測候時報*, 78(6), 259-268.

11* Sawa, Y., T. Machida and H. Matsueda, 2012: Aircraft observation of the seasonal variation in the transport of CO_2 in the upper atmosphere. *J. Geophys. Res.*, 117, D05305.

柴田清孝

1* Deushi, M. and K. Shibata, 2011: Impacts of increases in greenhouse gases and ozone recovery on lower stratospheric circulation and the age of air: Chemistry–climate model simulations up to 2100. *J. Geophys. Res.*, 116, D07107, doi: 10.1029/2010JD015024.

2* Deushi, M. and K. Shibata, 2011: Development of a Meteorological Research Institute Chemistry-ClimateModel version 2 for the Study of Tropospheric and Stratospheric Chemistry. *Pap. Met. Geophys.*, 62, 1-46, doi: 10.2467/ mripapers.62.1.

3* Kobayashi, C. and K. Shibata, 2011: Evaluation of Dynamical Contribution to Lower Stratospheric Ozone Trends in Northern Mid-latitudes over the Last Three Decades (1980-2006) Using a Chemical Transport Model. *J. Meteor. Soc. Japan*, 89, 363-376.

4* Hardiman, S. C., N. Butchart, A. J. Charlton-Perez, T. A.Shaw, H. Akiyoshi, A. Baumgaertner, S. Bekki, P. Braesicke, M. Chipperfield, M. Dameris, R. R. Garcia, M. Michou, S. Pawson, E. Rozanov, K. Shibata, 2011: Improved predictability of the troposphere NAO using stratospheric final warmings, *J. Geophys. Res.*, 116, D18113, doi: 10.1029/2011JD015914.

5* Strahan, S. E., A. R. Douglass, R. S. Stolarski, H. Akiyoshi, S. Bekki, P. Braesicke, N. Butchart, M. P. Chipperfield, D. Cugnet, S. Dhomse, S. M. Frith, A. Gettelman, S. C. Hardiman, D. E. Kinnison, J. ‐F. Lamarque, E. Mancini, M. Marchand, M. Michou, O. Morgenstern, T. Nakamura, D. Olivie', S. Pawson, G. Pitari, D. A. Plummer, J. A. Pyle, J. F. Scinocca, T. G. Shepherd, K. Shibata, D. Smale, H. Teysse`dre, W. Tian and Y. Yamashita, 2011: Using transport diagnostics to understand Chemistry Climate Model ozone simulations, J. Geophys. Res., 116, D17302, doi: 10.1029/2010JD015360.

6* Forster, P. M., ：V. I. Fomichev, E. Rozanov, C. Cagnazzo, A. I. Jonsson, U. Langematz, B. Fomin, M. J. Iacono, B, Mayer, E, Mlawer, G. Myhre, R. W. Portmann, H. Akiyoshi, V. Falaleeva, N. Gillett, A. Karpechko, J. Li, P. Lemennais, O. Morgenstern, S. Oberla"nder, M. Sigmond, K. Shibata,2011: Evaluation of radiation scheme performance within chemistry-climate

models, *J. Geophys. Res.*, 116, D10302, doi: 10.1029/2010JD015361.

7* Bais, A. F., Tourpali, K., Kazantzidis, A., Akiyoshi, H., Bekki, S., Braesicke, P., Chipperfield, M. P., Dameris, M., Eyring, V., Garny, H., Iachetti, D., Jo"ckel, P., Kubin, A., Langematz, U., Mancini, E., Michou, M., Morgenstern, O., Nakamura, T., Newman, P. A., Pitari, G., Plummer, D. A., Rozanov, E., Shepherd, T. G., Shibata, K., Tian, W. and Yamashita, Y., 2011: Projections of UV radiation changes in the 21st century: impact of ozone recovery and cloud effects, Atmos. Chem. Phys. Discuss., 11, 10769-10797, doi: 10.5194/acpd-11-10769-2011.

8* Butchart, N., A. J. Charlton-Perez, I. Cionni, S. C. Hardiman, P. H. Haynes, K. Kru"ger, P. Kushner, P. A. Newman, S. M. Osprey, J. Perlwitz, M. Sigmond, L. Wang, H. Akiyoshi, J. Austin, S. Bekki, A. Baumgaertner, P. Braesicke, C. Bru"hl, M. Chipperfield, M. Dameris, S. Dhomse, V. Eyring, R. Garcia, H. Garny, A. Gettelman, P. Jo"ckel, D. Kinnison, J.-F. Lamarque, M. Marchand, M. Michou, O. Morgenstern, T. Nakamura, S. Pawson, T. Peter, D. Plummer, J. Pyle, E. Rozanov, J. Scinocca, T. G. Shepherd, K. Shibata, D. Smale, R. Stolarski, H. Teyssedre, W. Tian, D. W. Waugh and Y. Yamashita, 2011: Multi-model climatologies of the stratosphere, *J. Geophys. Res.*, 116, D05102, doi: 10.1029/2010JD014995.

9* Gillett, N. P., Akiyoshi, H., Bekki, S., Eyring, V., Garcia, R., McLinden, C. A., Karpechko,A. Yu., Plummer, D. A., Rozanov, E., Scinocca, J. and Shibata, K, 2011: Attribution of observed changes in stratospheric ozone and temperature, *Atmos. Chem. Phys.*, 11, 599-609, doi: 10.5194/acp-11-599-2011.

10* Naoe, H. and K. Shibata, 2012: Future changes in the influence of the quasi-biennial oscillation on the northern polar vortex simulated with an MRI chemistry climate model. *J. Geophys. Res.*, 117, D03102.

11* Shibata, K. and M. Deushi, 2012: Future changes in the quasi-biennial oscillation under a greenhouse gas increase and ozone recovery in transient simulations by a chemistry-climate model, Greenhouse Gases - Emission, Measurement and Management, *Dr. Guoxiang Liu (Ed.)*, 355-386, ISBN: 978-953-51-0323-3.

小司禎教

1 Kawabata, T., Y. Shoji, H. Seko and K. Saito, 2011: An assimilation experiment of GPS-derived water vapor observations on a local heavy rainfall event. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, 41, 1.15-1.16.

2* Seko, H., T. Miyoshi, Y. Shoji and K. Saito, 2011: Data assimilation experiments of precipitable water vapor using the LETKF system: intense rainfall event over Japan 28 July 2008. *Tellus A*, 63, 402-412, doi: 10.1111/j.1600-0870.2010.00508.x.

3 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, 65, 193pp.

新藤永樹

1 Murakami H, R. Mizuta and E. Shindo. 2011: Future changes in tropical cyclone activity projected by multi-physics and multi-SST ensemble experiments using the 60-km-mesh MRI-AGCM. Clim. Dyn., DOI: 10.1007/s00382-011-1223-x.

新堀敏基

1 新堀敏基, 鬼澤真也, 甲斐玲子, 2012: 2011 年霧島山（新燃岳）噴火に伴う降灰予報の予備検証. *火山噴火予知連絡会会報*, 108, 185-188.

2 新堀敏基, 福井敬一, 2012: 種子島・福岡レーダーで観測された 2011 年霧島山（新燃岳）噴火に伴う噴煙エコー頂高度の時間変化. *火山噴火予知連絡会会報*, 108, 189-196.

	3	新堀敏基, 福井敬一, 2012: 種子島・福岡レーダーで観測された 2011 年霧島山（新燃岳）噴火に伴う噴煙エコー頂高度の時間変化（その２）. *火山噴火予知連絡会会報*, **109**, 174-179.
清野直子	1*	Aoyagi, T. and N. Seino, 2011: A Square Prism Urban Canopy Scheme for the NHM and Its Evaluation on Summer Conditions in the Tokyo Metropolitan Area, Japan, *J. Appl. Meteor. Climatol.*, **50**, 1476-1496 doi: 10.1175/2011 JAMC2489.1.
	2	青柳曉典, 清野直子, 2012: メソ数値予報モデルと都市. *気象研究ノート*, **224**, 273-301.
	3	Aoyagi, T., N. Kayaba and N. Seino, 2011: Numerical simulation of the surface air temperature change caused by increases of urban area, anthropogenic heat, and building aspect ratio in the Kanto-Koshin Area. *J. Meteor. Soc. Japan*, **90B**, 11-31, doi: 10.2151/jmsj.2012-B02.
関山　剛	1*	Tanaka, T. Y., T. T. Sekiyama, T. Maki and M. Mikami, 2011: The Effects of Snow Cover and Soil Moisture on Asian Dust: I. A Numerical Sensitivity Study. *SOLA*, **7A**, 36-39, doi: 10.2151/sola.7A-010.
瀬古　弘	1	Kawabata, T., Y. Shoji, H. Seko and K. Saito, 2011: An assimilation experiment of GPS-derived water vapor observations on a local heavy rainfall event. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 1.15-1.16.
	2*	草開浩, 小山芳太, 金森恒雄, 瀬古弘, 2011: 2008 年 7 月 28 日近畿地方を南西進した線状降水帯と都賀川での大雨について. *天気*, **58**, 395-412.
	3*	Saito, K., M. Hara, M. Kunii, H. Seko and M. Yamaguchi, 2011: Comparison of initial perturbation methods for the mesoscale ensemble prediction system of the Meteorological Research Institute for the WWRP Beijing 2008 Olympics Research and Development Project (B08RDP). *Tellus A*, **63**, 445-467, doi: 10.1111/j.1600-0870.2010.00509.x.
	4*	Seko, H., T. Miyoshi, Y. Shoji and K. Saito, 2011: Data assimilation experiments of precipitable water vapour using the LETKF system: intense rainfall event over Japan 28 July 2008. *Tellus A*, **63**, 402-412, doi: 10.1111/j.1600-0870. 2010.00508.x.
	5	Seko, H., K. Saito and T. Tsuda, 2011: Data assimilation experiments of vertical gradient of refractive index observed by wind profilers. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 1.27-1.28.
	6	Seko, H., T. Tsuyuki and K. Saito, 2011: Development of an LETKF nested system for a cloud resolving model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 1.25-1.26.
	7	Saito, K., H. Seko, T. Kuroda, T. Fujita, T. Kawabata, K. Aonashi and T. Tsuyuki, 2011: Next generation supercomputer project toward cloud resolving NWP. *CAS/JSC WGNE Res. Act. Atmos. Oceanic Modell.*, **41**, 5.19-5.20.
	8*	Kunii, M., K. Saito, H. Seko, M. Hara, T. Hara, M. Yamaguchi, J. Gong, M. Charron, J. Du, Y. Wang and D. Chen, 2011: Verification and intercomparison of mesoscale ensemble prediction systems in the Beijing 2008 Olympics Research and Development Project. *Tellus A*, **63**, 531-549, doi: 10.1111/ j.1600-0870.2011.00512.x.
	9*	Kawabata, T., T. Kuroda, H. Seko and K. Saito, 2011: A Cloud-Resolving 4DVAR Assimilation Experiment for a Local Heavy Rainfall Event in the Tokyo Metropolitan Area. *Mon. Wea. Rev.*, **139**, 1911-1931, doi: 10.1175/2011MWR 3428.1.

10 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, **65**, 193pp.

11* Saito, K., H. Seko, M. Kunii and T. Miyoshi, 2012: Effect of lateral boundary perturbations on the breeding method and the local ensemble transform Kalman filter for mesoscale ensemble prediction. *Tellus A*, **64**, 1-23, doi: 10.3402/tellusa.v64i0.11594.

田尻拓也

1* Yamamoto, M. K., T. Mega, N. Ikeno, T. Shimomai, H. Hashiguchi, M. Yamamoto, M. Nakazato, T. Tajiri and Y. Ohigashi, 2011: Assessment of radar reflectivity and Doppler velocity measurement by FMCW Ka-band Doppler weather radar. *J. Atmos. Electr.*, **31**, 85-94.

2* Yamashita, K., M. Murakami, A. Hashimoto and T. Tajiri, 2011: CCN ability of Asian mineral dust particles and their effects on cloud droplet formation. *J. Meteorol. Soc. Japan*, **89**, 581-587.

3* Luce, H., N. Nishi, J. Caccia, S. Fukao, M. K. Yamamoto, T. Mega, H. Hashiguchi, T. Tajiri and M. Nakazato, 2012: Kelvin-Helmholtz billows generated at a cirrus cloud base within a tropopause fold/upper-level frontal system. *Geophys. Res. Lett.*, **39**, L04807.

田中泰宙

1* Tanaka, T. Y., T. T. Sekiyama, T. Maki and M. Mikami, 2011: The Effects of Snow Cover and Soil Moisture on Asian Dust: I. A Numerical Sensitivity Study. *SOLA*, **7A**, 36-39, doi: 10.2151/sola.7A-010.

2* Aoki, Te., K. Kuchiki, M. Niwano, Y. Kodama, M. Hosaka and T. Tanaka, 2011: Physically based snow albedo model to calculate broadband albedos and solar heating profile in snowpack for general circulation models. *J. Geophys. Res.*, **116**, D11114, doi: 10.1029/2010JD015507.

3 青木輝夫, 田中泰宙, 2011: 雪氷中の光吸収性エアロゾル. *気象研究ノート*, **222**, 95-106.

4* Inomata, Y., Y. Igarashi, H. Naoe, H. Takahashi, A. Shimizu, N. Sugimoto and T. Y. Tanaka, 2011: Influence of blocking effect of mountain and local front on two Asian-dust events observed at Mt. Haruna and Tsukuba in Kanto, Japan, in 2007. *Atmospheric Environment*, **45**, 4429-4441, doi: 10.1016/j.atmosenv.2011.05.038.

津口裕茂

1 Tsuguti, H. and T. Kato, 2011: Case study of a heavy rainfall event in Amami Island on 20 October 2010. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 5.23-5.24.

2 加藤輝之, 津口裕茂, 2011: 「東アジア域でのメソ対流系とハイインパクトな気象に関する国際会議（ICMCS-Ⅷ）」参加報告. *天気*, **58**, 785-792.

辻野博之

1 Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi, and G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, **67**(4), 449-479, doi: 10.1007/s10872-011-0050-3.

2* Endoh, T., H. Tsujino, T. Hibiya, 2011: The effect of Koshu seamount on the formation of the Kuroshio large meander south of Japan, *J. Phys. Oceanogr.* **41**, 1624-1629, doi: 10.1175/JPO-D-11-074.1.

3* Nakano, H., H. Tsujino, M. Hirabara, T. Yasuda, T. Motoi, M. Ishii and G. Yamanaka, 2011: Uptake mechanism of anthropogenic CO2 in the Kuroshio Extension region in an Ocean General Circulation Model. *J. Oceanogr.*, **67**(6), 765-783, doi: 10.1007/s10872-011-0075-7.

4* Usui, N., H. Tsujino, H. Nakano, Y. Fujii and M. Kamachi, 2011: Decay mechanism of the 2004/05 Kuroshio large meander. *J. Geophys. Res.*, 116, C10010, doi: 10.1029/2011JC007009.

5* Yamanaka, G., H. Ishizaki, H. Tsujino, H. Nakano and M. Hirabara, 2012: Impact of Solar Radiation Data and Its Absorption Schemes on Ocean Model Simulations. *Solar Radiation*, 77-98, INTECH, ISBN 979-953-307-424-4.

対馬弘晃

1* Ito, Y., T. Tsuji, Y. Osada, M. Kido, D. Inazu, Y. Hayashi, H. Tsushima, R. Hino and H. Fujimoto, 2011: Frontal wedge deformation near the source region of the 2011 Tohoku-Oki earthquake. *Geophys. Res. Lett.*, 38, L00G05.

2* Tsushima, H., K. Hirata, Y. Hayashi, Y. Tanioka, K. Kimura, S. Sakai, M. Shinohara, T. Kanazawa, R. Hino and K. Maeda, 2011: Near-field tsunami forecasting using offshore tsunami data from the 2011 off the Pacific coast of Tohoku Earthquake. *Earth Planets Space*, 63, 821-826.

3* Hayashi, Y., H. Tsushima, K. Hirata, K. Kimura and K. Maeda, 2011: Tsunami source area of the 2011 off the Pacific coast of Tohoku Earthquake determined from tsunami arrival times at offshore observation stations. *Earth Planets Space*, 63, 809-813.

4 林豊, 対馬弘晃, 平田賢治, 木村一洋, 前田憲二, 2011: 沖合津波観測値からの逆伝播で推定した平成 23 年（2011 年）東北地方太平洋沖地震の津波波源域と顕著な海面隆起箇所. *地震予知連絡会会報*, 86, 71-73.

5 Hayashi, Y., H. Tsushima, Y. Yoshida and T. Yokota, 2012: The impulsive tsunami source of the 2011 Off the Pacific Coast of Tohoku Earthquake estimated from seismic wave and offshore tsunami data. *Technical Note of Public Work Research Institute*, 4217, 191-200.

6* Ohta, Y., T. Kobayashi, H. Tsushima, S. Miura, R. Hino, T. Takasu, H. Fujimoto, T. Iinuma, K. Tachibana, T. Demachi, T. Sato, M. Ohzono and N. Umino, 2012: Quasi real-time fault model estimation for near-field tsunami forecasting based on RTK-GPS analysis: Application to the 2011 Tohoku-Oki Earthquake (Mw 9.0). *J. Geophys. Res.*, 117, B02311, doi: 10.1029/2011JB008750.

7 吉田康宏, 対馬弘晃, 2012: 地震波と津波からみた東北地方太平洋沖地震, *海岸*, 51, 7-12.

8* Tsushima, H., R. Hino, Y. Tanioka, F. Imamura and H. Fujimoto, 2012: Tsunami waveform inversion incorporating permanent seafloor deformation and its application to tsunami forecasting. *J. Geophys. Res.*, 117, B03311, doi: 10.1029/2011JB008877.

9 Hayashi, Y., H. Tsushima and Y. Yoshida, 2012: Real-time detection of the source area of an intense tsunami - Case study of the 2011 Great East Japan Earthquake. *Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan,* 632-643.

坪井一寛

1* Wada, A., H. Matsueda, Y. Sawa, K. Tsuboi and S. Okubo, 2011: Seasonal variation of enhancement ratios of trace gases observed over 10 years in the western North Pacific. *Atmospheric Environment*, 45, 2129-2137, doi: 10.1016/j.atmosenv.2011.01.043.

2* Ganshin, A., T. Oda, M. Saito, S. Maksyutov, V. Valsala, R.-J. Andres, R.-E. Fisher, D. Lowry, A. Lukyanov, H. Matsueda E.-G. Nisbet, M. Rigby, Y. Sawa, R. Toumi, K. Tsuboi, A. Varlagin and R. Zhuravlev, 2012: A global coupled Eulerian-Lagrangian model and 1×1 km CO2 surface flux dataset for high-resolution atmospheric CO2 transport simulations. *Geosci. Model Dev.*, 5, 231-243.

3 坪井一寛, 松枝秀和, 澤庸介, 丹羽洋介, 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 2012: C-130H 輸送機を利用した温

室効果ガス観測のためのフラスコ採取とその高精度測定システムの開発. *気象研究所技術報告*, **67**, 54pp.

4　中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 松枝秀和, 澤庸介, 坪井一寛, 丹羽洋介, 2012: 航空機による上空の温室効果ガス観測の開始について～WMO/GAW 計画に貢献する気象庁の温室効果ガス観測～. *測候時報*, **78**(6), 259-268.

露木　義　1　Seko, H., T. Tsuyuki and K. Saito, 2011: Development of an LETKF nested system for a cloud resolving model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 1.25-1.26.

2　Matsueda, M., M. Kyouda, Z. Toth, H.L. Tanaka and T. Tsuyuki, 2011: Predictability of an Atmospheric Blocking Event that Occurred on 15 December 2005. *Mon. Wea. Rev.*, **139**, 2455–2470 doi: 10.1175/2010MWR3551.1.

出牛　真　1*　Deushi, M. and K. Shibata, 2011: Impacts of increases in greenhouse gases and ozone recovery on lower stratospheric circulation and the age of air: Chemistry-climate model simulations up to 2100. *J. Geophys. Res.*, **116**, D07107, doi: 10.1029/2010JD015024.

2*　Deushi, M. and K. Shibata, 2011: Development of a Meteorological Research Institute Chemistry-ClimateModel version 2 for the Study of Tropospheric and Stratospheric Chemistry. *Pap. Met. Geophys.*, **62**, 1-46, doi: 10.2467/mripapers.62.1.

豊田隆寛　1*　Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

直江寛明　1*　Inomata, Y., Y. Igarashi, H. Naoe, H. Takahashi, A. Shimizu, N. Sugimoto and T. Y. Tanaka, 2011: Influence of blocking effect of mountain and local front on two Asian-dust events observed at Mt. Haruna and Tsukuba in Kanto, Japan, in 2007. *Atmospheric Environment*, **45**, 4429-4441, doi: 10.1016/ j.atmosenv.2011.05.038.

2*　Naoe, H. and K. Shibata, 2012: Future changes in the influence of the quasi- biennial oscillation on the northern polar vortex simulated with an MRI chemistry climate model. *J. Geophys. Res.*, **117**, D03102. doi: 10.1029/2011JD016255.

3*　Inoue, M., M. Takahashi and H. Naoe, 2011: Relationship between the stratospheric quasi-biennial oscillation and tropospheric circulation in northern autumn. *J. Geophys. Res.*, **116**, D24115, doi: 10.1029/2011JD016040.

永井智広　1*　内野修, 酒井哲, 永井智広, 中里真久, 森野勇, 横田達也, 松永恒雄, 杉本伸夫, 新井康平, 奥村浩, 2011: GOSAT プロダクト検証用可搬型ライダーの開発. *日本リモートセンシング学会誌*, **31**, 435-445.

仲江川敏之　1*　Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

2*　石崎安洋、仲江川敏之, 高薮出, 2011: 地域気候マルチモデルアンサンブルを 用いた日本域における降水の再現性, *水工学論文集*, **55**, S433-S438.

3*　仲江川敏之, 2011: 全球大気モデルを用いた河川流量の潜在的季節予測可能性と その水平解像度依存性, *水工学論文集*, **55**, S253-S258.

4*　Kitoh, A., S. Kusunoki and T. Nakaegawa 2011: Climate change projections over South America in the late 21st century with the 20 and 60 km mesh Meteorological Research Institute atmospheric general circulation model (MRI-AGCM), *J. Geophys. Res.*, **116**, D06105, doi: 10.1029/2010JD014920.

5* Nakaegawa, 2011: Uncertainty in land cover datasets for global land-surface models derived from 1-km global land cover datasets, *Hydrological Processes*. DOI: 10.1002/hyp.8011.

6* アイヌルアブリズ, 丸谷靖幸, 中山恵介, 仲江川敏之, 古川恵太, 2011: 東京湾の水環境予測を目指したGCMデータの利用, *海洋開発論文集*, **27**, 277-282.

7* Nakayama, K., A. Abuliz, T. Nakaegawa and Y. Maruya: Evaluation of nutrient flux from Shiretoko into the ocean using MRI-GCM, *Hydrological Research Letters*, **5**, 47-51.

8* 丸谷靖幸, アイヌルアブリズ, 中山恵介, 仲江川敏之, 古川恵太, 駒井克明, 鰀目淑範, 2011: 東京湾における貧酸素水塊の解消要因である強風の将来予測に向けて, *海岸工学論文集*, **58**, 921-925.

9* Kobashi, T., K. Kawamura, J. P. Severinghaus, J.-M. Barnola, T. Nakaegawa, B. M. Vinther, S. J. Johnsen and J. E. Box 2011: High variability of Greenland surface temperature over the past 4000 years estimated from trapped air in an ice core, *Geophys. Res. Lett.*, **38**, L21501, doi: 10.1029/2011GL049444.

中野英之

1* Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi and G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, **67**(4), 449-479, doi: 10.1007/s10872-011-0050-3.

2* Nakano, H., H. Tsujino, M. Hirabara, T. Yasuda, T. Motoi, M. Ishii and G. Yamanaka, 2011: Uptake mechanism of anthropogenic CO2 in the Kuroshio Extension region in an Ocean General Circulation Model. *J. Oceanogr.*, **67**(6), 765-783, doi: 10.1007/s10872-011-0075-7.

3* Usui, N., H. Tsujino, H. Nakano, Y. Fujii and M. Kamachi, 2011: Decay mechanism of the 2004/05 Kuroshio large meander. *J. Geophys. Res.*, 116, C10010, doi: 10.1029/2011JC007009.

4* Yamanaka, G., H. Ishizaki, H. Tsujino, H. Nakano and M. Hirabara, 2012: Impact of Solar Radiation Data and Its Absorption Schemes on Ocean Model Simulations. *Solar Radiation,* 77-98, INTECH, ISBN 979-953-307-424-4.

庭野匡思

1* Aoki, Te., K. Kuchiki, M. Niwano, Y. Kodama, M. Hosaka and T. Tanaka, 2011: Physically based snow albedo model to calculate broadband albedos and solar heating profile in snowpack for general circulation models. *J. Geophys. Res.*, **116**, D11114, doi: 10.1029/2010JD015507.

2* Kuchiki, K., T. Aoki, M. Niwano, H. Motoyoshi and H. Iwabuchi, 2011: Effect of sastrugi on snow bidirectional reflectance and its application to MODIS data. *J. Geophys. Res.*, **116**, D18110, doi: 10.1029/2011JD016070.

丹羽洋介

1* Patra, P. K., Y. Niwa, T. J. Schuck, C. A. M. Brenninkmeijer, T. Machida, H. Matsueda and Y. Sawa, 2011: Carbon balance of South Asia constrained by passenger aircraft CO_2 measurements. *Atmos. Chem. Phys.*, **11**, 4163-4175, doi: 10.5194/acp-11-4163-2011.

2* Niwa, Y., H. Tomita, M. Satoh and R. Imasu, 2011: A three-dimensional icosahedral grid advection scheme preserving monotonicity and consistency with continuity for atmospheric tracer transport. *J. Meteor. Soc. Japan*, **89**, 255-268.

3* Saito, R., S. Houweling, P. K. Patra, D. Belikov, R. Lokupitiya, Y. Niwa, F. Chevallier, T. Saeki and S. Maksyutov, 2011: TransCom satellite intercomparison experiment: Construction of a bias corrected atmospheric CO_2 climatology. *J. Geophys. Res.*, **116**, D21120, doi: 10.1029/2011JD016033.

4* Basu, S., S. Houweling, W. Peters, C. Sweeney, T. Machida, S. Maksyutov, P. K. Patra,

R. Saito, F. Chevallier, Y. Niwa, H. Matsueda and Y. Sawa, 2011: The seasonal cycle amplitude of total column CO_2: Factors behind the model- observation mismatch. *J. Geophys. Res.*, **116**, D23306, doi: 10.1029/2011JD 016124.

5* Niwa, Y., P. K. Patra, Y. Sawa, T. Machida, H. Matsueda, D. Belikov, T. Maki, M. Ikegami, R. Imasu, S. Maksyutov, T. Oda, M. Satoh and M. Takigawa, 2011: Three-dimensional variations of atmospheric CO_2: aircraft measurements and multi-transport model simulations. *Atmospheric Chemistry and Physics*, **11**, 13359–13375, doi: 10.5194/acp-11-13359-2011.

6 坪井一寛, 松枝秀和, 澤庸介, 丹羽洋介, 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 2012: C-130H 輸送機を利用した温室効果ガス観測のためのフラスコ採取とその高精度測定システムの開発. *気象研究所技術報告*, **67**, 54pp.

7* Chunmao, Z., H. Y. Inoue, H. Matsueda, Y. Sawa, Y. Niwa, A. Wada and H. Tanimoto, 2012: Influence of Asian outflow on Rishiri Island, northernmost Japan: Application of radon as a tracer for characterizing fetch regions and evaluating a global 3D model. *Atmospheric Environment*, **50**, 174-181, doi: 10.1016/j.atmosenv.2011.12.043.

8 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 松枝秀和, 澤庸介, 坪井一寛, 丹羽洋介, 2012: 航空機による上空の温室効果ガス観測の開始について～WMO/GAW 計画に貢献する気象庁の温室効果ガス観測～. *測候時報*, **78**(6), 259-268.

9* M. Sasakawa, A. Ito, T. Machida, N. Tsuda, Y. Niwa, D. Davydov, A. Fofonov and M. Arshinov, 2012: Annual variation of CH_4 emissions from the middle taiga in West Siberian Lowland (2005-2009): a case of high CH_4 flux and precipitation rate in the summer of 2007. *Tellus B*, **64**, 17514, doi: 10.3402/ tellusb.v64i0.17514.

萩野谷成徳　1* B. Y. Lee and S. Haginoya, 2011: The latent heat exchange on the ground. *Journal of the Environmantal Sciences*, **20**, 1061-1068, doi: 10.5322/JES.2011.20.8. 1061.

橋本明弘　1* Yamashita, K., M. Murakami, A. Hashimoto and T. Tajiri, 2011: CCN ability of Asian mineral dust particles and their effects on cloud droplet formation. *J. Meteorol. Soc. Japan*, **89**, 581-587.

花房瑞樹　1* Sasaki, H., A. Murata, M. Hanafusa, M. Oh'izumi and K. Kurihara, 2011: Reproducibility of present climate in a non-hydrostatic regional climate model nested within an atmosphere general circulation model. *SOLA*, **7**, 173-176, doi: 10.2151/sola.2011-044.

林　修吾　1* Trilaksono, N. J., S. Otsuka, S. Yoden, K. Saito and S. Hayashi, 2011: Dependence of Model Simulated Heavy Rainfall on the Horizontal Resolution during the Jakarta Flood Event in January-February 2007. *SOLA*, **7**, 193-196.

2 Saito, K., T. Kuroda, S. Hayashi, H. Seko, M. Kunii, Y. Shoji, M. Ueno, T. Kawabata, S. Yoden, S. Otsuka, N. J. Trilaksono, T.-Y. Koh, S. Koseki, Le Duc, K. T. Xin, W.-K. Wong and K. C. Gouda, 2011: International Research for Prevention and Mitigation of Meteorological Disasters in Southeast Asia. *気象研究所技術報告*, **65**, 193pp.

林　豊　1* Ito, Y., T. Tsuji, Y. Osada, M. Kido, D. Inazu, Y. Hayashi, H. Tsushima, R. Hino and H. Fujimoto, 2011: Frontal wedge deformation near the source region of the 2011 Tohoku-Oki earthquake. *Geophys. Res. Lett.*, **38**, L00G05.

2* Tsushima, H., K. Hirata, Y. Hayashi, Y. Tanioka, K. Kimura, S. Sakai, M. Shinohara, T. Kanazawa, R. Hino and K. Maeda, 2011: Near-field tsunami forecasting using offshore tsunami data from the 2011 off the Pacific coast of Tohoku Earthquake. *Earth Planets Space*, **63**, 821-826.

3* Hayashi, Y., H. Tsushima, K. Hirata, K. Kimura and K. Maeda, 2011: Tsunami source area of the 2011 off the Pacific coast of Tohoku Earthquake determined from tsunami arrival times at offshore observation stations. *Earth Planets Space*, **63**, 809-813.

4* 林豊, 越村俊一, 今村文彦, 2011: 遠地地震津波の減衰予測のためのMRMS振幅の時間減衰モデル. *土木学会論文集 B2(海岸工学)*, **67**(2), 216-220, doi: 10.2208/kaigan.67.I_216.

5 林豊, 対馬弘晃, 平田賢治, 木村一洋, 前田憲二, 2011: 沖合津波観測値からの逆伝播で推定した平成23年（2011年）東北地方太平洋沖地震の津波波源域と顕著な海面隆起箇所. *地震予知連絡会会報*, **86**, 71-73.

6 Hayashi, Y., H. Tsushima, Y. Yoshida and T. Yokota, 2012: The impulsive tsunami source of the 2011 Off the Pacific Coast of Tohoku Earthquake estimated from seismic wave and offshore tsunami data. *Technical Note of Public Work Research Institute*, **4217**, 191-200.

7* 林豊, 2012: 津波警報を解除するタイミングに関する研究の現状と展望. *験震時報*, **75**, 13-24.

8 Hayashi, Y., H. Tsushima and Y. Yoshida, 2012: Real-time detection of the source area of an intense tsunami - Case study of the 2011 Great East Japan Earthquake. Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan, 632-643.

林元直樹

1* Hirose, F., K. Miyaoka, N. Hayashimoto, T. Yamazaki and M. Nakamura, 2011: Outline of the 2011 off the Pacific coast of Tohoku Earthquake (Mw9.0) - Seismicity: foreshocks, mainshock, aftershocks, and induced activity -. *Earth Planets Space*, 63, 513-518.

2* Hoshiba, M., K. Iwakiri, N. Hayashimoto, T. Shimoyama, K. Hirano, Y. Yamada, Y. Ishigaki and H. Kikuta, 2011: Outline of the 2011 off the Pacific coast Tohoku earthquake (Mw9.0) - Earthquake Early Warning and Observed Seismic Intensity -. *Earth Planets Space*, **63**, 547-551.

平田賢治

1* Tsushima, H., K. Hirata, Y. Hayashi, Y. Tanioka, K. Kimura, S. Sakai, M. Shinohara, T. Kanazawa, R. Hino and K. Maeda, 2011: Near-field tsunami forecasting using offshore tsunami data from the 2011 off the Pacific coast of Tohoku Earthquake. *Earth Planets Space*, **63**, 821-826.

2* Hayashi, Y., H. Tsushima, K. Hirata, K. Kimura and K. Maeda, 2011: Tsunami source area of the 2011 off the Pacific coast of Tohoku Earthquake determined from tsunami arrival times at offshore observation stations. *Earth Planets Space*, **63**, 809-813.

3 林豊, 対馬弘晃, 平田賢治, 木村一洋, 前田憲二, 2011: 沖合津波観測値からの逆伝播で推定した平成23年（2011年）東北地方太平洋沖地震の津波波源域と顕著な海面隆起箇所. *地震予知連絡会会報*, **86**, 71-73.

平原幹俊

1* Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi and G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, **67**(4), 449-479, doi: 10.1007/s10872-011-0050-3.

2* Nakano, H., H. Tsujino, M. Hirabara, T. Yasuda, T. Motoi, M. Ishii and G. Yamanaka, 2011: Uptake mechanism of anthropogenic CO2 in the Kuroshio Extension region in an Ocean General Circulation Model. *J. Oceanogr.*, **67**(6), 765-783, doi: 10.1007/s10872-011-0075-7.

3* Yamanaka, G., H. Ishizaki, H. Tsujino, H. Nakano and M. Hirabara, 2012: Impact

of Solar Radiation Data and Its Absorption Schemes on Ocean Model Simulations. *Solar Radiation*, 77-98, INTECH, ISBN 979-953-307-424-4.

弘瀬冬樹　1* Hirose, F., K. Miyaoka, N. Hayashimoto, T. Yamazaki and M. Nakamura, 2011: Outline of the 2011 off the Pacific coast of Tohoku Earthquake (Mw9.0) - Seismicity: foreshocks, mainshock, aftershocks, and induced activity -. *Earth Planets Space*, **63**, 513-518.

2 Nakajima, J., A. Hasegawa and F. Hirose, 2011: Stress regime in the Philippine Sea slab beneath Kanto, Japan, *Geophys. Res. Lett.*, **38**, L16318, doi: 10.1029/2011GL048754.

藤井陽介　1* Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

2* Fujii, Y., M. Kamachi, S. Matsumoto and S. Ishizaki, 2012: Barrier Layer and Relevant Variability of the Salinity Field in the Equatorial Pacific Estimated in an Ocean Reanalysis Experiment. *Pure and Applied Geophysics*, **169**, 579-594, doi: 10.1007/s00024-011-0387-y.

3* Usui, N., S. Ishizaki, Y. Fujii and M. Kamachi, 2011: Improving strategies with constraints regarding non-Gaussian statistics in a three-dimensional variational assimilation method. *J. Oceanogr.*, **67**, 253-262.

4* Usui, N., H. Tsujino, H. Nakano, Y. Fujii and M. Kamachi, 2011: Decay mechanism of the 2004/05 Kuroshio large meander. *J. Geophys. Res.*, 116, C10010, doi: 10.1029/2011JC007009.

藤部文昭　1 藤部文昭, 2012: 観測データから見た日本の都市気候. *気象研究ノート*, **224**, 1-23.

2* 藤部文昭, 2011: 極値分布関数の適合度評価に関する検討. *天気*, **58**, 765-775.

3* Miyajima, J. and F. Fujibe, 2011: Climatology of extreme precipitation in Japan for different time scales. *SOLA*, **7**, 157-160, doi: 10.2151/sola.2011-040.

4* Oguchi, T. and F. Fujibe, 2012: Seasonal and regional features of long-term precipitation changes in Japan. *Pap. Met. Geophys.*, **63**, 21-30, doi: 10.2467/ mripapers.63.21.

保坂征宏　1* Aoki, Te., K. Kuchiki, M. Niwano, Y. Kodama, M. Hosaka and T. Tanaka, 2011: Physically based snow albedo model to calculate broadband albedosand solar heating profile in snowpack for general circulation models. *J. Geophys. Res.*, **116**, D11114, doi: 10.1029/2010JD015507.

2* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

干場充之　1* Hoshiba, M. and K. Iwakiri, 2011: Initial 30 seconds of the 2011 off the Pacific coast of Tohoku Earthquake (Mw 9.0) - amplitude and τc for magnitude estimation for Earthquake Early Warning -. *Earth Planets Space*, **63**, 553-557.

2* Hoshiba, M., K. Iwakiri, N. Hayashimoto, T. Shimoyama, K. Hirano, Y. Yamada, Y. Ishigaki and H. Kikuta, 2011: Outline of the 2011 off the Pacific coast Tohoku earthquake (Mw9.0) - Earthquake Early Warning and Observed Seismic Intensity -. *Earth Planets Space*, **63**, 547-551.

3 気象庁気象研究所（青木重樹, 吉田康宏, 干場充之, 勝間田明男）, 2011: 平成 23 年（2011 年）東北地方太平洋沖地震の短周期エンベロープを用いた振動源イメージング. *地震予知連絡会会報*, **86**, 74-79.

4* 岩切一宏, 干場充之, 大竹和生, 2012: 近距離に注目した既往の距離減衰式の検討 ―緊急地震速報の震度予測への適用性評価―, *験震時報*, **75**, 25-36.

5* 岩切一宏, 干場充之, 大竹和生, 下山利浩, 2012: 南関東周辺の KiK-net 強震データの緊急地震速報への活用検討, *験震時報*, 75, 37-59.

6* 干場充之, 2012: メキシコ版緊急地震速報の現状と将来展望－CIRES の Juan Manuel Espinosa Aranda 所長を招へいして―, *験震時報*, 75, 107-111.

7 干場充之, 気象庁でのマグニチュード決定および緊急地震速報 : 東北地方太平洋沖地震でのパフォーマンスと課題, 地震工学会誌, 16, 6-9.

8* 干場充之, 尾崎友亮, 2012: 2011 年東北地方太平洋沖地震での緊急地震速報と津波警報, 地震 2, 64, 155-168.

前田憲二

1 Yoshida, A., K. Hosono, H. Takayama, A. Kobayashi and K. Maeda, 2011: Seismic and geodetic evidence for the existence of hot materials beneath the Wakayama swarm activity. *Tectonophysics*, 510, 124-131, doi: 10.1016/j.tecto.2011.06.023.

2 Tsushima, H., K. Hirata, Y. Hayashi, Y. Tanioka, K. Kimura, S. Sakai, M. Shinohara, T. Kanazawa, R. Hino and K. Maeda, 2011: Near-field tsunami forecasting using offshore tsunami data from the 2011 off the Pacific coast of Tohoku Earthquake. *Earth Planets Space*, 63, 821-826.

3 Hayashi, Y., H. Tsushima, K. Hirata, K. Kimura and K. Maeda, 2011: Tsunami source area of the 2011 off the Pacific coast of Tohoku Earthquake determined from tsunami arrival times at offshore observation stations. *Earth Planets Space*, 63, 809-813.

4 林豊, 対馬弘晃, 平田賢治, 木村一洋, 前田憲二, 2011: 沖合津波観測値からの逆伝播で推定した平成 23 年（2011 年）東北地方太平洋沖地震の津波波源域と顕著な海面隆起箇所. *地震予知連絡会会報*, 86, 71-73.

眞木貴史

1* Tanaka, T. Y., T. T. Sekiyama, T. Maki and M. Mikami, 2011: The Effects of Snow Cover and Soil Moisture on Asian Dust: I. A Numerical Sensitivity Study. *SOLA*, 7A, 36-39, doi: 10.2151/sola.7A-010.

2* Niwa, Y., P. K. Patra, Y. Sawa, T. Machida, H. Matsueda, D. Belikov, T. Maki, M. Ikegami, R. Imasu, S. Maksyutov, T. Oda, M. Satoh and M. Takigawa, 2011: Three-dimensional variations of atmospheric CO_2: aircraft measurements and multi-transport model simulations. *Atmos. Chem. Phys. Discuss.*, 11, 12805-12848, doi: 10.5194/acpd-11-12805-2011.

3* Niwa, Y., P. K. Patra, Y. Sawa, T. Machida, H. Matsueda, D. Belikov, T. Maki, M. Ikegami, R. Imasu, S. Maksyutov, T. Oda, M. Satoh and M. Takigawa, 2011: Three-dimensional variations of atmospheric CO2: aircraft measurements and multi-transport model simulations. *Atmospheric Chemistry and Physics*, 11, 13359–13375, doi: 10.5194/acp-11-13359-2011.

益子 渉

1 Mashiko, W., 2011: A statistical evaluation of typhoon structures simulated by JMA nonhydrostatic model, *CAS/JSC WGNE Res. Activities in Atm. and Oceanic Modelling*, 41, 3.05-3.06.

増田一彦

1* Masuda, K., 2012: Influence of wind direction on the infrared sea surface emissivity model including multiple reflection effect. *Pap. Met. Geophys.*, 63, 1-13, doi: 10.2467/mripapers.63.1.

2* Masuda, K., H. Ishimoto and Y. Mano, 2012: Efficient method of computing a geometric optics integral for light scattering by nonspherical particles. *Pap. Met. Geophys.*, 63, 15-19, doi: 10.2467/mripapers.63.15.

3* Ishimoto, H., K. Masuda, Y. Mano, N. Orikasa and A. Uchiyama, 2012: Irregularly shaped ice aggregates in optical modeling of convectively generated ice clouds. *Journal of Quantitative Spectroscopy & Radiative Transfer*, 113, 632-643, doi: 10.1016/j.jqsrt.2012.01.017.

松枝秀和

1* Wada, A., H. Matsueda, Y. Sawa, K. Tsuboi and S. Okubo, 2011: Seasonal variation of enhancement ratios of trace gases observed over 10 years in the western North Pacific. *Atmospheric Environment*, **45**, 2129-2137, doi: 10.1016/j.atmosenv.2011.01.043.

2* Patra, P. K., Y. Niwa, T. J. Schuck, C. A. M. Brenninkmeijer, T. Machida, H. Matsueda and Y. Sawa, 2011: Carbon balance of South Asia constrained by passenger aircraft CO_2 measurements. *Atmos. Chem. Phys.*, **11**, 4163-4175, doi: 10.5194/acp-11-4163-2011.

3 町田敏暢, 松枝秀和, 澤庸介, 2011: 定期航空路による温室効果ガス観測. *計測と制御*, **50**, 1-8.

4* Chevallier, F., N.-M. Deutscher, T.-J. Conway, P. Ciais, L. Ciattaglia, S. Dohe, M. Frohlich, A.-J. Gomez-Pelaez, D. Griffith, F. Hase, L. Haszpra, P. Krummel, E. Kyro, C. Labuschagne, R. Langenfelds, T. Machida, F. Maignan, H. Matsueda, I. Morino, J. Notholt, M. Ramonet, Y. Sawa, M. Schmidt, V. Sherlock, P. Steele, K. Strong, R. Sussmann, P. Wennberg, S. Wofsy, D. Worthy, D. Wunch and M. Zimnoch, 2011: Global CO_2 fluxes inferred from surface air-sample measurements and from TCCON retrievals of the CO_2 total column. *Geophys. Res. Lett.*, **38**, L24810.

5* Basu, S., S. Houweling, W. Peters, C. Sweeney, T. Machida, S. Maksyutov, P. K. Patra, R. Saito, F. Chevallier, Y. Niwa, H. Matsueda and Y. Sawa, 2011: The seasonal cycle amplitude of total column CO_2: Factors behind the model-observation mismatch. *J. Geophys. Res.*, **116**, D23306, doi: 10.1029/ 2011JD016124.

6* Niwa, Y., P. K. Patra, Y. Sawa, T. Machida, H. Matsueda, D. Belikov, T. Maki, M. Ikegami, R. Imasu, S. Maksyutov, T. Oda, M. Satoh and M. Takigawa, 2011: Three-dimensional variations of atmospheric CO_2: aircraft measurements and multi-transport model simulations. *Atmospheric Chemistry and Physics*, **11**, 13359–13375, doi: 10.5194/acp-11-13359-2011.

7* Ganshin, A., T. Oda., M. Saito., S. Maksyutov., V. Valsala., R. -J. Andres., R. -E. Fisher., D. Lowry., A. Lukyanov., H. Matsueda, E.-G. Nisbet., M. Rigby, Y. Sawa, R. Toumi., K. Tsuboi, A. Varlagin and R. Zhuravlev, 2012: A global coupled Eulerian-Lagrangian model and 1 × 1 km CO_2 surface flux dataset for high-resolution atmospheric CO_2 transport simulations. *Geosci. Model Dev.*, **5**, 231-243.

8 坪井一寛, 松枝秀和, 澤庸介, 丹羽洋介, 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 2012: C-130H 輸送機を利用した温室効果ガス観測のためのフラスコ採取とその高精度測定システムの開発. *気象研究所技術報告*, **67**, 54pp.

9* Chunmao, Zhu., H. Y. Inoue, H. Matsueda, Y. Sawa, Y. Niwa, A. Wada and H. Tanimoto, 2012: Influence of Asian outflow on Rishiri Island, northernmost Japan: Application of radon as a tracer for characterizing fetch regions and evaluating a global 3D model. *Atmospheric Environment*, **50**, 174-181, doi: 10.1016/j.atmosenv.2011.12.043.

10 中村雅道, 久保池大輔, 岩坪昇平, 齊藤和幸, 花宮義和, 辻健太郎, 大森英裕, 西秀紘, 松枝秀和, 澤庸介, 坪井一寛, 丹羽洋介, 2012: 航空機による上空の温室効果ガス観測の開始について～WMO/GAW 計画に貢献する気象庁の温室効果ガス観測～. *測候時報*, **78**(6), 259-268.

11* Sawa, Y., T. Machida, H. Matsueda, 2012: Aircraft observation of the seasonal variation in the transport of CO_2 in the upper atmosphere. *J. Geophys. Res.*, **117**, D05305.

真野裕三　1* Mano, Y., 2011: Inter-channel correlation of transmittances in a high-resolution satellite sounder. *Pap. Met. Geophys.*, **62**, 57-62, doi: 10.2467/mripapers.62.57.

2* Masuda, K., H. Ishimoto and Y. Mano, 2012: Efficient method of computing a geometric optics integral for light scattering by nonspherical particles. *Pap. Met. Geophys.*, **63**, 15-19, doi: 10.2467/mripapers.63.15.

3* Ishimoto, H., K. Masuda, Y. Mano, N. Orikasa and A. Uchiyama, 2012: Irregularly shaped ice aggregates in optical modeling of convectively generated ice clouds. *Journal of Quantitative Spectroscopy & Radiative Transfer*, **113**, 632-643, doi: 10.1016/j.jqsrt.2012.01.017.

馬淵和雄　1* Mabuchi, K., 2011: A Numerical investigation of Changes in Energy and Carbon Cycle Balances under Vegetation Transition due to Deforestation in the Asian Tropical Region, *J. Meteor. Soc. Japan*, **89**(1), 47-65.

2* Mabuchi, K., 2012: Numerical Investigation of the Interaction between Land Surface Processes and Climate. *Climate Models (L. M. Druyan, ed.)*, 163-208, ISBN 978-953-51-0135.

三上正男　1* Tanaka, T. Y., T. T. Sekiyama, T. Maki and M. Mikami, 2011: The Effects of Snow Cover and Soil Moisture on Asian Dust: I. A Numerical Sensitivity Study. *SOLA*, **7A**, 36-39, doi: 10.2151/sola.7A-010.

水田　亮　1* Kusunoki, S., R. Mizuta and M. Matsueda, 2011: Future changes in the East Asian rain band projected by global atmospheric models with 20-km and 60-km grid size. *Clim. Dyn.*, **37**, 2481-2493, doi: 10.1007/s00382-011-000-x.

2* Mizuta, R., M. Matsueda, H. Endo and S. Yukimoto, 2011: Future change in extratropical cyclones associated with change in the upper troposphere. *J. Climate.* **24**, 6456-6470, doi: 10.1175/2011JCLI3969.1.

3* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

緑川　貴　1* Midorikawa, T., M. Ishii, D. Sasano, N. Kosugi, H. Sugimoto, N. Hiraishi, S. Masuda, T. Suzuki, T. R. Takamura and H. Y. Inoue, 2011: Ocean acidification in the subtropical North Pacific estimated from accumulated carbonate data. *Pap. Met. Geophys.*, **62**, 47-56, doi: 10.2467/mripapers.62.47.

2* Ishii, M., N. Kosugi, D. Sasano, S. Saito, T. Midorikawa and H. Y. Inoue, 2011: Ocean acidification off the south coast of Japan: A result from time series observations of CO_2 parameters from 1994 to 2008. *J. Geophys. Res.*, **116**, C06022, doi: 10.1029/2010JC00683.

3* Wada, A., T. Midorikawa, M. Ishii and T. Motoi, 2011: Carbon system changes in the East China Sea induced by Typhoons Tina and Winnie in 1997. *J. Geophys. Res.*, **116**, C07014, doi: 10.1029/2010JC006701.

4* Sasano, D., M. Ishii, T. Midorikawa, T. Nakano, T. Tokieda and H. Uchida, 2011: Testing a new quick response oxygen sensor, "RINKO". *Pap. Met. Geophys.*, **62**, 63-73, doi: 10.2467/mripapers.62.63.

5* Hama, T., S. Kawashima, K. Shimotori, Y. Satoh, Y. Omori, T. Adachi, S. Hasegawa, T. Midorikawa, M. Ishii, S. Saito, D. Sasano, H. Endo, T. Nakayama and I. Inouye, 2011: Effect of Ocean Acidification on Coastal Phytoplankton Composition and Accompanying Organic Nitrogen Production, *J. Oceanogr.*, **68**, 183-194. doi: 10.1007/s10872-011-0084-6.

6 Sugimoto, H., N. Hiraishi, M. Ishii and T. Midorikawa, 2012: The development of the Sea-Air CO_2 flux estimation method in the Pacific Ocean. *気象研究所技術*

報告, **66**, 28pp.

7* Midorikawa, T. H. Y. Inoue, M. Ishii, D. Sasano, N. Kosugi, G. Hashida, S. Nakaoka and T. Suzuki, 2012: Decreasing pH trend estimated from 35-year time series of carbonate parameters in the Pacific sector of the Southern Ocean in summer. *Deep-Sea Research I*, **61**, 131-139. doi: 10.1016/j.dsr.2011.12.003.

村上茂教 1* Murakami, S., 2011: Atmospheric Local Energetics and Energy Interactions between Meanand Eddy Fields. Part I: Theory. *J. Atmos. Sci.*, **68**(4), 760–768, doi: 10.1175/2010JAS3664.1.

村上正隆 1* Yamashita, K., M. Murakami, A. Hashimoto and T. Tajiri, 2011: CCN ability of Asian mineral dust particles and their effects on cloud droplet formation. *J. Meteorol. Soc. Japan.*, **89**, 581-587.

2* DeMott, P. J., O. Mohler, O. Stetzer, G. Vali, Z. Levin, M. Petters, M. Murakami, T. Leisner, U. Bundke, H. Klein, Z. A. Kanji, R. Cotton, H. Jones, S. Benz, M. Brinkmann, D. Rzesanke, H. Saathoff, M. Nicolet, A. Saito, B. Nillius, H. Bingemer, J. Abbatt, K. Ardon, E. Ganor, D. G. Georgakopoulos and C. Saunders, 2011: Resurgence in Ice Nuclei Measurement Research. *Bull. Amer. Meteor. Soc.*, **92**(12), 1623-1636, doi: 10.1175/2011BAMS3119.1.

村田昭彦 1* Murata, A., M. Nakano, S. Kanada, K. Kurihara and H. Sasaki, 2012:Summertime temperature extremes over Japan in the late 21st century projected by a high-resolution regional climate model. *J. Meteor. Soc. Japan,* **90A**, 101-122., DOI:10.2151/jmsj.2012-A05.

2* Sasaki, H., A. Murata, M. Hanafusa, M. Oh'izumi and K. Kurihara, 2011: Reproducibility of present climate in a non-hydrostatic regional climate model nested within an atmosphere general circulation model. *SOLA*, **7**, 173-176, doi: 10.2151/sola.2011-044.

毛利英明 1* Mouri, H., 2011: Large-scale velocity fluctuations of turbulence. *Journal of Physics: Conference Series*, **318**, 042007, doi: 10.1088/1742-6596/318/4/ 042007.

2* Mouri, H., A. Hori, Y. Kawashima and K. Hashimoto, 2011: Statistical mechanics and large-scale velocity fluctuations of turbulence. *Physics of Fluids*, **23**, 125110, doi: 10.1063/1.3667268.

3 毛利英明, 2011: 乱流と層流. *風の事典 (編集：真木太一, 新野宏, 野村卓史, 林陽生)*, 41, 丸善出版, ISBN: 978-4-621-08404-5.

安田珠幾 1 Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi, amd G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, **67**(4), 449-479, doi: 10.1007/s10872-011-0050-3.

2 Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

山内　洋 1* Adachi, A., T. Kobayashi H. Yamauchi and S. Onogi, 2011: Detection of convective cells with a potential to produce local heavy rainfalls by a C-band polarimetric radar. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 81770P1-6,. doi: 10.1117/12.897807.

2* Kobayashi, T., K. Masuda, H. Yamauchi and A. Adachi, 2011: Physically-based simulator for measurements of precipitation with polarimetric and space-borne radars. Proceedings of SPIE, *Remote Sensing of Clouds and the Atmosphere XVI*, **8177**, 8177101-6. doi: 10.1117/12.897702.

山口宗彦

1* Saito, K., M. Hara, M. Kunii, H. Seko and M. Yamaguchi, 2011: Comparison of initial perturbation methods for the mesoscale ensemble prediction system of the Meteorological Research Institute for the WWRP Beijing 2008 Olympics Research and Development Project (B08RDP). *Tellus A*, **63**, 445-467, doi: 10.1111/j.1600-0870.2010.00509.x.

2* Kunii, M., K. Saito, H. Seko, M. Hara, T. Hara, M. Yamaguchi, J. Gong, M. Charron, J. Du, Y. Wang and D. Chen, 2011: Verification and intercomparison of mesoscale ensemble prediction systems in the Beijing 2008 Olympics Research and Development Project. *Tellus A*, **63**, 531-549, doi: 10.1111/ j.1600-0870.2011.00512.x.

3* Yamaguchi, M., D. S. Nolan, M. Iskandarani, S. J. Majumdar, M. S. Peng and C. A. Reynolds, 2011: Singular vectors for tropical cyclone-like vortices in a nondivergent barotropic framework, *J. Atmos. Sci.*, **68**, 2273-2291.

4 茂木耕作, 加藤輝之, 氏家将志, 松枝未遠, 高谷祐平, 西井和晃, 山口宗彦, 榎本剛, 経田正幸, 2011: 第５回気象庁数値モデル研究会・第５回日本気象学会 THORPEX 研究連絡会研究集会―アンサンブル予報・解析における気象庁と大学・研究機関との連携―, *天気*, **58**, 1079-1086.

5 榎本剛, 茂木耕作, 伊藤耕介, 吉田聡, 山口宗彦, 2011: THORPEX 研究連絡会第４回研究集会の報告, *天気*, **58**, 245-248.

山田芳則

1 大竹秀明, 山田芳則, 高島工, Jao Gari Da SilviaFonseca Junior, 大関崇, 2011: 気象庁数値予報モデルの短波放射量予測精度. *電気学会研究会資料 新エネルギー・環境／メタボリズム社会・環境システム 合同研究会*, **FTE-11-34/MES-11- 20**, 25-30.

2 大竹秀明, 下瀬健一, Joao Gari da Silva Fonseca Jr, 高島工, 大関崇, 山田芳則,2012: 太陽光発電量予測に向けた気象庁メソ数値予報モデルの日射量予測の地域特性. *平成２４年電気学会全国大会*, **6-023**, 38-39.

山中吾郎

1* Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi and G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, **67**(4), 449-479, doi: 10.1007/s10872-011-0050-3.

2* Fujii, Y., M. Kamachi, T. Nakaegawa, T. Yasuda, G. Yamanaka, T. Toyoda, K. Ando and S. Matsumoto, 2012: Assimilating Ocean Observation data for ENSO monitoring and forecasting. *Climate Variability*, 75-98, INTECH, ISBN: 979- 953-307-236-3.

3* Nakano, H., H. Tsujino, M. Hirabara, T. Yasuda, T. Motoi, M. Ishii and G. Yamanaka, 2011: Uptake mechanism of anthropogenic CO2 in the Kuroshio Extension region in an Ocean General Circulation Model. *J. Oceanogr.*, **67**(6), 765-783, doi: 10.1007/s10872-011-0075-7.

4 Yamanaka, G., 2011: Discrepancies between observed and ocean general circulation model-simulated anomalies in recent SSTs of the tropical Indian Ocean. *ESA Publication,* **WPP-306**, N/A, European Space Agency, doi: 10.5270/OceanObs09.

5* Yamanaka, G., H. Ishizaki, H. Tsujino, H. Nakano and M. Hirabara, 2012: Impact of Solar Radiation Data and Its Absorption Schemes on Ocean Model Simulations. *Solar Radiation*, 77-98, INTECH, ISBN 979-953-307-424-4.

行本誠史

1* Kodera, K., N. Eguchi, J. N. Lee, Y. Kuroda, S. Yukimoto, 2011: Sudden Changes in the Tropical Stratospheric and Tropospheric Circulation during January 2009, *J. Meteor. Soc. Japan*, 第 89 巻第 3 号, 283-290, doi: 10.2151/jmsj.2011-308.

2* Mizuta, R., M. Matsueda, H. Endo and S. Yukimoto, 2012: Future change in extratropical cyclones associated with change in the upper troposphere, *J. Climate*, **24**, 6456-6470, doi: 10.1175/2011JCLI3969.1.

3* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

4* Yukimoto, S., Y. Adachi, M. Hosaka, T. Sakami, H. Yoshimura, M. Hirabara, T. Y. Tanaka, E. Shindo, H. Tsujino, M. Deushi, R. Mizuta, S. Yabu, A. Obata, H. Nakano, T. Koshiro, T. Ose and A. Kitoh, 2012: A New Global Climate Model of the Meteorological Research Institute: MRI-CGCM3 —Model Description and Basic Performance—, *J. Meteor. Soc. Japan*, **90A**, 23-64, doi: 10.2151/jmsj.2012-A02.

弓本桂也

1* Yumimoto, K. and Takemura, T.: Direct radiative effect of aerosols estimated using ensemble-based data assimilarion in a global aerosol climate model, *Geophys. Res. Lett.*, **38**, L21802, doi: 10.1029/2011GL049258, 2011.

2* Calil, P. H. R., Doney, S. C., Yumimoto, K., Eguchi, K. and Takemura, T.: Episodic Upwelling and Dust Deposition as Bloom Triggers in Low Nutrient Low Chlorophyll Regions, *J. Geophys. Res.*, **116**, C06030, doi: 10.1029/2010JC006704, 2011.

3* Eguchi, K., Uno, I., Yumimoto, K., Takemura, T., Nakajima, T. Y., Uematsu, M. and Liu, Z.: Modulation of Cloud Droplets and Radiation over the North Pacific by Sulfate Aerosol Erupted from Mount Kirauea, *SOLA*, **Vol. 7**, 77-80, doi: 10.2151/sola.2011-020, 2011.

4* Uno, I., Eguchi, K., Yumimoto, K., Liu, Z., Hara, Y., Sugimoto, N., Shimizu, A. and Takemura, T.: Large Asian dust layers continuously reached North America in April 2010, Atmos. *Chem. Phys.*, **11**, 7333-7341, doi: 10.5194/acp-11-7333-2011, 2011.

5* Itahashi, S., Uno, I., Yumimoto, K., Irie, H., Osada, K., Ogata, H., Fukushima, H., Wang, Z. and Ohara, T.: Interannual variation in the fine-mode MODIS aerosol optical depsh and its relationship to the changes in sulfur dioxide emisions in China between 2000 and 2010, Atmos. *Chem. Phys.*, **12**, 2631-2640, doi: 10.5194/acp-12-2631-2012, 2012.

6* Hara, Y., Uno, I., Shimizu, A., Sugimoto, N., Matsui, I., Yumimoto, K., Kurokawa, J., Ohara T. and Liu, Z.: Seasonal characteristics of spherical aerosol distribution in eastern Asia: Integrated analysis using ground/space-based lidars and a chemical transport model, *SOLA*, **7**, 121-124, 2011.

横田　崇

1 Hayashi, Y., H. Tsushima, Y. Yoshida and T. Yokota, 2012: The impulsive tsunami source of the 2011 Off the Pacific Coast of Tohoku Earthquake estimated from seismic wave and offshore tsunami data. *Technical Note of Public Work Research Institute*, **4217**, 191-200.

2 Katsumata, A., S. Aoki, Y. Yoshida, H. Ueno and T. Yokota, 2012: Rapid source parameter estimation of great earthquakes for tsunami warning. *Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan Earthquake*, 592-601.

3* 横田崇, 川上徹人, 尾崎友亮, 下山利浩, 近藤さや, 岡部来, 吉田知央, 坂本誠一, 能勢努, 辻村晃一, 下坪善浩, 2012: 震度に関する検討について, *験震時報*, **75**, 61-105.

吉田康宏

1* Yoshida, Y., H. Ueno, D. Muto and S. Aoki, 2011: Source process of the 2011 off the Pacific coast of Tohoku Earthquake with the combination of teleseismic and strong motion data. *Earth Planets Space*, **63**, 565–569.

2* 気象庁気象研究所（青木重樹, 吉田康宏, 干場充之, 勝間田明男）, 2011: 平成 23 年（2011 年）東北地方太平洋沖地震の短周期エンベロープを用いた振動源イメージング. *地震予知連絡会会報*, **86**, 74-79.

3 Hayashi, Y., H. Tsushima, Y. Yoshida and T. Yokota, 2012: The impulsive tsunami source of the 2011 Off the Pacific Coast of Tohoku Earthquake estimated from seismic wave and offshore tsunami data. *Technical Note of Public Work*

Research Institute, **4217**, 191-200.

4 吉田康宏, 対馬弘晃, 2012: 地震波と津波からみた東北地方太平洋沖地震, *海岸*, **51**, 7-12.

5 Hayashi, Y., H. Tsushima and Y. Yoshida, 2012: Real-time detection of the source area of an intense tsunami - Case study of the 2011 Great East Japan Earthquake. *Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan*, 632-643.

6 Katsumata, A., S. Aoki, Y. Yoshida, H. Ueno and T. Yokota, 2012: Rapid source parameter estimation of great earthquakes for tsunami warning. Proceedings of the International Symposium on Engineering Lessons Learned from the 2011 Great East Japan Earthquake, 592-601.

吉村　純 1* Sugi, M., H. Murakami and J. Yoshimura, 2012: On the mechanism of tropical cyclone frequency changes due to global warming. *J. Meteor. Soc. Japan*, **90A**, 397-408, doi: 10.2151/jmsj.2012-A24.

吉村裕正 1* Mizuta, R., H. Yoshimura, H. Murakami, M. Matsueda, H. Endo, T. Ose, K. Kamiguchi, M. Hosaka, M. Sugi, S. Yukimoto, S. Kusunoki and A. Kitoh, 2012: Climate simulations using MRI-AGCM3.2 with 20-km grid. *J. Meteor. Soc. Japan*, **90A**, 213-232, doi: 10.2151/jmsj.2012-A12.

和田章義 1* Wada, A., T. Midorikawa, M. Ishii and T. Motoi, 2011: Carbon system changes in the East China Sea induced by Typhoons Tina and Winnie in 1997. *J. Geophys. Res.*, **116**, C07014, doi: 10.1029/2010JC006701.

2* Kanada, S., A. Wada, M. Nakano and T. Kato, 2012: Effect of the PBL schemes on the development of an intense tropical cyclone using a cloud-resolving model. *J. Geophys. Res.*, **117**, D03107, doi: 10.1029/2011JD016582.

3* Kawai, Y. and A. Wada, 2011: Detection of cyclone-induced rapid increases in chlorophyll-a with sea surface cooling in the northwestern Pacific Ocean from a MODIS/SeaWiFS merged satellite chlorophyll product. *International Journal of Remote Sensing*, **32**, 9455-9471.

4 Wada, A., T. Midoriwaka, M. Ishii、2011: Rapid decreases in CO2 during the passage of Tina and Winnie (1997). *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 8.03-8.04.

5 Wada, A. : Impacts of short-term variation in sea-surface temperature and the sea state on the evolution of stationary tropical-cyclone-like vortex. *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 9.07-9.08.

6 Wada, A. : Drag coefficient under extremely high winds of typhoon Hai-Tang (2005). *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 9.09-9.10.

7 Wada, A., T. Midoriwaka, M. Ishii、2011: Variation in air-sea CO2 flux and pH induced by passage of typhoon Hai-Tang (2005). *CAS/JSC WGNE Res. Act. Atmos. Ocean. Model.*, **41**, 9.11-9.12.

8* Wada, A. 2011: A study on interactions between tropical cyclones and the ocean. *Doctoral dissertation, University of Tokyo*, 150pp.