

H. References

- Achtemeier, G. L., 1989: Modification of a successive corrections objective analysis for improved derivative calculations. *Mon. Wea. Rev.*, **117**, 78-86.
- Albers S., J. McGinley, D. Birkenheuer, and J. Smart 1996: The Local Analysis and Prediction System (LAPS): Analysis of clouds, precipitation, and temperature. *Weather and Forecasting*, **11**, 273-287.
- Asian Disaster Reduction Center, 2007: Natural Disasters Data Book 2006, (online), available from (http://www.adrc.or.jp/publications/databook/DB2006_e.html), (accessed 2008-9-29).
- Belamari, S., 2005: Report on uncertainty estimates of an optimal bulk formulation for surface turbulent fluxes. *MERSEA IP Deliverable*, D.4.1.2.
- Beljaars, A., 1995: The parametrization of surface fluxes in large-scale models under free convection. *Quart. J. Roy. Meteor. Soc.*, **121**, 255-270.
- Bender, M. A., R. J. Ross, R. E. Tuleya, and Y. Kurihara, 1993: Improvements in tropical cyclone track and intensity forecasts using the GFDL initialization system. *Mon. Wea. Rev.*, **121**, 2046-2061.
- Blumberg, A. F., and Mellor, G. L. 1987: A description of a three-dimensional coastal ocean circulation model. *Three-Dimensional Coastal Ocean Models*, edited by N. Heaps, American Geophysical Union, 208pp.
- Bohra, A. K., S. Basu, E. N. Rajagopal, G. R. Iyengar, M. D. Gupta, R. Ashrit, and B. Athiyaman, 2005: Heavy rainfall episode over Mumbai on 26th July 2005: Assessment of NWP Guidance, *Report of NCMRWF*, 25 pp.
- Branković, Č., T. N. Palmer, F. Molteni, S. Tibaldi, and U. Cubasch, 1990: Extended-range predictions with ECMWF models: Time-lagged ensemble forecasting. *Quart. J. Roy. Meteor. Soc.*, **116**, 867-912.
- Braun, S. A., M. T. Montgomery, and Z. Pu, 2006: High-resolution simulation of Hurricane Bonnie (1998). Part I: The organization of eyewall vertical motion. *J. Atmos. Sci.*, **63**, 19-42.
- Chan, S. T., T. F. Chan, and W. K. Wong, 2010: An Intercomparison of WRF-ARW and JMA-NHM Performance in Prediction of Tropical Cyclones over the South China Sea in 2008. *The 29th Conference on Hurricanes and Tropical Meteorology, American Meteorological Society, Tucson, Arizona, USA*.
- Chang, C.-P., P. A. Harr, and H.-J. Chen, 2005: Synoptic disturbances over the equatorial South China Sea and western Maritime Continent during boreal winter. *Mon. Wea. Rev.*, **133**, 489-503.
- Chen, S. S., 2008: Improving hurricane prediction through advanced data assimilation, modeling and observations. *AGU Fall Meeting, San Francisco, 15-19 December 2008*.
- Cherubini, T., A. Ghelli, and F. Lalaurette, 2002: Verification of precipitation forecasts over the Alpine region using a high density observing network. *Wea. Forecasting*, **17**, 238-249.
- Donelan, M. A., B. K. Haus, N. Reul, W. J. Plant, M. Stiassnie, H. C. Graber, O. B. Brown, and E. S.

- Saltzman, 2004: On the limiting aerodynamic roughness of the ocean in very strong winds. *Geophys. Res. Let.*, **31**, L18306.
- Ebita., A., K. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, and K. Takahashi, 2009: JRA-55: Japanese 55-year reanalysis project status and plan, *Short abstracts of Fifth WMO Symposium on the Assimilation of Observations for Meteorology, Oceanography and Hydrology*, 46.
- Elsberry, R. L., 2002: Numerical modeling for tropical cyclone intensity and precipitation. *USWRP Workshop on Numerical Modeling for Tropical Cyclone Intensity and Precipitation Prediction, San Diego, CA, 3–4 May 2002*.
- Fairall, C. W., E. F. Bradley, J. E. Hare, A. A. Grachev, and J. B. Edson, 2003: Bulk parameterization of air-sea fluxes: Updates and verification for the COARE algorithm. *J. Climate*, **16**, 571-591.
- Frank, W. M., 1977: The Structure and Energetics of the Tropical Cyclone I. Storm Structure, *Mon. Wea. Rev.*, **105**, 1119–1135.
- Fritz, H. M., C. D. Blount, S. Thwin, M. K. Thu, and N. Chan, 2009: Cyclone Nargis storm surge in Myanmar, *Nature Geoscience*, **2**, 448-449.
- Fujita, T., 1952: Pressure distribution within typhoon. *Geophys. Mag.*, **23**, 437–451.
- Hayashi S., K. Aranami, and K. Saito, 2008: Statistical Verification of Short Term NWP by NHM and WRF-ARW with 20 km Horizontal Resolution around Japan and Southeast Asia., *SOLA*, **4**, 133-136.
- Holland, G., 2008: A revised hurricane pressure–wind model. *Mon. Wea. Rev.*, **136**, 3432–3445.
- Honda, Y., M. Nishijima, K. Koizumi, Y. Ohta, K. Tamiya, and T. Kawabata, 2005: A pre-operational variational data assimilation system for a non-hydrostatic model at the Japan Meteorological Agency: Formulation and preliminary results, *Quart. J. Roy. Meteor. Soc.*, **131**, 3465-3475.
- Honda, Y., and K. Sawada, 2008: A New 4D-Var for Mesoscale Analysis at the Japan Meteorological Agency. *CAS/JSC WGNE Res. Act. Atmos. Ocea. Modell.*, **38**, 01.7-01.8.
- Honda, Y., and K. Sawada, 2009: Upgrade of the Operational Mesoscale 4D-Var at the Japan Meteorological Agency. *CAS/JSC WGNE Res. Act. Atmos. Ocea. Modell.*, **39**, 01.11-01.12.
- Horinouchi, T., S. Nishizawa, C. Watanabe, A. Tomobayashi, S. Otsuka, T. Koshiro, and GFD Dennou Club, 2010: Gfdnavi, web-based data and knowledge server software for geophysical fluid sciences, part I: web application, *Lecture Notes in Computer Science*, **6913**, 93-104.
- Huffman, G. J., R. F. Adler, D. T. Bolvin, G. Gu, E. J. Nelkin, K. P. Bowman, E. F. Stocker, and D. B. Wolff, 2007: The TRMM multisatellite precipitation analysis (TMPA): Quasi-global, multiyear, combined-sensor precipitation estimates at fine scales. *J. Hydrometeor.*, **8**, 38–55.
- Ishikawa, Y., and K. Koizumi, 2002: Mesoscale 4-dimensional variational data assimilation. *Annual report of Numerical Prediction Division*, **48**, 37-59. (in Japanese)
- Janjic, Z., R. Gall, and M. E. Pyle, 2010: Scientific Documentation for the NMM Solver. *NCAR Technical Note*, NCAR/TN-477+STR, 54pp
- Japan Meteorological Agency, 1961: Official Report of Typhoon Vera, Japan Meteorological Agency.
- Joseph, B., B. C. Bhatt, T. Y. Koh, and S. Chen, 2008: Sea breeze simulation over Malay Peninsula

- over an intermonsoon period, *J. Geophys. Res.*, **113**, p.D20122, doi:10.1029/2008JD010319.
- Kain, J., and J. Fritsch, 1993: Convective parameterization for mesoscale models: The Kain-Fritsch scheme, The Representation of Cumulus Convection in Numerical Models, *Meteor. Monogr.*, **24**, 165-170.
- Kalnay, E., 2003: Atmospheric Modeling, Data Assimilation, and Predictability, *Cambridge University Press*, 341 pp.
- Kato T., and K. Aranami, 2005: Formation factors of 2004 Niigata-Fukushima and Fukui heavy rainfall and problems in the precipitations using a Cloud-resolving model, *SOLA*, **1**, 1-4.
- Kawabata, T. H. Seko, K. Saito, T. Kuroda, K. Tamiya, T. Tsuyuki, Y. Honda, and Y. Wakazuki, An assimilation and forecasting experiment of the Nerima heavy rainfall with a cloud-resolving nonhydrostatic 4-dimensional variational data assimilation system, 2007, *J. Meteor. Soc. Japan*, **85**, 255-276.
- Kawabata, T., M. Kunii, K. Bessho, T. Nakazawa, N. Kohno, Y. Honda, and K. Sawada, 2011: Reanalysis and Forecast of Typhoon Vera (1959) using a Mesoscale Four-Dimensional Variational Assimilation System. Part I: Impacts of Direct Observations and Bogus Data around the Eye of Typhoon. *J. Meteor. Soc. Japan* (submitted).
- Kida, H., T. Koide, H. Sasaki, and M. Chiba, 1991: A New Approach for Coupling a Limited Area Model to GCM for Regional Climate Simulations. *J. Meteor. Soc. Japan*, **69**, 723-728.
- Kitagawa, H., 2000: Radiation process. NPD Report No. 46, Numerical Prediction Division, JMA, 16-31. (in Japanese)
- Knaff, J. A., and M. DeMaria, 2006: A multi-platform satellite tropical cyclone wind analysis system. *14th Conference on Satellite Meteorology and Oceanography, Atlanta, GA, U.S.A., 30 Jan. – 2 Feb. 2006*.
- Koh, T. Y., and J. S. Ng, 2009: Improved diagnostics for NWP verification in the tropics. *J. Geophys. Res.*, **114**, p.D12102, doi:10.1029/2008JD011179.
- Koh, T. Y., and C. K. Teo (2009), "Towards a mesoscale observation network in Southeast Asia", *Bulletin of American Meteorological Society*, **90**(4), 481-488, doi: 10.1175/2008BAMS2561.1.
- Koizumi, K., Y. Ishikawa, and T. Tsuyuki, 2005: Assimilation of Precipitation Data to the JMA Mesoscale Model with a Four-dimensional Variational Method and its Impact on Precipitation Forecasts. *SOLA*, **1**, 45-48.
- Kondo, J., 1975: Air-sea bulk transfer coefficients in diabatic conditions. *Bound.-Layer Meteor.*, **9**, 91-112.
- Kunii, M., Y. Shoji, M. Ueno and K. Saito, 2010: Mesoscale data assimilation of Myanmar cyclone Nargis. *J. Meteor. Soc. Japan*, **88**, 455-474.
- Kuroda, T., K. Saito, M. Kunii, and N. Kohno, 2010: Numerical simulations of Myanmar cyclone Nargis and the associated storm surge Part I: Forecast experiment with a nonhydrostatic model and simulation of storm surge. *J. Meteor. Soc. Japan*, **88**, 521-545.

- Kuroda, T., K. Saito, M. Kunii, and H. Seko, 2010: Mesoscale LETKF Data Assimilation on cyclone Nargis. *CAS/JSC WGN Res. Act. Atmos. Ocea. Modell.*, **40**, 1.23-1.24.
- Lai, S. T., and W. K. Wong, 2006: Quantitative precipitation nowcast of tropical cyclone rainbands – case evaluation in 2006. *39th Session of ESCAP/WMO Typhoon Committee, Manila, Philippines, 8 Dec. 2006*.
- Lebeaupin, B.C., V. Ducrocq, and H. Giordani, 2007: Ocean-atmosphere interactions and coupling associated with torrential rainfall events. *International Conference on Alpine Meteorology, Chambéry, France, 4-8 June 2007*.
- Majewski, D., 2009: HRM - User's guide. Deutscher Wetterdienst, Offenbach am Main, 120 pp.
- Mittermaier, M. P., 2007: Improving short-range high-resolution model precipitation forecast skill using time-lagged ensembles. *Quart. J. Roy. Meteor. Soc.*, **133**, 1487–1500.
- Miyamoto, K., 2009: Dry bias in the middle troposphere of the GSM. *Annual report of Numerical Prediction Division*, **55**, 68-70. (in Japanese)
- Miyoshi, T., and K. Aranami, 2006: Applying a Four-dimensional Local Ensemble Transform Kalman Filter (4D-LETKF) to the JMA Nonhydrostatic Model (NHM), *SOLA*, **2**, 128-131 .
- Nakanishi, M., and H. Niino, 2004: An improved Mellor-Yamada level 3 model with condensation physics: Its design and verification. *Bound.-Layer Meteor.*, **112**, 1–31.
- Nakanishi, M., and H. Niino, 2006: An improved Mellor-Yamada level-3 model: Its numerical stability and application to a regional prediction of advection fog. *Bound.-Layer Meteor.*, **119**, 397–407.
- Nishizawa, S., T. Horinouchi, C. Watanabe, Y. Isamoto, A. Tomobayashi, S. Otsuka, and GFD Dennou Club, 2010: Gfdnavi, web-based data and knowledge server software for geophysical fluid sciences, part II: RESTful web services and object-oriented programming interface, *Lecture Notes in Computer Science*, **6193**, 105-116.
- Onogi, K. 1998: A Data Quality Control Method Using Forecasted Horizontal Gradient and Tendency in a NWP System: Dynamic QC. *J. Meteor. Soc. Japan.*, **76**, 497–516.
- Onogi, K., J. Tsutsui, H. Koide, M. Sakamoto, S. Kobayashi, H. Hatsushika, T. Matsumoto, N. Yamazaki, H. Kamanori, K. Takahashi, S. Kadokura, K. Wada, K. Kato, R. Oyama, T. Ose, N. Mannoji, and R. Taira, 2007: The JRA-25 Reanalysis. *J. Meteor. Soc. Japan*, **85**, 369-432.
- Oost, W.A., G.J. Komen, C.M.J. Jacobs, and C. van Oort, 2002: New evidence for a relation between wind stress and wave age from measurements during ASGAMAGE. *Bound.-Layer Meteor.*, **103**, 409-438.
- Otsuka, S., and S. Yoden, 2010: Experimental Development of Decision Support System for Prevention and Mitigation of Meteorological Disasters Based on Ensemble NWP Data. *Annuals of Dias. Prev. Res. Inst., Kyoto Univ.*, **53B**, 377-382. (in Japanese with English abstract and figure captions)
- Palmer, T. N, 2002: The economic value of ensemble forecasts as a tool for risk assessment: From days to decades, *Q. J. Roy. Meteor. Soc.*, **128**, 747-774.

- Parrish, D., and J.C Derber, 1992: The National Meteorological Center's spectral statistical interpolation analysis system. *Mon. Wea. Rev.*, **120**, 1747-1763.
- Powell, M. D., P. J. Vickery, and T.A. Reinhold, 2003: Reduced drag coefficient for high wind speeds in tropical cyclones. *Nature*, **422**, 279-283.
- Saito, K., T. Kato, H. Eito, and C. Muroi, 2001: Documentation of the Meteorological Research Institute/Numerical Prediction Division unified nonhydrostatic model. *Tech. Rep. MRI*, **42**, 133pp.
- Saito, K., T. Fujita, Y. Yamada, J. Ishida, Y. Kumagai, K. Aranami, S. Ohmori, R. Nagasawa, S. Kumagai, C. Muroi, T. Kato, H. Eito, and Y. Yamazaki, 2006: The operational JMA Nonhydrostatic Mesoscale Model. *Mon. Wea. Rev.*, **134**, 1266–1298.
- Saito K., J. Ishida, K. Aranami, T. Hara, T. Segawa, M. Narita, and Y. Honda, 2007: Nonhydrostatic Atmospheric Models and Operational Development at JMA. *J. Meteor. Soc. Japan*, **85B**, 271-304.
- Saito, K., T. Kuroda, M. Kunii, and N. Kohno, 2010a: Numerical Simulations of Myanmar Cyclone Nargis and the Associated Storm Surge Part 2: Ensemble prediction. *J. Meteor. Soc. Japan*. **88**, 547-570.
- Saito, K., M. Kunii, M. Hara, H. Seko, T. Hara, M. Yamaguchi, T. Miyoshi, and W. Wong, 2010b: WWRP Beijing 2008 Olympics Forecast Demonstration / Research and Development Project (B08FDP/RDP). *Tech. Rep. MRI*, **62**, 210pp.
- Seko, H., and H. Nakamura, Analytical and Numerical Studies on Meso- β scale Precipitation Bands Observed over Southern Kyushu on 7 July 1996, 2005, *Papers in Meteorology and Geophysics*, **55**, 55-74.
- Seko, H., S. Hayashi, M. Kunii and K. Saito, Structure of the Regional Heavy Rainfall System that Occurred in Mumbai, India, on 26 July 2005, 2008, *SOLA*, **4**, 129-132.
- Shibayama, T., and Investigation Team of Japan Society of Civil Engineering, 2008: Prompt report on the storm surge disaster by the Myanmar Cyclone. *JSCE Magazine*, **93**, No.7, 41-43 (in Japanese).
- Shindo, E., K. Saito, and M. Sugi, 2008: Typhoon formation and development experiment with a high resolution global model and a regional nonhydrostatic model. *Proceedings, 2008 Autumn Conference of the Meteorological Society of Japan*, **P109**. (in Japanese)
- Shoji, Y., 2009; A study of Near Real-time Water Vapor Analysis using a nationwide Dense GPS Network of Japan, *J. Met. Soc. Japan*, **87**, 1-18.
- Shoji, Y., M. Kunii, and K. Saito, 2011; Mesoscale Data Assimilation of Myanmar Cyclone Nargis Part II: Assimilation of GPS-Derived Precipitable Water Vapor, *J. Met. Soc. Japan*, **89**, 67-88.
- Skamarock, W. C., J. B. Klemp, J. Dudhia, D. O. Gill, D. M. Barker, W. Wang, and J. G. Powers, 2005: A Description of the Advanced Research WRF Version 2. *NCAR Tech. Note*, **468**, 88p.
- Skamarock, W. C., J. B. Klemp, J. Dudhia, D. O. Gill, D. M. Barker, M. G. Duda, X. Y. Huang, W. Wang, and J. G. Powers, 2008: A Description of the Advanced Research WRF Version 3. *NCAR Technical Note*, NCAR/TN-475+STR, 125 pp.
- Tangang, F. T., L. Juneng, E. Salimun, P. N. Vinayachandran, Y. K. Seng, C. J. C. Reason, S. K.

- Behera, and T. Yasunari, 2008: On the roles of the northeast cold surge, the Borneo vortex, the Madden-Julian Oscillation, and the Indian Ocean Dipole during the extreme 2006/2007 flood in southern Peninsular Malaysia. *Geophys. Res. Lett.*, **35**, L14S07, doi: 10.1029/2008GL033429.
- Taylor, P. K., and M. A. Yelland, 2001: The dependence of sea surface roughness on the height and steepness of the waves. *J. Phys. Oceanogr.*, **31**, 572-590.
- Teo, C. K., T. Y. Koh, C. F. Lo, and B. C. Bhatt, 2011: Principal Component Analysis of observed and modeled diurnal rainfall in the Maritime Continent. *J. Climate*, **24**, 4662-4675.
- Trilaksono, N. J., S. Otsuka, and S. Yoden, 2011: A time-lagged ensemble forecast experiment on the modulation of precipitation over West Java in January-February 2007. *Mon. Wea. Rev.* doi:10.1175/MWR-D-11-00094.1.
- Tukey, J. W., 1977: Exploratory Data Analysis, *Reading, Mass: Addison-Wesley Publishing Co.*, 688 pp.
- Ueno, M., 1989: Operational bogussing and numerical prediction of typhoon in JMA. *JMA/NPD Tech. Rep.*, No. **28**, 48pp.
- Ueno, M., 1995: A study on the impact of asymmetric components around tropical cyclone center on the accuracy of bogus data and the track forecast. *Meteorol. Atmos. Phys.*, **56**, 125–134.
- Ueno, M., 2000: Typhoon forecast by numerical models. *Meteor. Res. Notes*, **197**, 131–286 (in Japanese).
- Ueno, M., 2008: Effects of ambient vertical wind shear on the inner-core asymmetries and vertical tilt of a simulated tropical cyclone. *J. Meteor. Soc. Japan*. **86**, 531-555.
- Ueno, M., and W. Mashiko, 2005: Current status and challenges of forecasting typhoon with high-resolution models. *Working Papers of CREST 2005*, 61–65 (in Japanese).
- Ueno, M., and M. Kunii, 2009: Some aspects of azimuthal wavenumber-one structure of typhoons represented in the JMA operational mesoscale analyses. *J. Meteor. Soc. Japan*, **87**, 615–633.
- Webster, P. J., 2008: Myanmar's deadly daffodil. *Nature Geoscience*, **1**, 488 – 490.
- Wong, W.K. and E.S.T. Lai, 2006: RAPIDS – Operational Blending of Nowcast and NWP QPF. *2nd International Symposium on Quantitative Precipitation Forecasting and Hydrology, Boulder, USA, 4-8 June 2006*.
- Wong, W. K., L. H. Y. Yeung, Y. C. Wang, and M. Chen, 2009 : Towards the Blending of NWP with Nowcast — Operation Experience in B08FDP, *WMO Symposium on Nowcasting, 30 Aug-4 Sep 2009, Whistler, B.C., Canada*.
- Wong, W. K., P. W. Chan, and C. K. Ng, 2011: Aviation Applications of a New Generation of Mesoscale Numerical Weather Prediction System of the Hong Kong Observatory. *24th Conference on Weather and Forecasting/20th Conference on Numerical Weather Prediction, American Meteorological Society, 24-27 Jan 2011, Seattle, USA*.
- Wong, W. K., S. Sumdin, and S.T. Lai, 2010: Development of Air-Sea Bulk Transfer Coefficients and Roughness Lengths in JMA Non-hydrostatic Model and Application in Prediction of an Intense Tropical Cyclone. *SOLA*, **6**, 65-68.
- Wu, P., M. Hara, H. Fudeyasu, M. D. Yamanaka, J. Matsumoto, F. Syamsudin, R. Sulistyowati, and Y.

- S. Djajadihardja, 2007: The impact of trans-equatorial monsoon flow on the formation of repeated torrential rains over Java Island. *SOLA*, **3**, 93–96.
- Yabu, S., S. Murai, and H. Kitagawa, 2005: Clear-sky radiation scheme. *NPD Report, Numerical Prediction Division, JMA*, **51**, 53-64. (in Japanese)
- Yamasaki, M., 1983: A further study of the tropical cyclone without parameterizing the effect of cumulus convection, 1983, *Papers in Meteorology and Geophysics*, **34**, 221-260.
- Yamasaki, M., 1984: Dynamics of convective clouds and ‘CISK’ in vertical shear flow-with its application to easterly waves and squall-line systems, 1984, *J. Meteor. Soc. Japan*, **62**, 833-863.
- Yamasaki, M., and H. Seko, Effect of the gravity wave on the convection cells, 1992, *Proceedings of Spring meeting of Meteorological Society of Japan*, A108 (in Japanese).
- Yoden, S., K. Saito, T. Takemi, and S. Nishizawa, 2008: New stages of international collaborations which serves for mitigation of meteorological disasters in Southeast Asia, *Tenki*, **55**, 705-708. (in Japanese)
- Zumberge, J. F., M. B. Heflin, D. C. Jefferson, and M. M. Watkins, 1997: Precise point positioning for the efficient and robust analysis of GPS data from large networks, *J. Geophys. Res.*, **102(B3)**, 5005–5017.